

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL090724\
 Data File : PL091529.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 05 Sep 2024 13:43
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 06 06:43:27 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
 Quant Title : GC Extractables
 QLast Update : Wed Aug 14 13:09:19 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.545	2.784	98219297	107.8E6	45.743	55.214
28)	SA Decachlor...	9.059	7.924	74175133	94633742	48.654	49.962
Target Compounds							
2)	A alpha-BHC	4.000	3.287	137.4E6	155.1E6	45.842	55.905
3)	MA gamma-BHC...	4.333	3.617	131.9E6	144.7E6	45.975	54.924
4)	MA Heptachlor	4.922	3.957	119.8E6	135.8E6	44.984	52.563
5)	MB Aldrin	5.263	4.237	115.6E6	129.9E6	44.793	52.824
6)	B beta-BHC	4.529	3.916	63201341	63540924	46.734	53.982
7)	B delta-BHC	4.777	4.146	130.6E6	144.1E6	47.957	56.874
8)	B Heptachlo...	5.689	4.740	108.7E6	117.1E6	44.432	51.925
9)	A Endosulfan I	6.075	5.109	100.2E6	108.8E6	44.628	51.550
10)	B gamma-Chl...	5.945	4.990	108.8E6	122.1E6	45.027	51.670
11)	B alpha-Chl...	6.024	5.053	107.6E6	120.9E6	44.706	51.404
12)	B 4,4'-DDE	6.196	5.243	94963142	110.2E6	45.391	52.731
13)	MA Dieldrin	6.350	5.374	105.1E6	117.6E6	44.608	51.643
14)	MA Endrin	6.579	5.649	84996703	100.6E6	43.830	49.389
15)	B Endosulfa...	6.798	5.944	94464837	102.7E6	46.680	53.099
16)	A 4,4'-DDD	6.713	5.797	83870346	93326317	55.493	56.534
17)	MA 4,4'-DDT	7.027	6.047	78831433	85783762	44.410	48.291
18)	B Endrin al...	6.928	6.123	72362868	78265227	45.329	50.244
19)	B Endosulfa...	7.161	6.345	88202102	99193508	45.971	51.449
20)	A Methoxychlor	7.503	6.622	44253110	46825378	47.065	47.156
21)	B Endrin ke...	7.647	6.851	97420222	113.2E6	46.397	51.954
22)	Mirex	8.120	7.032	75710243	90575163	44.505	48.529
24)	Chlordane-2	5.263f	4.375	115.6E6	738326	1138.548	7.858 #
25)	Chlordane-3	5.945	4.990	108.8E6	122.1E6	313.268	502.999 #
26)	Chlordane-4	6.024	5.053	107.6E6	120.9E6	255.915	518.640 #
27)	Chlordane-5	0.000	5.720	0	64277	N.D.	0.928 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL090724\
Data File : PL091529.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Sep 2024 13:43
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 06 06:43:27 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
Quant Title : GC Extractables
QLast Update : Wed Aug 14 13:09:19 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.545 min
Delta R.T.: 0.000 min
Response: 98219297
Conc: 45.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.784 min
Delta R.T.: 0.000 min
Response: 107777287
Conc: 55.21 ng/ml




#2 alpha-BHC

R.T.: 4.000 min
Delta R.T.: 0.001 min
Response: 137424208
Conc: 45.84 ng/ml



#2 alpha-BHC


R.T.: 3.287 min
Delta R.T.: -0.001 min
Response: 155050537
Conc: 55.91 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.333 min
Delta R.T.: 0.001 min
Response: 131885860
Conc: 45.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.617 min
Delta R.T.: -0.001 min
Response: 144666055
Conc: 54.92 ng/ml




#4 Heptachlor

R.T.: 4.922 min
Delta R.T.: 0.000 min
Response: 119792268
Conc: 44.98 ng/ml



#4 Heptachlor


R.T.: 3.957 min
Delta R.T.: -0.002 min
Response: 135753499
Conc: 52.56 ng/ml



#5 Aldrin


R.T.: 5.263 min
Delta R.T.: 0.000 min
Response: 115605443
Conc: 44.79 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.237 min
Delta R.T.: -0.001 min
Response: 129904544
Conc: 52.82 ng/ml




#6 beta-BHC

R.T.: 4.529 min
Delta R.T.: 0.002 min
Response: 63201341
Conc: 46.73 ng/ml



#6 beta-BHC


R.T.: 3.916 min
Delta R.T.: 0.000 min
Response: 63540924
Conc: 53.98 ng/ml



#7 delta-BHC


R.T.: 4.777 min
Delta R.T.: 0.002 min
Response: 130563528
Conc: 47.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.146 min
Delta R.T.: -0.001 min
Response: 144130824
Conc: 56.87 ng/ml




#8 Heptachlor epoxide

R.T.: 5.689 min
Delta R.T.: 0.001 min
Response: 108704690
Conc: 44.43 ng/ml



#8 Heptachlor epoxide


R.T.: 4.740 min
Delta R.T.: -0.002 min
Response: 117081687
Conc: 51.92 ng/ml



#9 Endosulfan I


R.T.: 6.075 min
Delta R.T.: 0.002 min
Response: 100205164
Conc: 44.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.109 min
Delta R.T.: -0.002 min
Response: 108778382
Conc: 51.55 ng/ml




#10 gamma-Chlordane

R.T.: 5.945 min
Delta R.T.: 0.002 min
Response: 108805642
Conc: 45.03 ng/ml



#10 gamma-Chlordane


R.T.: 4.990 min
Delta R.T.: -0.002 min
Response: 122145920
Conc: 51.67 ng/ml



#11 alpha-Chlordane


R.T.: 6.024 min
Delta R.T.: 0.002 min
Response: 107640700
Conc: 44.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.053 min
Delta R.T.: -0.002 min
Response: 120930514
Conc: 51.40 ng/ml




#12 4,4'-DDE

R.T.: 6.196 min
Delta R.T.: 0.000 min
Response: 94963142
Conc: 45.39 ng/ml



#12 4,4'-DDE


R.T.: 5.243 min
Delta R.T.: -0.002 min
Response: 110176317
Conc: 52.73 ng/ml



#13 Dieldrin


R.T.: 6.350 min
Delta R.T.: 0.002 min
Response: 105061673
Conc: 44.61 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.374 min
Delta R.T.: -0.002 min
Response: 117619441
Conc: 51.64 ng/ml




#14 Endrin

R.T.: 6.579 min
Delta R.T.: 0.002 min
Response: 84996703
Conc: 43.83 ng/ml



#14 Endrin


R.T.: 5.649 min
Delta R.T.: -0.002 min
Response: 100612197
Conc: 49.39 ng/ml



#15 Endosulfan II


R.T.: 6.798 min
Delta R.T.: 0.002 min
Response: 94464837
Conc: 46.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.944 min
Delta R.T.: -0.001 min
Response: 102729979
Conc: 53.10 ng/ml




#16 4,4'-DDD

R.T.: 6.713 min
Delta R.T.: 0.002 min
Response: 83870346
Conc: 55.49 ng/ml



#16 4,4'-DDD


R.T.: 5.797 min
Delta R.T.: -0.002 min
Response: 93326317
Conc: 56.53 ng/ml



#17 4,4'-DDT


R.T.: 7.027 min
Delta R.T.: 0.002 min
Response: 78831433
Conc: 44.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.047 min
Delta R.T.: -0.002 min
Response: 85783762
Conc: 48.29 ng/ml




#18 Endrin aldehyde

R.T.: 6.928 min
Delta R.T.: 0.003 min
Response: 72362868
Conc: 45.33 ng/ml



#18 Endrin aldehyde


R.T.: 6.123 min
Delta R.T.: -0.002 min
Response: 78265227
Conc: 50.24 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.161 min
Delta R.T.: 0.002 min
Response: 88202102
Conc: 45.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.345 min
Delta R.T.: -0.002 min
Response: 99193508
Conc: 51.45 ng/ml




#20 Methoxychlor

R.T.: 7.503 min
Delta R.T.: 0.002 min
Response: 44253110
Conc: 47.06 ng/ml



#20 Methoxychlor


R.T.: 6.622 min
Delta R.T.: -0.002 min
Response: 46825378
Conc: 47.16 ng/ml



#21 Endrin ketone


R.T.: 7.647 min
Delta R.T.: 0.002 min
Response: 97420222
Conc: 46.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.851 min
Delta R.T.: -0.002 min
Response: 113154834
Conc: 51.95 ng/ml




#22 Mirex

R.T.: 8.120 min
Delta R.T.: 0.002 min
Response: 75710243
Conc: 44.51 ng/ml



#22 Mirex


R.T.: 7.032 min
Delta R.T.: -0.001 min
Response: 90575163
Conc: 48.53 ng/ml



#24 Chlordane-2


R.T.: 5.263 min
Delta R.T.: 0.029 min
Response: 115605443
Conc: 1138.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.375 min
Delta R.T.: 0.014 min
Response: 738326
Conc: 7.86 ng/ml




#25 Chlordane-3

R.T.: 5.945 min
Delta R.T.: 0.000 min
Response: 108805642
Conc: 313.27 ng/ml



#25 Chlordane-3


R.T.: 4.990 min
Delta R.T.: -0.002 min
Response: 122145920
Conc: 503.00 ng/ml



#26 Chlordane-4


R.T.: 6.024 min
Delta R.T.: -0.002 min
Response: 107640700
Conc: 255.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.053 min
Delta R.T.: 0.000 min
Response: 120930514
Conc: 518.64 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.875 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.720 min
Delta R.T.: 0.000 min
Response: 64277
Conc: 0.93 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.059 min
Delta R.T.: 0.003 min
Response: 74175133
Conc: 48.65 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.924 min
Delta R.T.: -0.002 min
Response: 94633742
Conc: 49.96 ng/ml