

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL090820\
 Data File : PL061279.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 08 Sep 2020 13:56
 Operator : DD\AJ
 Sample : PSTDICC005
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC005

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 08 14:09:53 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090820.M
 Quant Title : GC Extractables
 QLast Update : Tue Sep 08 13:54:56 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.459	4.007	8896025	15224042	5.199	4.937
28)	SA Decachlor...	8.210	9.093	9143357	13463020	5.615	5.898
Target Compounds							
2)	A alpha-BHC	3.895	4.396	12023767	20303680	4.629	4.268
3)	MA gamma-BHC...	4.178	4.682	10671468	19501405	4.601	4.444
4)	MA Heptachlor	4.480	5.193	10583883	19221571	4.917	4.897
5)	MB Aldrin	4.728	5.499	9072991	18153820	4.662	4.758
6)	B beta-BHC	4.429	4.853	4902406	7838554	5.130	4.377
7)	B delta-BHC	4.633	5.071	9712132	11139380	4.371	3.306
8)	B Heptachlo...	5.171	5.885	9330909	13192973	5.010	4.294
9)	A Endosulfan I	5.509	6.244	8502312	16345390	4.928	5.120
10)	B gamma-Chl...	5.398	6.121	9163166	16849414	4.933	4.860
11)	B alpha-Chl...	5.456	6.194	9182208	17404873	4.946	5.002
12)	B 4,4'-DDE	5.621	6.352	7858779	15056593	4.536	4.627
13)	MA Dieldrin	5.752	6.501	8531228	15676259	4.695	4.729
14)	MA Endrin	6.009	6.720	8121543	13320159	4.793	4.708
15)	B Endosulfa...	6.281	6.930	9002518	15487120	5.332	5.308
16)	A 4,4'-DDD	6.136	6.844	6723050	12170823	4.573	4.678
17)	MA 4,4'-DDT	6.377	7.143	5163731	11299816	3.541	4.407
18)	B Endrin al...	6.449	7.054	7800796	12627614	5.380	5.203
19)	B Endosulfa...	6.662	7.278	8381102	14170775	5.116	5.227
20)	A Methoxychlor	6.922	7.603	3994789	7273852	4.590	5.071
21)	B Endrin ke...	7.152	7.750	8820901	13147831	4.781	4.805
22)	Mirex	7.342	8.206	8957456	10562461	6.303	5.622



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL090820\
Data File : PL061279.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 08 Sep 2020 13:56
Operator : DD\AJ
Sample : PSTDICC005
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PSTDICC005

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 08 14:09:53 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090820.M
Quant Title : GC Extractables
QLast Update : Tue Sep 08 13:54:56 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.459 min
Delta R.T.: 0.000 min
Response: 8896025
Conc: 5.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#1 Tetrachloro-m-xylene

R.T.: 4.007 min
Delta R.T.: 0.000 min
Response: 15224042
Conc: 4.94 ng/ml




#2 alpha-BHC

R.T.: 3.895 min
Delta R.T.: 0.000 min
Response: 12023767
Conc: 4.63 ng/ml



#2 alpha-BHC


R.T.: 4.396 min
Delta R.T.: 0.000 min
Response: 20303680
Conc: 4.27 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.178 min
Delta R.T.: 0.000 min
Response: 10671468
Conc: 4.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#3 gamma-BHC (Lindane)

R.T.: 4.682 min
Delta R.T.: 0.000 min
Response: 19501405
Conc: 4.44 ng/ml




#4 Heptachlor

R.T.: 4.480 min
Delta R.T.: 0.000 min
Response: 10583883
Conc: 4.92 ng/ml



#4 Heptachlor


R.T.: 5.193 min
Delta R.T.: 0.000 min
Response: 19221571
Conc: 4.90 ng/ml



#5 Aldrin


R.T.: 4.728 min
Delta R.T.: 0.000 min
Response: 9072991
Conc: 4.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#5 Aldrin

R.T.: 5.499 min
Delta R.T.: 0.000 min
Response: 18153820
Conc: 4.76 ng/ml




#6 beta-BHC

R.T.: 4.429 min
Delta R.T.: 0.000 min
Response: 4902406
Conc: 5.13 ng/ml



#6 beta-BHC


R.T.: 4.853 min
Delta R.T.: 0.000 min
Response: 7838554
Conc: 4.38 ng/ml



#7 delta-BHC


R.T.: 4.633 min
Delta R.T.: 0.000 min
Response: 9712132
Conc: 4.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#7 delta-BHC

R.T.: 5.071 min
Delta R.T.: 0.000 min
Response: 11139380
Conc: 3.31 ng/ml




#8 Heptachlor epoxide

R.T.: 5.171 min
Delta R.T.: 0.000 min
Response: 9330909
Conc: 5.01 ng/ml



#8 Heptachlor epoxide


R.T.: 5.885 min
Delta R.T.: 0.000 min
Response: 13192973
Conc: 4.29 ng/ml



#9 Endosulfan I


R.T.: 5.509 min
Delta R.T.: 0.000 min
Response: 8502312
Conc: 4.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#9 Endosulfan I

R.T.: 6.244 min
Delta R.T.: 0.000 min
Response: 16345390
Conc: 5.12 ng/ml




#10 gamma-Chlordane

R.T.: 5.398 min
Delta R.T.: 0.000 min
Response: 9163166
Conc: 4.93 ng/ml



#10 gamma-Chlordane


R.T.: 6.121 min
Delta R.T.: 0.000 min
Response: 16849414
Conc: 4.86 ng/ml



#11 alpha-Chlordane


R.T.: 5.456 min
Delta R.T.: 0.000 min
Response: 9182208
Conc: 4.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#11 alpha-Chlordane

R.T.: 6.194 min
Delta R.T.: 0.000 min
Response: 17404873
Conc: 5.00 ng/ml




#12 4,4'-DDE

R.T.: 5.621 min
Delta R.T.: 0.000 min
Response: 7858779
Conc: 4.54 ng/ml



#12 4,4'-DDE


R.T.: 6.352 min
Delta R.T.: 0.000 min
Response: 15056593
Conc: 4.63 ng/ml



#13 Dieldrin


R.T.: 5.752 min
Delta R.T.: 0.000 min
Response: 8531228
Conc: 4.69 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#13 Dieldrin

R.T.: 6.501 min
Delta R.T.: 0.000 min
Response: 15676259
Conc: 4.73 ng/ml




#14 Endrin

R.T.: 6.009 min
Delta R.T.: 0.000 min
Response: 8121543
Conc: 4.79 ng/ml



#14 Endrin


R.T.: 6.720 min
Delta R.T.: 0.000 min
Response: 13320159
Conc: 4.71 ng/ml



#15 Endosulfan II


R.T.: 6.281 min
Delta R.T.: 0.000 min
Response: 9002518
Conc: 5.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC005




#15 Endosulfan II

R.T.: 6.930 min
Delta R.T.: 0.000 min
Response: 15487120
Conc: 5.31 ng/ml




#16 4,4'-DDD

R.T.: 6.136 min
Delta R.T.: 0.000 min
Response: 6723050
Conc: 4.57 ng/ml



#16 4,4'-DDD


R.T.: 6.844 min
Delta R.T.: 0.000 min
Response: 12170823
Conc: 4.68 ng/ml



#17 4,4'-DDT


R.T.: 6.377 min
Delta R.T.: 0.000 min
Response: 5163731
Conc: 3.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#17 4,4'-DDT

R.T.: 7.143 min
Delta R.T.: 0.000 min
Response: 11299816
Conc: 4.41 ng/ml




#18 Endrin aldehyde

R.T.: 6.449 min
Delta R.T.: 0.000 min
Response: 7800796
Conc: 5.38 ng/ml



#18 Endrin aldehyde


R.T.: 7.054 min
Delta R.T.: 0.000 min
Response: 12627614
Conc: 5.20 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.662 min
Delta R.T.: 0.000 min
Response: 8381102
Conc: 5.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#19 Endosulfan Sulfate

R.T.: 7.278 min
Delta R.T.: 0.000 min
Response: 14170775
Conc: 5.23 ng/ml




#20 Methoxychlor

R.T.: 6.922 min
Delta R.T.: 0.000 min
Response: 3994789
Conc: 4.59 ng/ml



#20 Methoxychlor


R.T.: 7.603 min
Delta R.T.: 0.000 min
Response: 7273852
Conc: 5.07 ng/ml



#21 Endrin ketone


R.T.: 7.152 min
Delta R.T.: 0.000 min
Response: 8820901
Conc: 4.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#21 Endrin ketone

R.T.: 7.750 min
Delta R.T.: 0.000 min
Response: 13147831
Conc: 4.81 ng/ml




#22 Mirex

R.T.: 7.342 min
Delta R.T.: 0.001 min
Response: 8957456
Conc: 6.30 ng/ml



#22 Mirex


R.T.: 8.206 min
Delta R.T.: 0.000 min
Response: 10562461
Conc: 5.62 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.210 min
Delta R.T.: 0.000 min
Response: 9143357
Conc: 5.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005



#28 Decachlorobiphenyl

R.T.: 9.093 min
Delta R.T.: 0.000 min
Response: 13463020
Conc: 5.90 ng/ml