

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL090820\
 Data File : PL061277.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 08 Sep 2020 13:28
 Operator : DD\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 08 13:51:13 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090820.M
 Quant Title : GC Extractables
 QLast Update : Tue Sep 08 13:50:57 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.459	4.008	85996992	154.1E6	50.000	50.000
28)	SA Decachlor...	8.210	9.093	82338790	110.7E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.895	4.397	129.9E6	236.6E6	50.000	50.000
3)	MA gamma-BHC...	4.178	4.682	116.1E6	219.2E6	50.000	50.000
4)	MA Heptachlor	4.480	5.193	107.8E6	195.7E6	50.000	50.000
5)	MB Aldrin	4.727	5.499	97222360	189.8E6	50.000	50.000
6)	B beta-BHC	4.429	4.853	48212594	89678471	50.000	50.000
7)	B delta-BHC	4.633	5.071	111.2E6	170.1E6	50.000	50.000
8)	B Heptachlo...	5.170	5.886	93617218	153.4E6	50.000	50.000
9)	A Endosulfan I	5.508	6.244	86443176	159.2E6	50.000	50.000
10)	B gamma-Chl...	5.398	6.121	92866281	172.3E6	50.000	50.000
11)	B alpha-Chl...	5.456	6.194	92975997	173.4E6	50.000	50.000
12)	B 4,4'-DDE	5.621	6.352	86488872	162.2E6	50.000	50.000
13)	MA Dieldrin	5.752	6.502	90830596	165.5E6	50.000	50.000
14)	MA Endrin	6.008	6.720	84470065	141.0E6	50.000	50.000
15)	B Endosulfa...	6.281	6.930	84773853	144.8E6	50.000	50.000
16)	A 4,4'-DDD	6.136	6.843	73489585	130.1E6	50.000	50.000
17)	MA 4,4'-DDT	6.376	7.143	72570951	128.2E6	50.000	50.000
18)	B Endrin al...	6.449	7.055	72944928	122.8E6	50.000	50.000
19)	B Endosulfa...	6.662	7.277	82492417	136.6E6	50.000	50.000
20)	A Methoxychlor	6.922	7.603	43932553	72538493	50.000	50.000
21)	B Endrin ke...	7.151	7.750	92871659	139.0E6	50.000	50.000
22)	Mirex	7.340	8.205	71071742	94999401	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL090820\
Data File : PL061277.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 08 Sep 2020 13:28
Operator : DD\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 08 13:51:13 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090820.M
Quant Title : GC Extractables
QLast Update : Tue Sep 08 13:50:57 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.459 min
Delta R.T.: 0.000 min
Response: 85996992
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#1 Tetrachloro-m-xylene

R.T.: 4.008 min
Delta R.T.: 0.000 min
Response: 154144014
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.895 min
Delta R.T.: 0.000 min
Response: 129868449
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.397 min
Delta R.T.: 0.000 min
Response: 236588061
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.178 min
Delta R.T.: 0.000 min
Response: 116088172
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.682 min
Delta R.T.: 0.000 min
Response: 219197205
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.480 min
Delta R.T.: 0.000 min
Response: 107753241
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.193 min
Delta R.T.: 0.000 min
Response: 195711613
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.727 min
Delta R.T.: 0.000 min
Response: 97222360
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 5.499 min
Delta R.T.: 0.000 min
Response: 189827134
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.429 min
Delta R.T.: 0.000 min
Response: 48212594
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.853 min
Delta R.T.: 0.000 min
Response: 89678471
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.633 min
Delta R.T.: 0.000 min
Response: 111185420
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 5.071 min
Delta R.T.: 0.000 min
Response: 170123308
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.170 min
Delta R.T.: 0.000 min
Response: 93617218
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.886 min
Delta R.T.: 0.000 min
Response: 153442472
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.508 min
Delta R.T.: 0.000 min
Response: 86443176
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#9 Endosulfan I

R.T.: 6.244 min
Delta R.T.: 0.000 min
Response: 159245422
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.398 min
Delta R.T.: 0.000 min
Response: 92866281
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.121 min
Delta R.T.: 0.000 min
Response: 172318903
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.456 min
Delta R.T.: 0.000 min
Response: 92975997
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#11 alpha-Chlordane

R.T.: 6.194 min
Delta R.T.: 0.000 min
Response: 173411476
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.621 min
Delta R.T.: 0.000 min
Response: 86488872
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.352 min
Delta R.T.: 0.000 min
Response: 162204598
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.752 min
Delta R.T.: 0.000 min
Response: 90830596
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#13 Dieldrin

R.T.: 6.502 min
Delta R.T.: 0.000 min
Response: 165481357
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.008 min
Delta R.T.: 0.000 min
Response: 84470065
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.720 min
Delta R.T.: 0.000 min
Response: 140972145
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.281 min
Delta R.T.: 0.000 min
Response: 84773853
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 6.930 min
Delta R.T.: 0.000 min
Response: 144813094
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.136 min
Delta R.T.: 0.000 min
Response: 73489585
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.843 min
Delta R.T.: 0.000 min
Response: 130096287
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.376 min
Delta R.T.: 0.000 min
Response: 72570951
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#17 4,4'-DDT

R.T.: 7.143 min
Delta R.T.: 0.000 min
Response: 128226629
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.449 min
Delta R.T.: 0.000 min
Response: 72944928
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 7.055 min
Delta R.T.: 0.000 min
Response: 122833361
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.662 min
Delta R.T.: 0.000 min
Response: 82492417
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#19 Endosulfan Sulfate

R.T.: 7.277 min
Delta R.T.: 0.000 min
Response: 136574738
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.922 min
Delta R.T.: 0.000 min
Response: 43932553
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.603 min
Delta R.T.: 0.000 min
Response: 72538493
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.151 min
Delta R.T.: 0.000 min
Response: 92871659
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#21 Endrin ketone

R.T.: 7.750 min
Delta R.T.: 0.000 min
Response: 138982262
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.340 min
Delta R.T.: 0.000 min
Response: 71071742
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 8.205 min
Delta R.T.: 0.000 min
Response: 94999401
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.210 min
Delta R.T.: 0.000 min
Response: 82338790
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050



#28 Decachlorobiphenyl

R.T.: 9.093 min
Delta R.T.: 0.000 min
Response: 110715440
Conc: 50.00 ng/ml