

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091020\
 Data File : PL061356.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 10 Sep 2020 14:55
 Operator : DD\AJ
 Sample : L3870-05MS
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 SU-04-090820MS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 10 18:00:32 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090820.M
 Quant Title : GC Extractables
 QLast Update : Wed Sep 09 01:27:38 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.459	4.007	36941562	72955861	21.419	23.718
28)	SA Decachlor...	8.210	9.092	31952729	46852135	19.153	19.814
Target Compounds							
2)	A alpha-BHC	3.895	4.397	139.4E6	269.7E6	54.463	58.391
3)	MA gamma-BHC...	4.178	4.683	128.2E6	244.0E6	56.163	56.879
4)	MA Heptachlor	4.480	5.193	122.8E6	225.8E6	57.246	57.753
5)	MB Aldrin	4.728	5.499	110.3E6	213.7E6	57.438	56.549
6)	B beta-BHC	4.429	4.853	54803732	104.4E6	57.052	59.754
7)	B delta-BHC	4.633	5.071	61936091	99377407	28.592	31.157
8)	B Heptachlo...	5.170	5.886	108.2E6	187.6E6	58.063	62.816
9)	A Endosulfan I	5.508	6.244	100.4E6	182.6E6	58.358	56.936
10)	B gamma-Chl...	5.397	6.122	107.6E6	195.6E6	58.093	56.749
11)	B alpha-Chl...	5.456	6.194	106.6E6	195.4E6	57.557	56.147
12)	B 4,4'-DDE	5.621	6.352	100.1E6	186.3E6	58.873	58.133
13)	MA Dieldrin	5.752	6.502	105.1E6	187.8E6	58.577	57.269
14)	MA Endrin	6.008	6.721	97086443	158.5E6	57.771	56.691
15)	B Endosulfa...	6.281	6.930	95892303	160.1E6	56.050	54.206
16)	A 4,4'-DDD	6.135	6.843	83213495	146.1E6	57.580	56.898
17)	MA 4,4'-DDT	6.376	7.143	82580107	140.8E6	60.142	56.247
18)	B Endrin al...	6.449	7.055	82305786	135.6E6	55.911	55.411
19)	B Endosulfa...	6.661	7.278	84967353	137.5E6	51.627	50.257
20)	A Methoxychlor	6.922	7.603	49193297	79147837	57.465	55.023
21)	B Endrin ke...	7.151	7.750	107.0E6	158.1E6	58.491	58.218
22)	Mirex	7.340	8.205	79381505	110.4E6	53.089	57.353



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091020\
Data File : PL061356.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2020 14:55
Operator : DD\AJ
Sample : L3870-05MS
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
SU-04-090820MS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 10 18:00:32 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090820.M
Quant Title : GC Extractables
QLast Update : Wed Sep 09 01:27:38 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.459 min
Delta R.T.: 0.000 min
Response: 36941562
Conc: 21.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
SU-04-090820MS




#1 Tetrachloro-m-xylene

R.T.: 4.007 min
Delta R.T.: 0.000 min
Response: 72955861
Conc: 23.72 ng/ml




#2 alpha-BHC

R.T.: 3.895 min
Delta R.T.: 0.000 min
Response: 139379294
Conc: 54.46 ng/ml



#2 alpha-BHC


R.T.: 4.397 min
Delta R.T.: 0.000 min
Response: 269659183
Conc: 58.39 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.178 min
Delta R.T.: 0.000 min
Response: 128183996
Conc: 56.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
SU-04-090820MS




#3 gamma-BHC (Lindane)

R.T.: 4.683 min
Delta R.T.: 0.000 min
Response: 244030052
Conc: 56.88 ng/ml




#4 Heptachlor

R.T.: 4.480 min
Delta R.T.: 0.000 min
Response: 122822692
Conc: 57.25 ng/ml



#4 Heptachlor


R.T.: 5.193 min
Delta R.T.: 0.000 min
Response: 225771161
Conc: 57.75 ng/ml



#5 Aldrin


R.T.: 4.728 min
Delta R.T.: 0.000 min
Response: 110280170
Conc: 57.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
SU-04-090820MS




#5 Aldrin

R.T.: 5.499 min
Delta R.T.: 0.000 min
Response: 213674729
Conc: 56.55 ng/ml




#6 beta-BHC

R.T.: 4.429 min
Delta R.T.: 0.000 min
Response: 54803732
Conc: 57.05 ng/ml



#6 beta-BHC


R.T.: 4.853 min
Delta R.T.: 0.000 min
Response: 104350285
Conc: 59.75 ng/ml



#7 delta-BHC


R.T.: 4.633 min
Delta R.T.: 0.000 min
Response: 61936091
Conc: 28.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
SU-04-090820MS




#7 delta-BHC

R.T.: 5.071 min
Delta R.T.: 0.000 min
Response: 99377407
Conc: 31.16 ng/ml




#8 Heptachlor epoxide

R.T.: 5.170 min
Delta R.T.: 0.000 min
Response: 108186274
Conc: 58.06 ng/ml



#8 Heptachlor epoxide


R.T.: 5.886 min
Delta R.T.: 0.000 min
Response: 187562774
Conc: 62.82 ng/ml



#9 Endosulfan I


R.T.: 5.508 min
Delta R.T.: 0.000 min
Response: 100400685
Conc: 58.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
SU-04-090820MS




#9 Endosulfan I

R.T.: 6.244 min
Delta R.T.: 0.000 min
Response: 182642417
Conc: 56.94 ng/ml




#10 gamma-Chlordane

R.T.: 5.397 min
Delta R.T.: 0.000 min
Response: 107621160
Conc: 58.09 ng/ml



#10 gamma-Chlordane


R.T.: 6.122 min
Delta R.T.: 0.000 min
Response: 195637520
Conc: 56.75 ng/ml



#11 alpha-Chlordane


R.T.: 5.456 min
Delta R.T.: 0.000 min
Response: 106624193
Conc: 57.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
SU-04-090820MS




#11 alpha-Chlordane

R.T.: 6.194 min
Delta R.T.: 0.000 min
Response: 195395807
Conc: 56.15 ng/ml




#12 4,4'-DDE

R.T.: 5.621 min
Delta R.T.: 0.000 min
Response: 100108761
Conc: 58.87 ng/ml



#12 4,4'-DDE


R.T.: 6.352 min
Delta R.T.: 0.000 min
Response: 186341618
Conc: 58.13 ng/ml



#13 Dieldrin


R.T.: 5.752 min
Delta R.T.: 0.000 min
Response: 105145270
Conc: 58.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
SU-04-090820MS




#13 Dieldrin

R.T.: 6.502 min
Delta R.T.: 0.000 min
Response: 187768556
Conc: 57.27 ng/ml




#14 Endrin

R.T.: 6.008 min
Delta R.T.: 0.000 min
Response: 97086443
Conc: 57.77 ng/ml



#14 Endrin


R.T.: 6.721 min
Delta R.T.: 0.000 min
Response: 158514113
Conc: 56.69 ng/ml



#15 Endosulfan II


R.T.: 6.281 min
Delta R.T.: 0.000 min
Response: 95892303
Conc: 56.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
SU-04-090820MS




#15 Endosulfan II

R.T.: 6.930 min
Delta R.T.: 0.000 min
Response: 160114375
Conc: 54.21 ng/ml




#16 4,4'-DDD

R.T.: 6.135 min
Delta R.T.: 0.000 min
Response: 83213495
Conc: 57.58 ng/ml



#16 4,4'-DDD


R.T.: 6.843 min
Delta R.T.: 0.000 min
Response: 146115789
Conc: 56.90 ng/ml



#17 4,4'-DDT


R.T.: 6.376 min
Delta R.T.: 0.000 min
Response: 82580107
Conc: 60.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
SU-04-090820MS




#17 4,4'-DDT

R.T.: 7.143 min
Delta R.T.: 0.000 min
Response: 140792693
Conc: 56.25 ng/ml




#18 Endrin aldehyde

R.T.: 6.449 min
Delta R.T.: 0.000 min
Response: 82305786
Conc: 55.91 ng/ml



#18 Endrin aldehyde


R.T.: 7.055 min
Delta R.T.: 0.000 min
Response: 135564923
Conc: 55.41 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.661 min
Delta R.T.: 0.000 min
Response: 84967353
Conc: 51.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
SU-04-090820MS




#19 Endosulfan Sulfate

R.T.: 7.278 min
Delta R.T.: 0.000 min
Response: 137490231
Conc: 50.26 ng/ml




#20 Methoxychlor

R.T.: 6.922 min
Delta R.T.: 0.000 min
Response: 49193297
Conc: 57.47 ng/ml



#20 Methoxychlor


R.T.: 7.603 min
Delta R.T.: 0.000 min
Response: 79147837
Conc: 55.02 ng/ml



#21 Endrin ketone


R.T.: 7.151 min
Delta R.T.: 0.000 min
Response: 106961740
Conc: 58.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
SU-04-090820MS




#21 Endrin ketone

R.T.: 7.750 min
Delta R.T.: 0.000 min
Response: 158050673
Conc: 58.22 ng/ml




#22 Mirex

R.T.: 7.340 min
Delta R.T.: 0.000 min
Response: 79381505
Conc: 53.09 ng/ml



#22 Mirex


R.T.: 8.205 min
Delta R.T.: 0.000 min
Response: 110436134
Conc: 57.35 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.210 min
Delta R.T.: 0.000 min
Response: 31952729
Conc: 19.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
SU-04-090820MS



#28 Decachlorobiphenyl

R.T.: 9.092 min
Delta R.T.: 0.000 min
Response: 46852135
Conc: 19.81 ng/ml