

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091224\
 Data File : PL091704.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 12 Sep 2024 15:23
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 13 01:51:42 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090924.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 09 19:26:36 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.544	2.784	80276815	101.9E6	51.506	54.485
28)	SA Decachlor...	9.060	7.925	55988233	77649634	46.069	42.051
Target Compounds							
2)	A alpha-BHC	4.000	3.287	111.5E6	147.5E6	51.621	55.449
3)	MA gamma-BHC...	4.332	3.617	105.0E6	134.4E6	51.059	54.665
4)	MA Heptachlor	4.921	3.957	98525402	124.2E6	52.602	51.588
5)	MB Aldrin	5.263	4.237	96806284	122.7E6	51.974	53.775
6)	B beta-BHC	4.529	3.916	46946199	56590482	51.588	51.801
7)	B delta-BHC	4.777	4.146	95413444	125.2E6	49.664	54.408
8)	B Heptachlo...	5.689	4.740	83576750	109.8E6	50.084	52.082
9)	A Endosulfan I	6.075	5.109	77407051	99133155	49.680	51.382
10)	B gamma-Chl...	5.945	4.989	82295428	117.0E6	49.256	53.038
11)	B alpha-Chl...	6.024	5.053	82117048	108.3E6	50.947	52.350
12)	B 4,4'-DDE	6.197	5.242	73406613	101.4E6	50.325	53.436
13)	MA Dieldrin	6.349	5.374	80549568	105.5E6	49.364	51.324
14)	MA Endrin	6.580	5.649	62248389	90933412	46.814	48.184
15)	B Endosulfa...	6.799	5.944	73228746	90535682	47.244	51.181
16)	A 4,4'-DDD	6.714	5.796	65336340	91166720	51.545	54.404
17)	MA 4,4'-DDT	7.028	6.047	56742693	70818992	43.257	44.075
18)	B Endrin al...	6.928	6.123	57450294	67368179	48.353	49.280
19)	B Endosulfa...	7.163	6.346	65386237	84403651	46.825	49.183
20)	A Methoxychlor	7.503	6.622	30191020	37801576	44.630	42.677
21)	B Endrin ke...	7.648	6.851	73067132	99872914	47.252	49.653
22)	Mirex	8.121	7.032	55138550	75789103	46.047	42.741
24)	Chlordane-2	5.263f	4.372	96806284	855039	1259.151	11.408 #
25)	Chlordane-3	5.945	4.989	82295428	117.0E6	320.341	501.779 #
26)	Chlordane-4	6.024	5.053	82117048	108.3E6	277.276	519.403 #
27)	Chlordane-5	0.000	5.944	0	90535682	N.D.	1263.396 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091224\
Data File : PL091704.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Sep 2024 15:23
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 13 01:51:42 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090924.M
Quant Title : GC Extractables
QLast Update : Mon Sep 09 19:26:36 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.544 min
Delta R.T.: 0.000 min
Response: 80276815
Conc: 51.51 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.784 min
Delta R.T.: 0.001 min
Response: 101903993
Conc: 54.49 ng/ml




#2 alpha-BHC

R.T.: 4.000 min
Delta R.T.: 0.000 min
Response: 111498025
Conc: 51.62 ng/ml



#2 alpha-BHC


R.T.: 3.287 min
Delta R.T.: 0.001 min
Response: 147470898
Conc: 55.45 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.332 min
Delta R.T.: 0.000 min
Response: 104961499
Conc: 51.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.617 min
Delta R.T.: 0.000 min
Response: 134445736
Conc: 54.66 ng/ml




#4 Heptachlor

R.T.: 4.921 min
Delta R.T.: 0.000 min
Response: 98525402
Conc: 52.60 ng/ml



#4 Heptachlor


R.T.: 3.957 min
Delta R.T.: 0.000 min
Response: 124239438
Conc: 51.59 ng/ml



#5 Aldrin


R.T.: 5.263 min
Delta R.T.: 0.000 min
Response: 96806284
Conc: 51.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.237 min
Delta R.T.: 0.000 min
Response: 122687658
Conc: 53.77 ng/ml




#6 beta-BHC

R.T.: 4.529 min
Delta R.T.: 0.000 min
Response: 46946199
Conc: 51.59 ng/ml



#6 beta-BHC


R.T.: 3.916 min
Delta R.T.: 0.000 min
Response: 56590482
Conc: 51.80 ng/ml



#7 delta-BHC


R.T.: 4.777 min
Delta R.T.: 0.000 min
Response: 95413444
Conc: 49.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.146 min
Delta R.T.: 0.000 min
Response: 125178345
Conc: 54.41 ng/ml




#8 Heptachlor epoxide

R.T.: 5.689 min
Delta R.T.: 0.000 min
Response: 83576750
Conc: 50.08 ng/ml



#8 Heptachlor epoxide


R.T.: 4.740 min
Delta R.T.: 0.000 min
Response: 109773730
Conc: 52.08 ng/ml



#9 Endosulfan I


R.T.: 6.075 min
Delta R.T.: 0.000 min
Response: 77407051
Conc: 49.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.109 min
Delta R.T.: 0.000 min
Response: 99133155
Conc: 51.38 ng/ml




#10 gamma-Chlordane

R.T.: 5.945 min
Delta R.T.: 0.000 min
Response: 82295428
Conc: 49.26 ng/ml



#10 gamma-Chlordane


R.T.: 4.989 min
Delta R.T.: 0.000 min
Response: 116985342
Conc: 53.04 ng/ml



#11 alpha-Chlordane


R.T.: 6.024 min
Delta R.T.: 0.000 min
Response: 82117048
Conc: 50.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.053 min
Delta R.T.: 0.000 min
Response: 108312564
Conc: 52.35 ng/ml




#12 4,4'-DDE

R.T.: 6.197 min
Delta R.T.: 0.000 min
Response: 73406613
Conc: 50.32 ng/ml



#12 4,4'-DDE


R.T.: 5.242 min
Delta R.T.: 0.000 min
Response: 101352956
Conc: 53.44 ng/ml



#13 Dieldrin


R.T.: 6.349 min
Delta R.T.: 0.000 min
Response: 80549568
Conc: 49.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.374 min
Delta R.T.: 0.000 min
Response: 105493516
Conc: 51.32 ng/ml




#14 Endrin

R.T.: 6.580 min
Delta R.T.: 0.001 min
Response: 62248389
Conc: 46.81 ng/ml



#14 Endrin


R.T.: 5.649 min
Delta R.T.: 0.000 min
Response: 90933412
Conc: 48.18 ng/ml



#15 Endosulfan II


R.T.: 6.799 min
Delta R.T.: 0.000 min
Response: 73228746
Conc: 47.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.944 min
Delta R.T.: 0.000 min
Response: 90535682
Conc: 51.18 ng/ml




#16 4,4'-DDD

R.T.: 6.714 min
Delta R.T.: 0.000 min
Response: 65336340
Conc: 51.55 ng/ml



#16 4,4'-DDD


R.T.: 5.796 min
Delta R.T.: 0.000 min
Response: 91166720
Conc: 54.40 ng/ml



#17 4,4'-DDT


R.T.: 7.028 min
Delta R.T.: 0.000 min
Response: 56742693
Conc: 43.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.047 min
Delta R.T.: 0.000 min
Response: 70818992
Conc: 44.07 ng/ml




#18 Endrin aldehyde

R.T.: 6.928 min
Delta R.T.: 0.000 min
Response: 57450294
Conc: 48.35 ng/ml



#18 Endrin aldehyde


R.T.: 6.123 min
Delta R.T.: 0.000 min
Response: 67368179
Conc: 49.28 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.163 min
Delta R.T.: 0.000 min
Response: 65386237
Conc: 46.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.346 min
Delta R.T.: 0.000 min
Response: 84403651
Conc: 49.18 ng/ml




#20 Methoxychlor

R.T.: 7.503 min
Delta R.T.: 0.000 min
Response: 30191020
Conc: 44.63 ng/ml



#20 Methoxychlor


R.T.: 6.622 min
Delta R.T.: 0.000 min
Response: 37801576
Conc: 42.68 ng/ml



#21 Endrin ketone


R.T.: 7.648 min
Delta R.T.: 0.001 min
Response: 73067132
Conc: 47.25 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.851 min
Delta R.T.: 0.000 min
Response: 99872914
Conc: 49.65 ng/ml




#22 Mirex

R.T.: 8.121 min
Delta R.T.: 0.000 min
Response: 55138550
Conc: 46.05 ng/ml



#22 Mirex


R.T.: 7.032 min
Delta R.T.: 0.000 min
Response: 75789103
Conc: 42.74 ng/ml



#24 Chlordane-2


R.T.: 5.263 min
Delta R.T.: 0.028 min
Response: 96806284
Conc: 1259.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.372 min
Delta R.T.: 0.012 min
Response: 855039
Conc: 11.41 ng/ml




#25 Chlordane-3

R.T.: 5.945 min
Delta R.T.: 0.000 min
Response: 82295428
Conc: 320.34 ng/ml



#25 Chlordane-3


R.T.: 4.989 min
Delta R.T.: 0.000 min
Response: 116985342
Conc: 501.78 ng/ml



#26 Chlordane-4


R.T.: 6.024 min
Delta R.T.: -0.003 min
Response: 82117048
Conc: 277.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.053 min
Delta R.T.: 0.000 min
Response: 108312564
Conc: 519.40 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.876 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.944 min
Delta R.T.: -0.005 min
Response: 90535682
Conc: 1263.40 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.060 min
Delta R.T.: 0.000 min
Response: 55988233
Conc: 46.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.925 min
Delta R.T.: 0.000 min
Response: 77649634
Conc: 42.05 ng/ml