

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091324\
 Data File : PL091727.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Sep 2024 15:04
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 14 03:42:04 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090924.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 09 19:26:36 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.544	2.783	77369783	98909551	49.641	52.884
28)	SA Decachlor...	9.060	7.925	56208133	87204483	46.250	47.226
Target Compounds							
2)	A alpha-BHC	3.999	3.286	107.4E6	142.0E6	49.745	53.387
3)	MA gamma-BHC...	4.332	3.616	101.6E6	129.9E6	49.447	52.810
4)	MA Heptachlor	4.921	3.956	96888766	123.8E6	51.729	51.416
5)	MB Aldrin	5.263	4.236	89572958	124.0E6	48.091	54.367
6)	B beta-BHC	4.529	3.916	45250982	55407078	49.725	50.717
7)	B delta-BHC	4.776	4.145	92666360	124.7E6	48.234	54.191
8)	B Heptachlo...	5.689	4.739	81487636	107.1E6	48.832	50.792
9)	A Endosulfan I	6.075	5.109	76160091	96808280	48.880	50.177
10)	B gamma-Chl...	5.945	4.989	81786323	116.2E6	48.951	52.680
11)	B alpha-Chl...	6.025	5.053	81156290	107.3E6	50.350	51.868
12)	B 4,4'-DDE	6.197	5.242	72659911	102.8E6	49.813	54.211
13)	MA Dieldrin	6.349	5.373	80424568	105.4E6	49.288	51.277
14)	MA Endrin	6.579	5.649	61535905	89627896	46.278	47.493
15)	B Endosulfa...	6.798	5.944	74812682	90319444	48.266	51.059
16)	A 4,4'-DDD	6.713	5.797	65830682	89656600	51.935	53.502
17)	MA 4,4'-DDT	7.028	6.047	57956551	73341771	44.183	45.645
18)	B Endrin al...	6.928	6.123	57694444	69878059	48.559	51.116
19)	B Endosulfa...	7.163	6.346	65635498	85975084	47.004	50.099
20)	A Methoxychlor	7.503	6.623	30571491	40274723	45.193	45.469
21)	B Endrin ke...	7.648	6.851	74556642	102.9E6	48.215	51.175
22)	Mirex	8.121	7.033	56851498	81394469	47.478	45.902
23)	Chlordane-1	0.000	3.778	0	57386	N.D.	0.825 #
24)	Chlordane-2	5.263f	4.373	89572958	7446917	1165.068	99.356 #
25)	Chlordane-3	5.945	4.989	81786323	116.2E6	318.360	498.392 #
26)	Chlordane-4	6.025	5.053	81156290	107.3E6	274.032	514.618 #
27)	Chlordane-5	0.000	5.944	0	90319444	N.D.	1260.378 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091324\
Data File : PL091727.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Sep 2024 15:04
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 14 03:42:04 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090924.M
Quant Title : GC Extractables
QLast Update : Mon Sep 09 19:26:36 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.544 min
Delta R.T.: 0.000 min
Response: 77369783
Conc: 49.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.783 min
Delta R.T.: 0.000 min
Response: 98909551
Conc: 52.88 ng/ml




#2 alpha-BHC

R.T.: 3.999 min
Delta R.T.: 0.000 min
Response: 107444772
Conc: 49.74 ng/ml



#2 alpha-BHC


R.T.: 3.286 min
Delta R.T.: 0.000 min
Response: 141984884
Conc: 53.39 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.332 min
Delta R.T.: 0.000 min
Response: 101648588
Conc: 49.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.616 min
Delta R.T.: 0.000 min
Response: 129884694
Conc: 52.81 ng/ml




#4 Heptachlor

R.T.: 4.921 min
Delta R.T.: 0.000 min
Response: 96888766
Conc: 51.73 ng/ml



#4 Heptachlor


R.T.: 3.956 min
Delta R.T.: 0.000 min
Response: 123826258
Conc: 51.42 ng/ml



#5 Aldrin


R.T.: 5.263 min
Delta R.T.: 0.000 min
Response: 89572958
Conc: 48.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.236 min
Delta R.T.: 0.000 min
Response: 124037399
Conc: 54.37 ng/ml




#6 beta-BHC

R.T.: 4.529 min
Delta R.T.: 0.000 min
Response: 45250982
Conc: 49.73 ng/ml



#6 beta-BHC


R.T.: 3.916 min
Delta R.T.: 0.000 min
Response: 55407078
Conc: 50.72 ng/ml



#7 delta-BHC


R.T.: 4.776 min
Delta R.T.: 0.000 min
Response: 92666360
Conc: 48.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.145 min
Delta R.T.: 0.000 min
Response: 124679799
Conc: 54.19 ng/ml




#8 Heptachlor epoxide

R.T.: 5.689 min
Delta R.T.: 0.000 min
Response: 81487636
Conc: 48.83 ng/ml



#8 Heptachlor epoxide


R.T.: 4.739 min
Delta R.T.: 0.000 min
Response: 107054716
Conc: 50.79 ng/ml



#9 Endosulfan I


R.T.: 6.075 min
Delta R.T.: 0.001 min
Response: 76160091
Conc: 48.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.109 min
Delta R.T.: 0.000 min
Response: 96808280
Conc: 50.18 ng/ml




#10 gamma-Chlordane

R.T.: 5.945 min
Delta R.T.: 0.000 min
Response: 81786323
Conc: 48.95 ng/ml



#10 gamma-Chlordane


R.T.: 4.989 min
Delta R.T.: 0.000 min
Response: 116195607
Conc: 52.68 ng/ml



#11 alpha-Chlordane


R.T.: 6.025 min
Delta R.T.: 0.001 min
Response: 81156290
Conc: 50.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.053 min
Delta R.T.: 0.000 min
Response: 107314769
Conc: 51.87 ng/ml




#12 4,4'-DDE

R.T.: 6.197 min
Delta R.T.: 0.001 min
Response: 72659911
Conc: 49.81 ng/ml



#12 4,4'-DDE


R.T.: 5.242 min
Delta R.T.: 0.000 min
Response: 102822457
Conc: 54.21 ng/ml



#13 Dieldrin


R.T.: 6.349 min
Delta R.T.: 0.000 min
Response: 80424568
Conc: 49.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.373 min
Delta R.T.: 0.000 min
Response: 105395924
Conc: 51.28 ng/ml




#14 Endrin

R.T.: 6.579 min
Delta R.T.: 0.000 min
Response: 61535905
Conc: 46.28 ng/ml



#14 Endrin


R.T.: 5.649 min
Delta R.T.: 0.000 min
Response: 89627896
Conc: 47.49 ng/ml



#15 Endosulfan II


R.T.: 6.798 min
Delta R.T.: 0.000 min
Response: 74812682
Conc: 48.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.944 min
Delta R.T.: 0.000 min
Response: 90319444
Conc: 51.06 ng/ml




#16 4,4'-DDD

R.T.: 6.713 min
Delta R.T.: 0.000 min
Response: 65830682
Conc: 51.94 ng/ml



#16 4,4'-DDD


R.T.: 5.797 min
Delta R.T.: 0.000 min
Response: 89656600
Conc: 53.50 ng/ml



#17 4,4'-DDT


R.T.: 7.028 min
Delta R.T.: 0.000 min
Response: 57956551
Conc: 44.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.047 min
Delta R.T.: 0.000 min
Response: 73341771
Conc: 45.65 ng/ml




#18 Endrin aldehyde

R.T.: 6.928 min
Delta R.T.: 0.000 min
Response: 57694444
Conc: 48.56 ng/ml



#18 Endrin aldehyde


R.T.: 6.123 min
Delta R.T.: 0.000 min
Response: 69878059
Conc: 51.12 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.163 min
Delta R.T.: 0.000 min
Response: 65635498
Conc: 47.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.346 min
Delta R.T.: 0.000 min
Response: 85975084
Conc: 50.10 ng/ml




#20 Methoxychlor

R.T.: 7.503 min
Delta R.T.: 0.000 min
Response: 30571491
Conc: 45.19 ng/ml



#20 Methoxychlor


R.T.: 6.623 min
Delta R.T.: 0.000 min
Response: 40274723
Conc: 45.47 ng/ml



#21 Endrin ketone


R.T.: 7.648 min
Delta R.T.: 0.000 min
Response: 74556642
Conc: 48.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.851 min
Delta R.T.: 0.000 min
Response: 102933356
Conc: 51.17 ng/ml




#22 Mirex

R.T.: 8.121 min
Delta R.T.: 0.000 min
Response: 56851498
Conc: 47.48 ng/ml



#22 Mirex


R.T.: 7.033 min
Delta R.T.: 0.000 min
Response: 81394469
Conc: 45.90 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.706 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.778 min
Delta R.T.: -0.004 min
Response: 57386
Conc: 0.82 ng/ml




#24 Chlordane-2

R.T.: 5.263 min
Delta R.T.: 0.028 min
Response: 89572958
Conc: 1165.07 ng/ml



#24 Chlordane-2


R.T.: 4.373 min
Delta R.T.: 0.014 min
Response: 7446917
Conc: 99.36 ng/ml



#25 Chlordane-3


R.T.: 5.945 min
Delta R.T.: 0.000 min
Response: 81786323
Conc: 318.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 4.989 min
Delta R.T.: 0.000 min
Response: 116195607
Conc: 498.39 ng/ml




#26 Chlordane-4

R.T.: 6.025 min
Delta R.T.: -0.003 min
Response: 81156290
Conc: 274.03 ng/ml



#26 Chlordane-4


R.T.: 5.053 min
Delta R.T.: 0.000 min
Response: 107314769
Conc: 514.62 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.876 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 5.944 min
Delta R.T.: -0.005 min
Response: 90319444
Conc: 1260.38 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.060 min
Delta R.T.: 0.000 min
Response: 56208133
Conc: 46.25 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.925 min
Delta R.T.: 0.000 min
Response: 87204483
Conc: 47.23 ng/ml