

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091324\
 Data File : PL091736.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Sep 2024 17:05
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 14 03:45:12 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090924.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 09 19:26:36 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.545	2.783	78529308	101.1E6	50.385	54.062
28)	SA Decachlor...	9.061	7.924	58353042	89330415	48.014	48.377
Target Compounds							
2)	A alpha-BHC	4.000	3.287	108.7E6	144.3E6	50.344	54.241
3)	MA gamma-BHC...	4.333	3.617	103.8E6	132.1E6	50.511	53.713
4)	MA Heptachlor	4.922	3.957	97412711	126.4E6	52.008	52.481
5)	MB Aldrin	5.263	4.237	89511141	127.4E6	48.058	55.826
6)	B beta-BHC	4.530	3.916	45985738	56675721	50.533	51.879
7)	B delta-BHC	4.777	4.145	93580674	127.6E6	48.710	55.463
8)	B Heptachlo...	5.689	4.739	83034360	109.5E6	49.759	51.945
9)	A Endosulfan I	6.075	5.109	77309482	98406130	49.618	51.005
10)	B gamma-Chl...	5.946	4.990	82587413	119.2E6	49.431	54.061
11)	B alpha-Chl...	6.025	5.053	82084869	109.4E6	50.927	52.852
12)	B 4,4'-DDE	6.198	5.242	73435305	105.5E6	50.344	55.607
13)	MA Dieldrin	6.350	5.374	80894699	108.0E6	49.576	52.521
14)	MA Endrin	6.579	5.649	62074826	91086364	46.684	48.265
15)	B Endosulfa...	6.799	5.944	74291961	92070263	47.930	52.049
16)	A 4,4'-DDD	6.714	5.797	66880682	91159285	52.764	54.399
17)	MA 4,4'-DDT	7.029	6.047	58665543	74840741	44.723	46.578
18)	B Endrin al...	6.928	6.123	58099045	70956732	48.900	51.905
19)	B Endosulfa...	7.163	6.346	66469496	87425835	47.601	50.944
20)	A Methoxychlor	7.504	6.623	30802851	40992952	45.535	46.280
21)	B Endrin ke...	7.648	6.851	75933481	105.1E6	49.106	52.261
22)	Mirex	8.123	7.032	57361956	82859484	47.904	46.728
23)	Chlordane-1	0.000	3.789	0	63108	N.D.	0.907 #
24)	Chlordane-2	5.263f	4.373	89511141	1807772	1164.264	24.119 #
25)	Chlordane-3	5.946	4.990	82587413	119.2E6	321.478	511.458 #
26)	Chlordane-4	6.025	5.053	82084869	109.4E6	277.167	524.388 #
27)	Chlordane-5	0.000	5.944	0	92070263	N.D.	1284.810 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091324\
Data File : PL091736.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Sep 2024 17:05
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 14 03:45:12 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090924.M
Quant Title : GC Extractables
QLast Update : Mon Sep 09 19:26:36 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.545 min
Delta R.T.: 0.000 min
Response: 78529308
Conc: 50.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.783 min
Delta R.T.: 0.000 min
Response: 101112757
Conc: 54.06 ng/ml




#2 alpha-BHC

R.T.: 4.000 min
Delta R.T.: 0.000 min
Response: 108739377
Conc: 50.34 ng/ml



#2 alpha-BHC


R.T.: 3.287 min
Delta R.T.: 0.000 min
Response: 144256058
Conc: 54.24 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.333 min
Delta R.T.: 0.000 min
Response: 103835166
Conc: 50.51 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.617 min
Delta R.T.: 0.000 min
Response: 132105626
Conc: 53.71 ng/ml




#4 Heptachlor

R.T.: 4.922 min
Delta R.T.: 0.000 min
Response: 97412711
Conc: 52.01 ng/ml



#4 Heptachlor


R.T.: 3.957 min
Delta R.T.: 0.000 min
Response: 126390504
Conc: 52.48 ng/ml



#5 Aldrin


R.T.: 5.263 min
Delta R.T.: 0.001 min
Response: 89511141
Conc: 48.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.237 min
Delta R.T.: 0.000 min
Response: 127368184
Conc: 55.83 ng/ml




#6 beta-BHC

R.T.: 4.530 min
Delta R.T.: 0.001 min
Response: 45985738
Conc: 50.53 ng/ml



#6 beta-BHC


R.T.: 3.916 min
Delta R.T.: 0.000 min
Response: 56675721
Conc: 51.88 ng/ml



#7 delta-BHC


R.T.: 4.777 min
Delta R.T.: 0.000 min
Response: 93580674
Conc: 48.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.145 min
Delta R.T.: 0.000 min
Response: 127604456
Conc: 55.46 ng/ml




#8 Heptachlor epoxide

R.T.: 5.689 min
Delta R.T.: 0.000 min
Response: 83034360
Conc: 49.76 ng/ml



#8 Heptachlor epoxide


R.T.: 4.739 min
Delta R.T.: 0.000 min
Response: 109484569
Conc: 51.94 ng/ml



#9 Endosulfan I


R.T.: 6.075 min
Delta R.T.: 0.000 min
Response: 77309482
Conc: 49.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.109 min
Delta R.T.: 0.000 min
Response: 98406130
Conc: 51.01 ng/ml




#10 gamma-Chlordane

R.T.: 5.946 min
Delta R.T.: 0.000 min
Response: 82587413
Conc: 49.43 ng/ml



#10 gamma-Chlordane


R.T.: 4.990 min
Delta R.T.: 0.000 min
Response: 119241880
Conc: 54.06 ng/ml



#11 alpha-Chlordane


R.T.: 6.025 min
Delta R.T.: 0.001 min
Response: 82084869
Conc: 50.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.053 min
Delta R.T.: 0.000 min
Response: 109352105
Conc: 52.85 ng/ml




#12 4,4'-DDE

R.T.: 6.198 min
Delta R.T.: 0.001 min
Response: 73435305
Conc: 50.34 ng/ml



#12 4,4'-DDE


R.T.: 5.242 min
Delta R.T.: 0.000 min
Response: 105470445
Conc: 55.61 ng/ml



#13 Dieldrin


R.T.: 6.350 min
Delta R.T.: 0.000 min
Response: 80894699
Conc: 49.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.374 min
Delta R.T.: 0.000 min
Response: 107954410
Conc: 52.52 ng/ml




#14 Endrin

R.T.: 6.579 min
Delta R.T.: 0.000 min
Response: 62074826
Conc: 46.68 ng/ml



#14 Endrin


R.T.: 5.649 min
Delta R.T.: 0.000 min
Response: 91086364
Conc: 48.27 ng/ml



#15 Endosulfan II


R.T.: 6.799 min
Delta R.T.: 0.000 min
Response: 74291961
Conc: 47.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.944 min
Delta R.T.: 0.000 min
Response: 92070263
Conc: 52.05 ng/ml




#16 4,4'-DDD

R.T.: 6.714 min
Delta R.T.: 0.000 min
Response: 66880682
Conc: 52.76 ng/ml



#16 4,4'-DDD


R.T.: 5.797 min
Delta R.T.: 0.000 min
Response: 91159285
Conc: 54.40 ng/ml



#17 4,4'-DDT


R.T.: 7.029 min
Delta R.T.: 0.000 min
Response: 58665543
Conc: 44.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.047 min
Delta R.T.: 0.000 min
Response: 74840741
Conc: 46.58 ng/ml




#18 Endrin aldehyde

R.T.: 6.928 min
Delta R.T.: 0.000 min
Response: 58099045
Conc: 48.90 ng/ml



#18 Endrin aldehyde


R.T.: 6.123 min
Delta R.T.: 0.000 min
Response: 70956732
Conc: 51.91 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.163 min
Delta R.T.: 0.000 min
Response: 66469496
Conc: 47.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.346 min
Delta R.T.: 0.000 min
Response: 87425835
Conc: 50.94 ng/ml




#20 Methoxychlor

R.T.: 7.504 min
Delta R.T.: 0.000 min
Response: 30802851
Conc: 45.53 ng/ml



#20 Methoxychlor


R.T.: 6.623 min
Delta R.T.: 0.000 min
Response: 40992952
Conc: 46.28 ng/ml



#21 Endrin ketone


R.T.: 7.648 min
Delta R.T.: 0.000 min
Response: 75933481
Conc: 49.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.851 min
Delta R.T.: 0.000 min
Response: 105118252
Conc: 52.26 ng/ml




#22 Mirex

R.T.: 8.123 min
Delta R.T.: 0.002 min
Response: 57361956
Conc: 47.90 ng/ml



#22 Mirex


R.T.: 7.032 min
Delta R.T.: 0.000 min
Response: 82859484
Conc: 46.73 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.706 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.789 min
Delta R.T.: 0.007 min
Response: 63108
Conc: 0.91 ng/ml




#24 Chlordane-2

R.T.: 5.263 min
Delta R.T.: 0.028 min
Response: 89511141
Conc: 1164.26 ng/ml



#24 Chlordane-2


R.T.: 4.373 min
Delta R.T.: 0.014 min
Response: 1807772
Conc: 24.12 ng/ml



#25 Chlordane-3


R.T.: 5.946 min
Delta R.T.: 0.000 min
Response: 82587413
Conc: 321.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 4.990 min
Delta R.T.: 0.000 min
Response: 119241880
Conc: 511.46 ng/ml




#26 Chlordane-4

R.T.: 6.025 min
Delta R.T.: -0.003 min
Response: 82084869
Conc: 277.17 ng/ml



#26 Chlordane-4


R.T.: 5.053 min
Delta R.T.: 0.000 min
Response: 109352105
Conc: 524.39 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.876 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 5.944 min
Delta R.T.: -0.005 min
Response: 92070263
Conc: 1284.81 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.061 min
Delta R.T.: 0.000 min
Response: 58353042
Conc: 48.01 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.924 min
Delta R.T.: 0.000 min
Response: 89330415
Conc: 48.38 ng/ml