

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091418\
 Data File : PL039875.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Sep 2018 11:12
 Operator : AJ\SJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 14 11:55:14 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL091418.M
 Quant Title : GC Extractables
 QLast Update : Fri Sep 14 11:54:56 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.300	3.903	387.7E6	161.2E6	50.000	50.000
28)	SA Decachlor...	7.951	8.888	414.6E6	135.2E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.727	4.281	637.5E6	257.7E6	50.000	50.000
3)	MA gamma-BHC...	4.003	4.559	579.0E6	229.3E6	50.000	50.000
4)	MA Heptachlor	4.283	5.066	582.9E6	222.4E6	50.000	50.000
5)	MB Aldrin	4.520	5.367	558.6E6	217.2E6	50.000	50.000
6)	B beta-BHC	4.257	4.722	247.3E6	99829454	50.000	50.000
7)	B delta-BHC	4.449	4.935	594.8E6	199.0E6	50.000	50.000
8)	B Heptachlo...	4.956	5.745	521.7E6	193.7E6	50.000	50.000
9)	A Endosulfan I	5.285	6.097	492.7E6	176.5E6	50.000	50.000
10)	B gamma-Chl...	5.178	5.978	551.1E6	194.6E6	50.000	50.000
11)	B alpha-Chl...	5.233	6.050	531.4E6	196.4E6	50.000	50.000
12)	B 4,4'-DDE	5.402	6.207	533.2E6	194.2E6	50.000	50.000
13)	MA Dieldrin	5.523	6.350	553.3E6	190.5E6	50.000	50.000
14)	MA Endrin	5.776	6.564	507.7E6	164.1E6	50.000	50.000
15)	B Endosulfa...	6.051	6.767	472.5E6	161.3E6	50.000	50.000
16)	A 4,4'-DDD	5.912	6.688	435.1E6	146.8E6	50.000	50.000
17)	MA 4,4'-DDT	6.145	6.986	450.6E6	150.9E6	50.000	50.000
18)	B Endrin al...	6.218	6.890	380.6E6	132.3E6	50.000	50.000
19)	B Endosulfa...	6.429	7.112	453.8E6	148.0E6	50.000	50.000
20)	A Methoxychlor	6.692	7.441	238.1E6	75411379	50.000	50.000
21)	B Endrin ke...	6.910	7.574	497.5E6	145.8E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091418\
Data File : PL039875.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Sep 2018 11:12
Operator : AJ\SJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 14 11:55:14 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL091418.M
Quant Title : GC Extractables
QLast Update : Fri Sep 14 11:54:56 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.300 min
Delta R.T.: 0.000 min
Response: 387695239
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#1 Tetrachloro-m-xylene

R.T.: 3.903 min
Delta R.T.: 0.000 min
Response: 161159365
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.727 min
Delta R.T.: 0.000 min
Response: 637462600
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.281 min
Delta R.T.: 0.000 min
Response: 257720147
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.003 min
Delta R.T.: 0.000 min
Response: 578955932
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.559 min
Delta R.T.: 0.000 min
Response: 229308600
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.283 min
Delta R.T.: 0.000 min
Response: 582946605
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.066 min
Delta R.T.: 0.000 min
Response: 222433693
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.520 min
Delta R.T.: 0.000 min
Response: 558605614
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 5.367 min
Delta R.T.: 0.000 min
Response: 217214442
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.257 min
Delta R.T.: 0.000 min
Response: 247347784
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.722 min
Delta R.T.: 0.000 min
Response: 99829454
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.449 min
Delta R.T.: 0.000 min
Response: 594790382
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 4.935 min
Delta R.T.: 0.000 min
Response: 198958239
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 4.956 min
Delta R.T.: 0.000 min
Response: 521740501
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.745 min
Delta R.T.: 0.000 min
Response: 193652189
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.285 min
Delta R.T.: 0.000 min
Response: 492682807
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#9 Endosulfan I

R.T.: 6.097 min
Delta R.T.: 0.000 min
Response: 176500747
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.178 min
Delta R.T.: 0.000 min
Response: 551080678
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 5.978 min
Delta R.T.: 0.000 min
Response: 194624398
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.233 min
Delta R.T.: 0.000 min
Response: 531359824
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#11 alpha-Chlordane

R.T.: 6.050 min
Delta R.T.: 0.000 min
Response: 196363220
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.402 min
Delta R.T.: 0.000 min
Response: 533184468
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.207 min
Delta R.T.: 0.000 min
Response: 194199932
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.523 min
Delta R.T.: 0.000 min
Response: 553297699
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#13 Dieldrin

R.T.: 6.350 min
Delta R.T.: 0.000 min
Response: 190529599
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 5.776 min
Delta R.T.: 0.000 min
Response: 507669641
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.564 min
Delta R.T.: 0.000 min
Response: 164059955
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.051 min
Delta R.T.: 0.000 min
Response: 472450086
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#15 Endosulfan II

R.T.: 6.767 min
Delta R.T.: 0.000 min
Response: 161321878
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 5.912 min
Delta R.T.: 0.000 min
Response: 435121925
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.688 min
Delta R.T.: 0.000 min
Response: 146821593
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.145 min
Delta R.T.: 0.000 min
Response: 450551744
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#17 4,4'-DDT

R.T.: 6.986 min
Delta R.T.: 0.000 min
Response: 150903948
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.218 min
Delta R.T.: 0.000 min
Response: 380642529
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.890 min
Delta R.T.: 0.000 min
Response: 132304526
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.429 min
Delta R.T.: 0.000 min
Response: 453826346
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 7.112 min
Delta R.T.: 0.000 min
Response: 147989631
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.692 min
Delta R.T.: 0.000 min
Response: 238115600
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.441 min
Delta R.T.: 0.000 min
Response: 75411379
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 6.910 min
Delta R.T.: 0.000 min
Response: 497477366
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#21 Endrin ketone

R.T.: 7.574 min
Delta R.T.: 0.000 min
Response: 145829793
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.951 min
Delta R.T.: 0.000 min
Response: 414579634
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.888 min
Delta R.T.: 0.000 min
Response: 135201473
Conc: 50.00 ng/ml