

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091420\
 Data File : PL061445.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Sep 2020 20:45
 Operator : DD\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 15 01:34:35 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090820.M
 Quant Title : GC Extractables
 QLast Update : Wed Sep 09 01:27:38 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.459	4.008	86638752	158.0E6	50.234	51.372
28)	SA Decachlor...	8.210	9.094	73247454	109.8E6	43.905	46.440
Target Compounds							
2)	A alpha-BHC	3.895	4.397	130.9E6	241.8E6	51.162	52.356
3)	MA gamma-BHC...	4.179	4.682	116.6E6	222.1E6	51.100	51.775
4)	MA Heptachlor	4.480	5.193	108.0E6	201.2E6	50.342	51.469
5)	MB Aldrin	4.728	5.499	95961230	186.2E6	49.980	49.277
6)	B beta-BHC	4.430	4.853	48566689	90787979	50.559	51.988
7)	B delta-BHC	4.633	5.071	111.5E6	189.0E6	51.483	59.258
8)	B Heptachlo...	5.170	5.886	92137080	176.0E6	49.449	58.930
9)	A Endosulfan I	5.509	6.245	84901761	154.3E6	49.349	48.101
10)	B gamma-Chl...	5.398	6.122	91512871	169.1E6	49.398	49.050
11)	B alpha-Chl...	5.455	6.195	91151551	167.2E6	49.205	48.041
12)	B 4,4'-DDE	5.620	6.352	83299605	151.3E6	48.988	47.204
13)	MA Dieldrin	5.752	6.502	88085796	157.8E6	49.073	48.135
14)	MA Endrin	6.008	6.721	81831015	134.3E6	48.693	48.025
15)	B Endosulfa...	6.281	6.931	81029612	132.2E6	47.363	44.753
16)	A 4,4'-DDD	6.136	6.844	71474365	121.5E6	49.457	47.319
17)	MA 4,4'-DDT	6.377	7.144	65391464	113.4E6	47.624	45.310
18)	B Endrin al...	6.449	7.055	68762617	113.0E6	46.711	46.171
19)	B Endosulfa...	6.662	7.278	77272686	124.5E6	46.951	45.507
20)	A Methoxychlor	6.922	7.604	39495158	62872164	46.136	43.708
21)	B Endrin ke...	7.152	7.751	84342291	127.8E6	46.122	47.077
22)	Mirex	7.341	8.207	66737266	88500616	44.633	45.962
24)	Chlordane-2	0.000	5.499f	0	186.2E6	N.D.	1524.484 #
25)	Chlordane-3	5.398	6.122	91512871	169.1E6	551.792	391.444 #
26)	Chlordane-4	5.455	6.195	91151551	167.2E6	662.218	319.379 #
27)	Chlordane-5	6.281	0.000	81029612	0	1441.633	N.D. #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091420\
Data File : PL061445.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Sep 2020 20:45
Operator : DD\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 15 01:34:35 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090820.M
Quant Title : GC Extractables
QLast Update : Wed Sep 09 01:27:38 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.459 min
Delta R.T.: 0.000 min
Response: 86638752
Conc: 50.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 4.008 min
Delta R.T.: 0.000 min
Response: 158019676
Conc: 51.37 ng/ml




#2 alpha-BHC

R.T.: 3.895 min
Delta R.T.: 0.000 min
Response: 130930603
Conc: 51.16 ng/ml



#2 alpha-BHC


R.T.: 4.397 min
Delta R.T.: 0.000 min
Response: 241788061
Conc: 52.36 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.179 min
Delta R.T.: 0.000 min
Response: 116628869
Conc: 51.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.682 min
Delta R.T.: 0.000 min
Response: 222133605
Conc: 51.78 ng/ml




#4 Heptachlor

R.T.: 4.480 min
Delta R.T.: 0.000 min
Response: 108008665
Conc: 50.34 ng/ml



#4 Heptachlor


R.T.: 5.193 min
Delta R.T.: 0.000 min
Response: 201205568
Conc: 51.47 ng/ml



#5 Aldrin


R.T.: 4.728 min
Delta R.T.: 0.000 min
Response: 95961230
Conc: 49.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.499 min
Delta R.T.: 0.000 min
Response: 186196102
Conc: 49.28 ng/ml




#6 beta-BHC

R.T.: 4.430 min
Delta R.T.: 0.000 min
Response: 48566689
Conc: 50.56 ng/ml



#6 beta-BHC


R.T.: 4.853 min
Delta R.T.: 0.000 min
Response: 90787979
Conc: 51.99 ng/ml



#7 delta-BHC


R.T.: 4.633 min
Delta R.T.: 0.000 min
Response: 111524722
Conc: 51.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.071 min
Delta R.T.: 0.000 min
Response: 189004217
Conc: 59.26 ng/ml




#8 Heptachlor epoxide

R.T.: 5.170 min
Delta R.T.: 0.000 min
Response: 92137080
Conc: 49.45 ng/ml



#8 Heptachlor epoxide


R.T.: 5.886 min
Delta R.T.: 0.000 min
Response: 175957938
Conc: 58.93 ng/ml



#9 Endosulfan I


R.T.: 5.509 min
Delta R.T.: 0.000 min
Response: 84901761
Conc: 49.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.245 min
Delta R.T.: 0.000 min
Response: 154301693
Conc: 48.10 ng/ml




#10 gamma-Chlordane

R.T.: 5.398 min
Delta R.T.: 0.000 min
Response: 91512871
Conc: 49.40 ng/ml



#10 gamma-Chlordane


R.T.: 6.122 min
Delta R.T.: 0.000 min
Response: 169095218
Conc: 49.05 ng/ml



#11 alpha-Chlordane


R.T.: 5.455 min
Delta R.T.: 0.000 min
Response: 91151551
Conc: 49.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.195 min
Delta R.T.: 0.000 min
Response: 167186254
Conc: 48.04 ng/ml




#12 4,4'-DDE

R.T.: 5.620 min
Delta R.T.: 0.000 min
Response: 83299605
Conc: 48.99 ng/ml



#12 4,4'-DDE


R.T.: 6.352 min
Delta R.T.: 0.000 min
Response: 151310349
Conc: 47.20 ng/ml



#13 Dieldrin


R.T.: 5.752 min
Delta R.T.: 0.000 min
Response: 88085796
Conc: 49.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.502 min
Delta R.T.: 0.000 min
Response: 157820611
Conc: 48.13 ng/ml




#14 Endrin

R.T.: 6.008 min
Delta R.T.: 0.000 min
Response: 81831015
Conc: 48.69 ng/ml



#14 Endrin


R.T.: 6.721 min
Delta R.T.: 0.000 min
Response: 134283193
Conc: 48.03 ng/ml



#15 Endosulfan II


R.T.: 6.281 min
Delta R.T.: 0.000 min
Response: 81029612
Conc: 47.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.931 min
Delta R.T.: 0.001 min
Response: 132191978
Conc: 44.75 ng/ml




#16 4,4'-DDD

R.T.: 6.136 min
Delta R.T.: 0.000 min
Response: 71474365
Conc: 49.46 ng/ml



#16 4,4'-DDD


R.T.: 6.844 min
Delta R.T.: 0.001 min
Response: 121516065
Conc: 47.32 ng/ml



#17 4,4'-DDT


R.T.: 6.377 min
Delta R.T.: 0.000 min
Response: 65391464
Conc: 47.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.144 min
Delta R.T.: 0.001 min
Response: 113416979
Conc: 45.31 ng/ml




#18 Endrin aldehyde

R.T.: 6.449 min
Delta R.T.: 0.000 min
Response: 68762617
Conc: 46.71 ng/ml



#18 Endrin aldehyde


R.T.: 7.055 min
Delta R.T.: 0.000 min
Response: 112958347
Conc: 46.17 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.662 min
Delta R.T.: 0.000 min
Response: 77272686
Conc: 46.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.278 min
Delta R.T.: 0.000 min
Response: 124494551
Conc: 45.51 ng/ml




#20 Methoxychlor

R.T.: 6.922 min
Delta R.T.: 0.000 min
Response: 39495158
Conc: 46.14 ng/ml



#20 Methoxychlor


R.T.: 7.604 min
Delta R.T.: 0.000 min
Response: 62872164
Conc: 43.71 ng/ml



#21 Endrin ketone


R.T.: 7.152 min
Delta R.T.: 0.000 min
Response: 84342291
Conc: 46.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.751 min
Delta R.T.: 0.000 min
Response: 127803544
Conc: 47.08 ng/ml




#22 Mirex

R.T.: 7.341 min
Delta R.T.: 0.000 min
Response: 66737266
Conc: 44.63 ng/ml



#22 Mirex


R.T.: 8.207 min
Delta R.T.: 0.002 min
Response: 88500616
Conc: 45.96 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.829 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.499 min
Delta R.T.: 0.027 min
Response: 186196102
Conc: 1524.48 ng/ml




#25 Chlordane-3

R.T.: 5.398 min
Delta R.T.: 0.000 min
Response: 91512871
Conc: 551.79 ng/ml



#25 Chlordane-3


R.T.: 6.122 min
Delta R.T.: 0.000 min
Response: 169095218
Conc: 391.44 ng/ml



#26 Chlordane-4


R.T.: 5.455 min
Delta R.T.: 0.000 min
Response: 91151551
Conc: 662.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.195 min
Delta R.T.: 0.000 min
Response: 167186254
Conc: 319.38 ng/ml




#27 Chlordane-5

R.T.: 6.281 min
Delta R.T.: -0.009 min
Response: 81029612
Conc: 1441.63 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 7.002 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.210 min
Delta R.T.: 0.000 min
Response: 73247454
Conc: 43.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.094 min
Delta R.T.: 0.001 min
Response: 109809652
Conc: 46.44 ng/ml