

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091724\
 Data File : PL091785.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Sep 2024 15:24
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 18 01:12:04 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090924.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 09 19:26:36 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.544	2.781	79430455	91378992	50.963	48.858
28)	SA Decachlor...	9.061	7.923	59875820	95805621	49.267	51.884
Target Compounds							
2)	A alpha-BHC	4.001	3.284	108.9E6	132.3E6	50.421	49.758
3)	MA gamma-BHC...	4.333	3.615	101.7E6	124.1E6	49.477	50.452
4)	MA Heptachlor	4.922	3.954	101.4E6	125.3E6	54.160	52.022
5)	MB Aldrin	5.263	4.234	92753718	117.6E6	49.799	51.525
6)	B beta-BHC	4.530	3.914	47166206	54321038	51.830	49.723
7)	B delta-BHC	4.777	4.143	98390762	120.9E6	51.214	52.539
8)	B Heptachlo...	5.690	4.737	88750402	105.3E6	53.185	49.942
9)	A Endosulfan I	6.075	5.107	82469203	97871813	52.929	50.728
10)	B gamma-Chl...	5.945	4.988	88049940	109.5E6	52.700	49.659
11)	B alpha-Chl...	6.025	5.051	88053394	108.1E6	54.629	52.258
12)	B 4,4'-DDE	6.197	5.240	79850225	104.3E6	54.742	54.995
13)	MA Dieldrin	6.350	5.371	86303657	106.4E6	52.891	51.754
14)	MA Endrin	6.580	5.647	73818484	97671925	55.516	51.755
15)	B Endosulfa...	6.799	5.941	78890569	93293659	50.897	52.741
16)	A 4,4'-DDD	6.715	5.795	67577527	83473561	53.314	49.813
17)	MA 4,4'-DDT	7.028	6.046	74286721	91255528	56.632	56.794
18)	B Endrin al...	6.929	6.121	60437439	72441656	50.868	52.992
19)	B Endosulfa...	7.163	6.344	72125180	90519176	51.651	52.747
20)	A Methoxychlor	7.504	6.621	39545186	50794463	58.458	57.345
21)	B Endrin ke...	7.648	6.849	79485682	104.3E6	51.403	51.854
22)	Mirex	8.122	7.031	61142644	84810288	51.061	47.828
24)	Chlordane-2	5.263f	4.372	92753718	2168292	1206.440	28.929 #
25)	Chlordane-3	5.945	4.988	88049940	109.5E6	342.741	469.813 #
26)	Chlordane-4	6.025	5.051	88053394	108.1E6	297.321	518.491 #
27)	Chlordane-5	0.000	5.941	0	93293659	N.D.	1301.882 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091724\
Data File : PL091785.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Sep 2024 15:24
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 18 01:12:04 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090924.M
Quant Title : GC Extractables
QLast Update : Mon Sep 09 19:26:36 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.544 min
Delta R.T.: 0.000 min
Response: 79430455
Conc: 50.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.781 min
Delta R.T.: -0.002 min
Response: 91378992
Conc: 48.86 ng/ml




#2 alpha-BHC

R.T.: 4.001 min
Delta R.T.: 0.001 min
Response: 108906313
Conc: 50.42 ng/ml



#2 alpha-BHC


R.T.: 3.284 min
Delta R.T.: -0.002 min
Response: 132334261
Conc: 49.76 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.333 min
Delta R.T.: 0.000 min
Response: 101709370
Conc: 49.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.615 min
Delta R.T.: -0.002 min
Response: 124084407
Conc: 50.45 ng/ml




#4 Heptachlor

R.T.: 4.922 min
Delta R.T.: 0.000 min
Response: 101442946
Conc: 54.16 ng/ml



#4 Heptachlor


R.T.: 3.954 min
Delta R.T.: -0.001 min
Response: 125284763
Conc: 52.02 ng/ml



#5 Aldrin


R.T.: 5.263 min
Delta R.T.: 0.000 min
Response: 92753718
Conc: 49.80 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.234 min
Delta R.T.: -0.002 min
Response: 117554400
Conc: 51.52 ng/ml




#6 beta-BHC

R.T.: 4.530 min
Delta R.T.: 0.001 min
Response: 47166206
Conc: 51.83 ng/ml



#6 beta-BHC


R.T.: 3.914 min
Delta R.T.: -0.001 min
Response: 54321038
Conc: 49.72 ng/ml



#7 delta-BHC


R.T.: 4.777 min
Delta R.T.: 0.001 min
Response: 98390762
Conc: 51.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.143 min
Delta R.T.: -0.002 min
Response: 120877845
Conc: 52.54 ng/ml




#8 Heptachlor epoxide

R.T.: 5.690 min
Delta R.T.: 0.001 min
Response: 88750402
Conc: 53.18 ng/ml



#8 Heptachlor epoxide


R.T.: 4.737 min
Delta R.T.: -0.002 min
Response: 105263835
Conc: 49.94 ng/ml



#9 Endosulfan I


R.T.: 6.075 min
Delta R.T.: 0.000 min
Response: 82469203
Conc: 52.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.107 min
Delta R.T.: -0.002 min
Response: 97871813
Conc: 50.73 ng/ml




#10 gamma-Chlordane

R.T.: 5.945 min
Delta R.T.: 0.000 min
Response: 88049940
Conc: 52.70 ng/ml



#10 gamma-Chlordane


R.T.: 4.988 min
Delta R.T.: -0.002 min
Response: 109532618
Conc: 49.66 ng/ml



#11 alpha-Chlordane


R.T.: 6.025 min
Delta R.T.: 0.001 min
Response: 88053394
Conc: 54.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.051 min
Delta R.T.: -0.002 min
Response: 108122433
Conc: 52.26 ng/ml




#12 4,4'-DDE

R.T.: 6.197 min
Delta R.T.: 0.001 min
Response: 79850225
Conc: 54.74 ng/ml



#12 4,4'-DDE


R.T.: 5.240 min
Delta R.T.: -0.002 min
Response: 104308960
Conc: 54.99 ng/ml



#13 Dieldrin


R.T.: 6.350 min
Delta R.T.: 0.001 min
Response: 86303657
Conc: 52.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.371 min
Delta R.T.: -0.002 min
Response: 106376799
Conc: 51.75 ng/ml




#14 Endrin

R.T.: 6.580 min
Delta R.T.: 0.001 min
Response: 73818484
Conc: 55.52 ng/ml



#14 Endrin


R.T.: 5.647 min
Delta R.T.: -0.001 min
Response: 97671925
Conc: 51.76 ng/ml



#15 Endosulfan II


R.T.: 6.799 min
Delta R.T.: 0.000 min
Response: 78890569
Conc: 50.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.941 min
Delta R.T.: -0.002 min
Response: 93293659
Conc: 52.74 ng/ml




#16 4,4'-DDD

R.T.: 6.715 min
Delta R.T.: 0.000 min
Response: 67577527
Conc: 53.31 ng/ml



#16 4,4'-DDD


R.T.: 5.795 min
Delta R.T.: -0.002 min
Response: 83473561
Conc: 49.81 ng/ml



#17 4,4'-DDT


R.T.: 7.028 min
Delta R.T.: 0.000 min
Response: 74286721
Conc: 56.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.046 min
Delta R.T.: -0.002 min
Response: 91255528
Conc: 56.79 ng/ml




#18 Endrin aldehyde

R.T.: 6.929 min
Delta R.T.: 0.000 min
Response: 60437439
Conc: 50.87 ng/ml



#18 Endrin aldehyde


R.T.: 6.121 min
Delta R.T.: -0.002 min
Response: 72441656
Conc: 52.99 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.163 min
Delta R.T.: 0.000 min
Response: 72125180
Conc: 51.65 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.344 min
Delta R.T.: -0.002 min
Response: 90519176
Conc: 52.75 ng/ml




#20 Methoxychlor

R.T.: 7.504 min
Delta R.T.: 0.000 min
Response: 39545186
Conc: 58.46 ng/ml



#20 Methoxychlor


R.T.: 6.621 min
Delta R.T.: -0.001 min
Response: 50794463
Conc: 57.35 ng/ml



#21 Endrin ketone


R.T.: 7.648 min
Delta R.T.: 0.001 min
Response: 79485682
Conc: 51.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.849 min
Delta R.T.: -0.002 min
Response: 104299918
Conc: 51.85 ng/ml




#22 Mirex

R.T.: 8.122 min
Delta R.T.: 0.001 min
Response: 61142644
Conc: 51.06 ng/ml



#22 Mirex


R.T.: 7.031 min
Delta R.T.: -0.002 min
Response: 84810288
Conc: 47.83 ng/ml



#24 Chlordane-2


R.T.: 5.263 min
Delta R.T.: 0.028 min
Response: 92753718
Conc: 1206.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.372 min
Delta R.T.: 0.012 min
Response: 2168292
Conc: 28.93 ng/ml




#25 Chlordane-3

R.T.: 5.945 min
Delta R.T.: 0.000 min
Response: 88049940
Conc: 342.74 ng/ml



#25 Chlordane-3


R.T.: 4.988 min
Delta R.T.: -0.002 min
Response: 109532618
Conc: 469.81 ng/ml



#26 Chlordane-4


R.T.: 6.025 min
Delta R.T.: -0.003 min
Response: 88053394
Conc: 297.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.051 min
Delta R.T.: -0.001 min
Response: 108122433
Conc: 518.49 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.876 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.941 min
Delta R.T.: -0.008 min
Response: 93293659
Conc: 1301.88 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.061 min
Delta R.T.: 0.000 min
Response: 59875820
Conc: 49.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.923 min
Delta R.T.: -0.002 min
Response: 95805621
Conc: 51.88 ng/ml