

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091724\
 Data File : PL091794.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Sep 2024 17:25
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 18 01:14:37 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090924.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 09 19:26:36 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.542	2.781	75675450	89179163	48.554	47.682
28)	SA Decachlor...	9.057	7.922	54947973	85840705	45.213	46.487
Target Compounds							
2)	A alpha-BHC	3.997	3.284	103.5E6	126.9E6	47.901	47.729
3)	MA gamma-BHC...	4.330	3.614	97563586	119.2E6	47.460	48.479
4)	MA Heptachlor	4.919	3.954	95820006	120.5E6	51.158	50.033
5)	MB Aldrin	5.261	4.234	87837536	112.5E6	47.159	49.309
6)	B beta-BHC	4.527	3.914	45410658	52874977	49.901	48.400
7)	B delta-BHC	4.774	4.143	94623964	116.2E6	49.253	50.496
8)	B Heptachlo...	5.687	4.737	86092868	100.6E6	51.592	47.720
9)	A Endosulfan I	6.072	5.107	77171993	92679606	49.529	48.037
10)	B gamma-Chl...	5.942	4.987	83012218	105.1E6	49.685	47.651
11)	B alpha-Chl...	6.022	5.051	82626327	102.8E6	51.262	49.703
12)	B 4,4'-DDE	6.194	5.240	74938348	96993681	51.375	51.138
13)	MA Dieldrin	6.347	5.371	81292183	99381353	49.819	48.350
14)	MA Endrin	6.577	5.647	69358308	92199041	52.161	48.855
15)	B Endosulfa...	6.796	5.941	72722760	87459761	46.918	49.443
16)	A 4,4'-DDD	6.712	5.795	63109734	78756059	49.789	46.997
17)	MA 4,4'-DDT	7.026	6.045	68075403	85166602	51.897	53.004
18)	B Endrin al...	6.926	6.120	56086313	67816422	47.205	49.608
19)	B Endosulfa...	7.160	6.343	67486800	83980607	48.329	48.937
20)	A Methoxychlor	7.502	6.620	37067590	47094427	54.796	53.168
21)	B Endrin ke...	7.646	6.849	73995203	97302873	47.852	48.376
22)	Mirex	8.119	7.030	56924676	78647635	47.539	44.353
24)	Chlordane-2	5.261f	4.369	87837536	2264187	1142.495	30.209 #
25)	Chlordane-3	5.942	4.987	83012218	105.1E6	323.132	450.810 #
26)	Chlordane-4	6.022	5.051	82626327	102.8E6	278.996	493.143 #
27)	Chlordane-5	0.000	5.941	0	87459761	N.D.	1220.472 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091724\
Data File : PL091794.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Sep 2024 17:25
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 18 01:14:37 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090924.M
Quant Title : GC Extractables
QLast Update : Mon Sep 09 19:26:36 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.542 min
Delta R.T.: -0.002 min
Response: 75675450
Conc: 48.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.781 min
Delta R.T.: -0.002 min
Response: 89179163
Conc: 47.68 ng/ml




#2 alpha-BHC

R.T.: 3.997 min
Delta R.T.: -0.002 min
Response: 103461452
Conc: 47.90 ng/ml



#2 alpha-BHC


R.T.: 3.284 min
Delta R.T.: -0.002 min
Response: 126938280
Conc: 47.73 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.330 min
Delta R.T.: -0.002 min
Response: 97563586
Conc: 47.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.614 min
Delta R.T.: -0.002 min
Response: 119232900
Conc: 48.48 ng/ml




#4 Heptachlor

R.T.: 4.919 min
Delta R.T.: -0.002 min
Response: 95820006
Conc: 51.16 ng/ml



#4 Heptachlor


R.T.: 3.954 min
Delta R.T.: -0.002 min
Response: 120495074
Conc: 50.03 ng/ml



#5 Aldrin


R.T.: 5.261 min
Delta R.T.: -0.002 min
Response: 87837536
Conc: 47.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.234 min
Delta R.T.: -0.002 min
Response: 112498370
Conc: 49.31 ng/ml




#6 beta-BHC

R.T.: 4.527 min
Delta R.T.: -0.001 min
Response: 45410658
Conc: 49.90 ng/ml



#6 beta-BHC


R.T.: 3.914 min
Delta R.T.: -0.002 min
Response: 52874977
Conc: 48.40 ng/ml



#7 delta-BHC


R.T.: 4.774 min
Delta R.T.: -0.002 min
Response: 94623964
Conc: 49.25 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.143 min
Delta R.T.: -0.002 min
Response: 116178535
Conc: 50.50 ng/ml




#8 Heptachlor epoxide

R.T.: 5.687 min
Delta R.T.: -0.002 min
Response: 86092868
Conc: 51.59 ng/ml



#8 Heptachlor epoxide


R.T.: 4.737 min
Delta R.T.: -0.002 min
Response: 100580682
Conc: 47.72 ng/ml



#9 Endosulfan I


R.T.: 6.072 min
Delta R.T.: -0.002 min
Response: 77171993
Conc: 49.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.107 min
Delta R.T.: -0.002 min
Response: 92679606
Conc: 48.04 ng/ml




#10 gamma-Chlordane

R.T.: 5.942 min
Delta R.T.: -0.002 min
Response: 83012218
Conc: 49.68 ng/ml



#10 gamma-Chlordane


R.T.: 4.987 min
Delta R.T.: -0.002 min
Response: 105102405
Conc: 47.65 ng/ml



#11 alpha-Chlordane


R.T.: 6.022 min
Delta R.T.: -0.002 min
Response: 82626327
Conc: 51.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.051 min
Delta R.T.: -0.003 min
Response: 102836558
Conc: 49.70 ng/ml




#12 4,4'-DDE

R.T.: 6.194 min
Delta R.T.: -0.002 min
Response: 74938348
Conc: 51.37 ng/ml



#12 4,4'-DDE


R.T.: 5.240 min
Delta R.T.: -0.002 min
Response: 96993681
Conc: 51.14 ng/ml



#13 Dieldrin


R.T.: 6.347 min
Delta R.T.: -0.002 min
Response: 81292183
Conc: 49.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.371 min
Delta R.T.: -0.002 min
Response: 99381353
Conc: 48.35 ng/ml




#14 Endrin

R.T.: 6.577 min
Delta R.T.: -0.002 min
Response: 69358308
Conc: 52.16 ng/ml



#14 Endrin


R.T.: 5.647 min
Delta R.T.: -0.002 min
Response: 92199041
Conc: 48.86 ng/ml



#15 Endosulfan II


R.T.: 6.796 min
Delta R.T.: -0.002 min
Response: 72722760
Conc: 46.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.941 min
Delta R.T.: -0.002 min
Response: 87459761
Conc: 49.44 ng/ml




#16 4,4'-DDD

R.T.: 6.712 min
Delta R.T.: -0.002 min
Response: 63109734
Conc: 49.79 ng/ml



#16 4,4'-DDD


R.T.: 5.795 min
Delta R.T.: -0.002 min
Response: 78756059
Conc: 47.00 ng/ml



#17 4,4'-DDT


R.T.: 7.026 min
Delta R.T.: -0.002 min
Response: 68075403
Conc: 51.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.045 min
Delta R.T.: -0.002 min
Response: 85166602
Conc: 53.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.926 min
Delta R.T.: -0.003 min
Response: 56086313
Conc: 47.21 ng/ml



#18 Endrin aldehyde


R.T.: 6.120 min
Delta R.T.: -0.002 min
Response: 67816422
Conc: 49.61 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.160 min
Delta R.T.: -0.002 min
Response: 67486800
Conc: 48.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.343 min
Delta R.T.: -0.003 min
Response: 83980607
Conc: 48.94 ng/ml




#20 Methoxychlor

R.T.: 7.502 min
Delta R.T.: -0.002 min
Response: 37067590
Conc: 54.80 ng/ml



#20 Methoxychlor


R.T.: 6.620 min
Delta R.T.: -0.003 min
Response: 47094427
Conc: 53.17 ng/ml



#21 Endrin ketone


R.T.: 7.646 min
Delta R.T.: -0.001 min
Response: 73995203
Conc: 47.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.849 min
Delta R.T.: -0.003 min
Response: 97302873
Conc: 48.38 ng/ml




#22 Mirex

R.T.: 8.119 min
Delta R.T.: -0.001 min
Response: 56924676
Conc: 47.54 ng/ml



#22 Mirex


R.T.: 7.030 min
Delta R.T.: -0.003 min
Response: 78647635
Conc: 44.35 ng/ml



#24 Chlordane-2


R.T.: 5.261 min
Delta R.T.: 0.025 min
Response: 87837536
Conc: 1142.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.369 min
Delta R.T.: 0.010 min
Response: 2264187
Conc: 30.21 ng/ml




#25 Chlordane-3

R.T.: 5.942 min
Delta R.T.: -0.003 min
Response: 83012218
Conc: 323.13 ng/ml



#25 Chlordane-3


R.T.: 4.987 min
Delta R.T.: -0.003 min
Response: 105102405
Conc: 450.81 ng/ml



#26 Chlordane-4


R.T.: 6.022 min
Delta R.T.: -0.005 min
Response: 82626327
Conc: 279.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.051 min
Delta R.T.: -0.002 min
Response: 102836558
Conc: 493.14 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.876 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.941 min
Delta R.T.: -0.008 min
Response: 87459761
Conc: 1220.47 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.057 min
Delta R.T.: -0.003 min
Response: 54947973
Conc: 45.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.922 min
Delta R.T.: -0.002 min
Response: 85840705
Conc: 46.49 ng/ml