

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091818\
 Data File : PL040101.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Sep 2018 17:32
 Operator : AJ\SJ
 Sample : J4959-01MS
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 19 01:10:02 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL091418.M
 Quant Title : GC Extractables
 QLast Update : Fri Sep 14 23:10:39 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.299	3.903	169.9E6	48128160	21.913	15.083 #
28)	SA Decachlor...	7.954	8.892	120.7E6	42599768	14.481	15.684
Target Compounds							
2)	A alpha-BHC	3.727	4.281	513.8E6	233.4E6	40.498	45.106
3)	MA gamma-BHC...	4.002	4.560	489.6E6	204.6E6	42.779	44.938
4)	MA Heptachlor	4.283	5.067	468.6E6	194.8E6	40.618	45.170
5)	MB Aldrin	4.521	5.367	430.1E6	186.8E6	39.026	43.000
6)	B beta-BHC	4.258	4.724	191.5E6	61071310	38.946	31.123
7)	B delta-BHC	4.450	4.936	436.7E6	183.4E6	37.135	46.119
8)	B Heptachlo...	4.957	5.747	414.2E6	163.9E6	40.647	41.431
9)	A Endosulfan I	5.286	6.098	252.4E6	146.5E6	25.477	41.247 #
10)	B gamma-Chl...	5.178	5.979	526.5E6	197.7E6	47.255	52.250
11)	B alpha-Chl...	5.234	6.052	454.4E6	179.9E6	42.535	45.417
12)	B 4,4'-DDE	5.402	6.209	399.9E6	113.4E6	37.729	29.824
13)	MA Dieldrin	5.525	6.352	453.3E6	151.7E6	40.876	39.871
14)	MA Endrin	5.777	6.566	406.5E6	131.2E6	39.615	40.314
15)	B Endosulfa...	6.053	6.770	361.3E6	121.9E6	37.713	36.907
16)	A 4,4'-DDD	5.913	6.690	331.3E6	113.6E6	38.217	39.288
17)	MA 4,4'-DDT	6.146	6.988	354.0E6	124.4E6	39.107	41.582
18)	B Endrin al...	6.220	6.892	291.5E6	103.5E6	38.031	39.409
19)	B Endosulfa...	6.431	7.114	352.5E6	121.5E6	38.466	41.396
20)	A Methoxychlor	6.694	7.444	154.2E6	56487548	33.267	38.525
21)	B Endrin ke...	6.912	7.578	347.6E6	121.2E6	35.590	42.522
23)	Chlordane-1	0.000	4.882	0	3970892	N.D.	25.644 #
24)	Chlordane-2	4.660	5.367	51227245	186.8E6	136.019	1225.392 #
25)	Chlordane-3	5.178	5.979	526.5E6	197.7E6	429.068	386.269
26)	Chlordane-4	5.234	6.052	454.4E6	179.9E6	414.509	290.674 #
27)	Chlordane-5	6.053	6.892	361.3E6	103.5E6	974.582	891.869



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091818\
Data File : PL040101.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Sep 2018 17:32
Operator : AJ\SJ
Sample : J4959-01MS
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 19 01:10:02 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL091418.M
Quant Title : GC Extractables
QLast Update : Fri Sep 14 23:10:39 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.299 min
Delta R.T.: 0.000 min
Response: 169930156
Conc: 21.91 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.903 min
Delta R.T.: 0.000 min
Response: 48128160
Conc: 15.08 ng/ml




#2 alpha-BHC

R.T.: 3.727 min
Delta R.T.: 0.000 min
Response: 513770082
Conc: 40.50 ng/ml



#2 alpha-BHC


R.T.: 4.281 min
Delta R.T.: 0.000 min
Response: 233406085
Conc: 45.11 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.002 min
Delta R.T.: 0.000 min
Response: 489577797
Conc: 42.78 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 4.560 min
Delta R.T.: 0.000 min
Response: 204570969
Conc: 44.94 ng/ml




#4 Heptachlor

R.T.: 4.283 min
Delta R.T.: 0.000 min
Response: 468585617
Conc: 40.62 ng/ml



#4 Heptachlor


R.T.: 5.067 min
Delta R.T.: 0.000 min
Response: 194806830
Conc: 45.17 ng/ml



#5 Aldrin


R.T.: 4.521 min
Delta R.T.: 0.000 min
Response: 430149611
Conc: 39.03 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 5.367 min
Delta R.T.: 0.000 min
Response: 186755825
Conc: 43.00 ng/ml




#6 beta-BHC

R.T.: 4.258 min
Delta R.T.: 0.000 min
Response: 191538729
Conc: 38.95 ng/ml



#6 beta-BHC


R.T.: 4.724 min
Delta R.T.: 0.002 min
Response: 61071310
Conc: 31.12 ng/ml



#7 delta-BHC


R.T.: 4.450 min
Delta R.T.: 0.000 min
Response: 436679899
Conc: 37.14 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.936 min
Delta R.T.: 0.001 min
Response: 183448438
Conc: 46.12 ng/ml




#8 Heptachlor epoxide

R.T.: 4.957 min
Delta R.T.: 0.000 min
Response: 414186213
Conc: 40.65 ng/ml



#8 Heptachlor epoxide


R.T.: 5.747 min
Delta R.T.: 0.002 min
Response: 163865983
Conc: 41.43 ng/ml



#9 Endosulfan I


R.T.: 5.286 min
Delta R.T.: 0.001 min
Response: 252445501
Conc: 25.48 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 6.098 min
Delta R.T.: 0.001 min
Response: 146469816
Conc: 41.25 ng/ml




#10 gamma-Chlordane

R.T.: 5.178 min
Delta R.T.: 0.000 min
Response: 526520252
Conc: 47.25 ng/ml



#10 gamma-Chlordane


R.T.: 5.979 min
Delta R.T.: 0.002 min
Response: 197747155
Conc: 52.25 ng/ml



#11 alpha-Chlordane


R.T.: 5.234 min
Delta R.T.: 0.001 min
Response: 454402057
Conc: 42.53 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 6.052 min
Delta R.T.: 0.002 min
Response: 179915591
Conc: 45.42 ng/ml




#12 4,4'-DDE

R.T.: 5.402 min
Delta R.T.: 0.000 min
Response: 399884287
Conc: 37.73 ng/ml



#12 4,4'-DDE


R.T.: 6.209 min
Delta R.T.: 0.002 min
Response: 113441492
Conc: 29.82 ng/ml



#13 Dieldrin


R.T.: 5.525 min
Delta R.T.: 0.002 min
Response: 453335576
Conc: 40.88 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 6.352 min
Delta R.T.: 0.002 min
Response: 151712921
Conc: 39.87 ng/ml




#14 Endrin

R.T.: 5.777 min
Delta R.T.: 0.002 min
Response: 406511377
Conc: 39.62 ng/ml



#14 Endrin


R.T.: 6.566 min
Delta R.T.: 0.002 min
Response: 131240872
Conc: 40.31 ng/ml



#15 Endosulfan II


R.T.: 6.053 min
Delta R.T.: 0.002 min
Response: 361328612
Conc: 37.71 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 6.770 min
Delta R.T.: 0.002 min
Response: 121903094
Conc: 36.91 ng/ml




#16 4,4'-DDD

R.T.: 5.913 min
Delta R.T.: 0.001 min
Response: 331338986
Conc: 38.22 ng/ml



#16 4,4'-DDD


R.T.: 6.690 min
Delta R.T.: 0.002 min
Response: 113581716
Conc: 39.29 ng/ml



#17 4,4'-DDT


R.T.: 6.146 min
Delta R.T.: 0.001 min
Response: 353968940
Conc: 39.11 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.988 min
Delta R.T.: 0.002 min
Response: 124402783
Conc: 41.58 ng/ml




#18 Endrin aldehyde

R.T.: 6.220 min
Delta R.T.: 0.002 min
Response: 291515052
Conc: 38.03 ng/ml



#18 Endrin aldehyde


R.T.: 6.892 min
Delta R.T.: 0.003 min
Response: 103493197
Conc: 39.41 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.431 min
Delta R.T.: 0.002 min
Response: 352533713
Conc: 38.47 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 7.114 min
Delta R.T.: 0.002 min
Response: 121532544
Conc: 41.40 ng/ml




#20 Methoxychlor

R.T.: 6.694 min
Delta R.T.: 0.002 min
Response: 154195704
Conc: 33.27 ng/ml



#20 Methoxychlor


R.T.: 7.444 min
Delta R.T.: 0.003 min
Response: 56487548
Conc: 38.52 ng/ml



#21 Endrin ketone


R.T.: 6.912 min
Delta R.T.: 0.002 min
Response: 347557702
Conc: 35.59 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 7.578 min
Delta R.T.: 0.003 min
Response: 121184893
Conc: 42.52 ng/ml




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T. : 4.136 min
Response: 0
Conc: N.D.



#23 Chlordane-1


R.T.: 4.882 min
Delta R.T.: 0.002 min
Response: 3970892
Conc: 25.64 ng/ml



#24 Chlordane-2


R.T.: 4.660 min
Delta R.T.: 0.035 min
Response: 51227245
Conc: 136.02 ng/ml

Instrument :
ECD_L
ClientSampleId :




#24 Chlordane-2

R.T.: 5.367 min
Delta R.T.: 0.026 min
Response: 186755825
Conc: 1225.39 ng/ml




#25 Chlordane-3

R.T.: 5.178 min
Delta R.T.: 0.002 min
Response: 526520252
Conc: 429.07 ng/ml



#25 Chlordane-3


R.T.: 5.979 min
Delta R.T.: 0.001 min
Response: 197747155
Conc: 386.27 ng/ml



#26 Chlordane-4


R.T.: 5.234 min
Delta R.T.: 0.002 min
Response: 454402057
Conc: 414.51 ng/ml

Instrument :
ECD_L
ClientSampleId :




#26 Chlordane-4

R.T.: 6.052 min
Delta R.T.: 0.000 min
Response: 179915591
Conc: 290.67 ng/ml




#27 Chlordane-5

R.T.: 6.053 min
Delta R.T.: 0.000 min
Response: 361328612
Conc: 974.58 ng/ml



#27 Chlordane-5


R.T.: 6.892 min
Delta R.T.: 0.050 min
Response: 103493197
Conc: 891.87 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.954 min
Delta R.T.: 0.003 min
Response: 120667234
Conc: 14.48 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 8.892 min
Delta R.T.: 0.004 min
Response: 42599768
Conc: 15.68 ng/ml