

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091820\
 Data File : PL061579.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Sep 2020 11:58
 Operator : DD\AJ
 Sample : PB131712BS
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB131712BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 18 15:16:51 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090820.M
 Quant Title : GC Extractables
 QLast Update : Wed Sep 09 01:27:38 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.459	4.007	36583208	66064086	21.211	21.477
28)	SA Decachlor...	8.210	9.095	32404092	53715280	19.423	22.717
Target Compounds							
2)	A alpha-BHC	3.895	4.397	133.3E6	248.7E6	52.088	53.855
3)	MA gamma-BHC...	4.178	4.683	117.2E6	223.8E6	51.334	52.173
4)	MA Heptachlor	4.479	5.193	110.2E6	205.1E6	51.350	52.468
5)	MB Aldrin	4.727	5.500	99853413	189.9E6	52.008	50.257
6)	B beta-BHC	4.429	4.854	52314788	99231016	54.461	56.823
7)	B delta-BHC	4.633	5.071	112.0E6	178.4E6	51.694	55.920
8)	B Heptachlo...	5.170	5.886	95705936	165.9E6	51.365	55.558
9)	A Endosulfan I	5.508	6.245	88299384	157.6E6	51.324	49.143
10)	B gamma-Chl...	5.397	6.122	95565985	171.5E6	51.586	49.761
11)	B alpha-Chl...	5.455	6.194	93708800	169.2E6	50.585	48.630
12)	B 4,4'-DDE	5.620	6.353	87692561	160.8E6	51.571	50.166
13)	MA Dieldrin	5.751	6.503	93870163	162.4E6	52.296	49.518
14)	MA Endrin	6.007	6.721	84394502	129.9E6	50.218	46.460
15)	B Endosulfa...	6.281	6.931	81689521	134.6E6	47.749	45.582
16)	A 4,4'-DDD	6.135	6.845	75527438	129.0E6	52.262	50.220
17)	MA 4,4'-DDT	6.376	7.144	69272460	114.9E6	50.450	45.913
18)	B Endrin al...	6.449	7.055	71833288	114.9E6	48.797	46.963
19)	B Endosulfa...	6.661	7.279	85933250	133.1E6	52.214	48.665
20)	A Methoxychlor	6.922	7.604	41501399	64046475	48.480	44.525
21)	B Endrin ke...	7.151	7.751	97367781	139.5E6	53.245	51.375
22)	Mirex	7.340	8.207	72744130	92405509	48.650	47.989
24)	Chlordane-2	0.000	5.500f	0	189.9E6	N.D.	1554.809 #
25)	Chlordane-3	5.397	6.122	95565985	171.5E6	576.231	397.115 #
26)	Chlordane-4	5.455	6.194	93708800	169.2E6	680.796	323.295 #
27)	Chlordane-5	6.281	0.000	81689521	0	1453.374	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091820\
Data File : PL061579.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Sep 2020 11:58
Operator : DD\AJ
Sample : PB131712BS
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PB131712BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 18 15:16:51 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090820.M
Quant Title : GC Extractables
QLast Update : Wed Sep 09 01:27:38 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.459 min
Delta R.T.: 0.000 min
Response: 36583208
Conc: 21.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131712BS




#1 Tetrachloro-m-xylene

R.T.: 4.007 min
Delta R.T.: 0.000 min
Response: 66064086
Conc: 21.48 ng/ml




#2 alpha-BHC

R.T.: 3.895 min
Delta R.T.: 0.000 min
Response: 133301677
Conc: 52.09 ng/ml



#2 alpha-BHC


R.T.: 4.397 min
Delta R.T.: 0.000 min
Response: 248712290
Conc: 53.86 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.178 min
Delta R.T.: 0.000 min
Response: 117162190
Conc: 51.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131712BS




#3 gamma-BHC (Lindane)

R.T.: 4.683 min
Delta R.T.: 0.000 min
Response: 223838743
Conc: 52.17 ng/ml




#4 Heptachlor

R.T.: 4.479 min
Delta R.T.: 0.000 min
Response: 110171833
Conc: 51.35 ng/ml



#4 Heptachlor


R.T.: 5.193 min
Delta R.T.: 0.000 min
Response: 205112717
Conc: 52.47 ng/ml



#5 Aldrin


R.T.: 4.727 min
Delta R.T.: 0.000 min
Response: 99853413
Conc: 52.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131712BS




#5 Aldrin

R.T.: 5.500 min
Delta R.T.: 0.000 min
Response: 189899962
Conc: 50.26 ng/ml




#6 beta-BHC

R.T.: 4.429 min
Delta R.T.: 0.000 min
Response: 52314788
Conc: 54.46 ng/ml



#6 beta-BHC


R.T.: 4.854 min
Delta R.T.: 0.000 min
Response: 99231016
Conc: 56.82 ng/ml



#7 delta-BHC


R.T.: 4.633 min
Delta R.T.: 0.000 min
Response: 111981320
Conc: 51.69 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131712BS




#7 delta-BHC

R.T.: 5.071 min
Delta R.T.: 0.000 min
Response: 178359381
Conc: 55.92 ng/ml




#8 Heptachlor epoxide

R.T.: 5.170 min
Delta R.T.: 0.000 min
Response: 95705936
Conc: 51.36 ng/ml



#8 Heptachlor epoxide


R.T.: 5.886 min
Delta R.T.: 0.000 min
Response: 165888748
Conc: 55.56 ng/ml



#9 Endosulfan I


R.T.: 5.508 min
Delta R.T.: 0.000 min
Response: 88299384
Conc: 51.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131712BS




#9 Endosulfan I

R.T.: 6.245 min
Delta R.T.: 0.000 min
Response: 157643688
Conc: 49.14 ng/ml




#10 gamma-Chlordane

R.T.: 5.397 min
Delta R.T.: 0.000 min
Response: 95565985
Conc: 51.59 ng/ml



#10 gamma-Chlordane


R.T.: 6.122 min
Delta R.T.: 0.000 min
Response: 171544831
Conc: 49.76 ng/ml



#11 alpha-Chlordane


R.T.: 5.455 min
Delta R.T.: 0.000 min
Response: 93708800
Conc: 50.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131712BS




#11 alpha-Chlordane

R.T.: 6.194 min
Delta R.T.: 0.000 min
Response: 169236247
Conc: 48.63 ng/ml




#12 4,4'-DDE

R.T.: 5.620 min
Delta R.T.: 0.000 min
Response: 87692561
Conc: 51.57 ng/ml



#12 4,4'-DDE


R.T.: 6.353 min
Delta R.T.: 0.000 min
Response: 160803013
Conc: 50.17 ng/ml



#13 Dieldrin


R.T.: 5.751 min
Delta R.T.: 0.000 min
Response: 93870163
Conc: 52.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131712BS




#13 Dieldrin

R.T.: 6.503 min
Delta R.T.: 0.000 min
Response: 162356186
Conc: 49.52 ng/ml




#14 Endrin

R.T.: 6.007 min
Delta R.T.: -0.001 min
Response: 84394502
Conc: 50.22 ng/ml



#14 Endrin


R.T.: 6.721 min
Delta R.T.: 0.000 min
Response: 129907294
Conc: 46.46 ng/ml



#15 Endosulfan II


R.T.: 6.281 min
Delta R.T.: 0.000 min
Response: 81689521
Conc: 47.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131712BS




#15 Endosulfan II

R.T.: 6.931 min
Delta R.T.: 0.002 min
Response: 134641307
Conc: 45.58 ng/ml




#16 4,4'-DDD

R.T.: 6.135 min
Delta R.T.: 0.000 min
Response: 75527438
Conc: 52.26 ng/ml



#16 4,4'-DDD


R.T.: 6.845 min
Delta R.T.: 0.002 min
Response: 128966328
Conc: 50.22 ng/ml



#17 4,4'-DDT


R.T.: 6.376 min
Delta R.T.: 0.000 min
Response: 69272460
Conc: 50.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131712BS




#17 4,4'-DDT

R.T.: 7.144 min
Delta R.T.: 0.001 min
Response: 114925670
Conc: 45.91 ng/ml




#18 Endrin aldehyde

R.T.: 6.449 min
Delta R.T.: 0.000 min
Response: 71833288
Conc: 48.80 ng/ml



#18 Endrin aldehyde


R.T.: 7.055 min
Delta R.T.: 0.000 min
Response: 114897159
Conc: 46.96 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.661 min
Delta R.T.: 0.000 min
Response: 85933250
Conc: 52.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131712BS




#19 Endosulfan Sulfate

R.T.: 7.279 min
Delta R.T.: 0.001 min
Response: 133134958
Conc: 48.67 ng/ml




#20 Methoxychlor

R.T.: 6.922 min
Delta R.T.: 0.000 min
Response: 41501399
Conc: 48.48 ng/ml



#20 Methoxychlor


R.T.: 7.604 min
Delta R.T.: 0.001 min
Response: 64046475
Conc: 44.52 ng/ml



#21 Endrin ketone


R.T.: 7.151 min
Delta R.T.: 0.000 min
Response: 97367781
Conc: 53.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131712BS




#21 Endrin ketone

R.T.: 7.751 min
Delta R.T.: 0.000 min
Response: 139471321
Conc: 51.37 ng/ml




#22 Mirex

R.T.: 7.340 min
Delta R.T.: 0.000 min
Response: 72744130
Conc: 48.65 ng/ml



#22 Mirex


R.T.: 8.207 min
Delta R.T.: 0.002 min
Response: 92405509
Conc: 47.99 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.829 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB131712BS




#24 Chlordane-2

R.T.: 5.500 min
Delta R.T.: 0.027 min
Response: 189899962
Conc: 1554.81 ng/ml




#25 Chlordane-3

R.T.: 5.397 min
Delta R.T.: 0.000 min
Response: 95565985
Conc: 576.23 ng/ml



#25 Chlordane-3


R.T.: 6.122 min
Delta R.T.: 0.000 min
Response: 171544831
Conc: 397.11 ng/ml



#26 Chlordane-4


R.T.: 5.455 min
Delta R.T.: 0.000 min
Response: 93708800
Conc: 680.80 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131712BS




#26 Chlordane-4

R.T.: 6.194 min
Delta R.T.: -0.001 min
Response: 169236247
Conc: 323.29 ng/ml




#27 Chlordane-5

R.T.: 6.281 min
Delta R.T.: -0.009 min
Response: 81689521
Conc: 1453.37 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 7.002 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.210 min
Delta R.T.: 0.000 min
Response: 32404092
Conc: 19.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131712BS



#28 Decachlorobiphenyl

R.T.: 9.095 min
Delta R.T.: 0.002 min
Response: 53715280
Conc: 22.72 ng/ml