

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091820\
 Data File : PL061599.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Sep 2020 17:10
 Operator : DD\AJ
 Sample : PB131729BS
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB131729BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 18 17:44:02 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090820.M
 Quant Title : GC Extractables
 QLast Update : Wed Sep 09 01:27:38 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.459	4.008	35319192	61323664	20.479	19.936
28)	SA Decachlor...	8.211	9.096	31523454	43377460	18.895	18.345
Target Compounds							
2)	A alpha-BHC	3.895	4.398	131.0E6	229.1E6	51.201	49.616
3)	MA gamma-BHC...	4.178	4.683	113.0E6	205.9E6	49.520	48.000
4)	MA Heptachlor	4.479	5.194	103.7E6	188.7E6	48.328	48.279
5)	MB Aldrin	4.728	5.500	95778385	177.5E6	49.885	46.986
6)	B beta-BHC	4.429	4.854	48950184	89794828	50.958	51.420
7)	B delta-BHC	4.633	5.071	107.0E6	167.8E6	49.377	52.616
8)	B Heptachlo...	5.170	5.888	89194994	153.6E6	47.870	51.446
9)	A Endosulfan I	5.508	6.245	82747400	143.8E6	48.097	44.822
10)	B gamma-Chl...	5.397	6.122	89741832	156.3E6	48.442	45.339
11)	B alpha-Chl...	5.455	6.195	87421171	153.9E6	47.191	44.226
12)	B 4,4'-DDE	5.621	6.353	85365147	146.9E6	50.202	45.843
13)	MA Dieldrin	5.752	6.503	89160057	148.9E6	49.672	45.415
14)	MA Endrin	6.008	6.721	80552515	120.2E6	47.932	42.993
15)	B Endosulfa...	6.281	6.931	75785300	122.9E6	44.297	41.607
16)	A 4,4'-DDD	6.135	6.844	72805893	120.9E6	50.379	47.068
17)	MA 4,4'-DDT	6.376	7.144	66317920	107.9E6	48.299	43.087
18)	B Endrin al...	6.449	7.055	65672141	104.4E6	44.611	42.656
19)	B Endosulfa...	6.662	7.279	78459397	120.6E6	47.672	44.096
20)	A Methoxychlor	6.922	7.605	36600294	57937360	42.755	40.278
21)	B Endrin ke...	7.152	7.751	88080221	125.4E6	48.166	46.191
22)	Mirex	7.341	8.208	62007302	84562718	41.469	43.916
24)	Chlordane-2	0.000	5.500f	0	177.5E6	N.D.	1453.623 #
25)	Chlordane-3	5.397	6.122	89741832	156.3E6	541.113	361.832 #
26)	Chlordane-4	5.455	6.195	87421171	153.9E6	635.116	294.016 #
27)	Chlordane-5	6.281	0.000	75785300	0	1348.329	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091820\
Data File : PL061599.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Sep 2020 17:10
Operator : DD\AJ
Sample : PB131729BS
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB131729BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 18 17:44:02 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090820.M
Quant Title : GC Extractables
QLast Update : Wed Sep 09 01:27:38 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.459 min
Delta R.T.: 0.000 min
Response: 35319192
Conc: 20.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131729BS




#1 Tetrachloro-m-xylene

R.T.: 4.008 min
Delta R.T.: 0.000 min
Response: 61323664
Conc: 19.94 ng/ml




#2 alpha-BHC

R.T.: 3.895 min
Delta R.T.: 0.000 min
Response: 131031329
Conc: 51.20 ng/ml



#2 alpha-BHC


R.T.: 4.398 min
Delta R.T.: 0.000 min
Response: 229135237
Conc: 49.62 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.178 min
Delta R.T.: 0.000 min
Response: 113022026
Conc: 49.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131729BS




#3 gamma-BHC (Lindane)

R.T.: 4.683 min
Delta R.T.: 0.000 min
Response: 205937567
Conc: 48.00 ng/ml




#4 Heptachlor

R.T.: 4.479 min
Delta R.T.: 0.000 min
Response: 103689002
Conc: 48.33 ng/ml



#4 Heptachlor


R.T.: 5.194 min
Delta R.T.: 0.001 min
Response: 188735109
Conc: 48.28 ng/ml



#5 Aldrin


R.T.: 4.728 min
Delta R.T.: 0.000 min
Response: 95778385
Conc: 49.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131729BS




#5 Aldrin

R.T.: 5.500 min
Delta R.T.: 0.000 min
Response: 177541293
Conc: 46.99 ng/ml




#6 beta-BHC

R.T.: 4.429 min
Delta R.T.: 0.000 min
Response: 48950184
Conc: 50.96 ng/ml



#6 beta-BHC


R.T.: 4.854 min
Delta R.T.: 0.001 min
Response: 89794828
Conc: 51.42 ng/ml



#7 delta-BHC


R.T.: 4.633 min
Delta R.T.: 0.000 min
Response: 106962266
Conc: 49.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131729BS




#7 delta-BHC

R.T.: 5.071 min
Delta R.T.: 0.000 min
Response: 167820728
Conc: 52.62 ng/ml




#8 Heptachlor epoxide

R.T.: 5.170 min
Delta R.T.: 0.000 min
Response: 89194994
Conc: 47.87 ng/ml



#8 Heptachlor epoxide


R.T.: 5.888 min
Delta R.T.: 0.002 min
Response: 153610780
Conc: 51.45 ng/ml



#9 Endosulfan I


R.T.: 5.508 min
Delta R.T.: 0.000 min
Response: 82747400
Conc: 48.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131729BS




#9 Endosulfan I

R.T.: 6.245 min
Delta R.T.: 0.001 min
Response: 143782351
Conc: 44.82 ng/ml




#10 gamma-Chlordane

R.T.: 5.397 min
Delta R.T.: 0.000 min
Response: 89741832
Conc: 48.44 ng/ml



#10 gamma-Chlordane


R.T.: 6.122 min
Delta R.T.: 0.001 min
Response: 156303407
Conc: 45.34 ng/ml



#11 alpha-Chlordane


R.T.: 5.455 min
Delta R.T.: 0.000 min
Response: 87421171
Conc: 47.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131729BS




#11 alpha-Chlordane

R.T.: 6.195 min
Delta R.T.: 0.001 min
Response: 153909831
Conc: 44.23 ng/ml




#12 4,4'-DDE

R.T.: 5.621 min
Delta R.T.: 0.000 min
Response: 85365147
Conc: 50.20 ng/ml



#12 4,4'-DDE


R.T.: 6.353 min
Delta R.T.: 0.001 min
Response: 146945188
Conc: 45.84 ng/ml



#13 Dieldrin


R.T.: 5.752 min
Delta R.T.: 0.000 min
Response: 89160057
Conc: 49.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131729BS




#13 Dieldrin

R.T.: 6.503 min
Delta R.T.: 0.001 min
Response: 148903307
Conc: 45.41 ng/ml




#14 Endrin

R.T.: 6.008 min
Delta R.T.: 0.000 min
Response: 80552515
Conc: 47.93 ng/ml



#14 Endrin


R.T.: 6.721 min
Delta R.T.: 0.001 min
Response: 120213236
Conc: 42.99 ng/ml



#15 Endosulfan II


R.T.: 6.281 min
Delta R.T.: 0.000 min
Response: 75785300
Conc: 44.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131729BS




#15 Endosulfan II

R.T.: 6.931 min
Delta R.T.: 0.001 min
Response: 122898050
Conc: 41.61 ng/ml




#16 4,4'-DDD

R.T.: 6.135 min
Delta R.T.: 0.000 min
Response: 72805893
Conc: 50.38 ng/ml



#16 4,4'-DDD


R.T.: 6.844 min
Delta R.T.: 0.002 min
Response: 120870750
Conc: 47.07 ng/ml



#17 4,4'-DDT


R.T.: 6.376 min
Delta R.T.: 0.000 min
Response: 66317920
Conc: 48.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131729BS




#17 4,4'-DDT

R.T.: 7.144 min
Delta R.T.: 0.001 min
Response: 107853164
Conc: 43.09 ng/ml




#18 Endrin aldehyde

R.T.: 6.449 min
Delta R.T.: 0.000 min
Response: 65672141
Conc: 44.61 ng/ml



#18 Endrin aldehyde


R.T.: 7.055 min
Delta R.T.: 0.000 min
Response: 104358822
Conc: 42.66 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.662 min
Delta R.T.: 0.000 min
Response: 78459397
Conc: 47.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131729BS




#19 Endosulfan Sulfate

R.T.: 7.279 min
Delta R.T.: 0.002 min
Response: 120635944
Conc: 44.10 ng/ml




#20 Methoxychlor

R.T.: 6.922 min
Delta R.T.: 0.000 min
Response: 36600294
Conc: 42.75 ng/ml



#20 Methoxychlor


R.T.: 7.605 min
Delta R.T.: 0.002 min
Response: 57937360
Conc: 40.28 ng/ml



#21 Endrin ketone


R.T.: 7.152 min
Delta R.T.: 0.000 min
Response: 88080221
Conc: 48.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131729BS




#21 Endrin ketone

R.T.: 7.751 min
Delta R.T.: 0.001 min
Response: 125399764
Conc: 46.19 ng/ml




#22 Mirex

R.T.: 7.341 min
Delta R.T.: 0.000 min
Response: 62007302
Conc: 41.47 ng/ml



#22 Mirex


R.T.: 8.208 min
Delta R.T.: 0.002 min
Response: 84562718
Conc: 43.92 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.829 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB131729BS




#24 Chlordane-2

R.T.: 5.500 min
Delta R.T.: 0.027 min
Response: 177541293
Conc: 1453.62 ng/ml




#25 Chlordane-3

R.T.: 5.397 min
Delta R.T.: 0.000 min
Response: 89741832
Conc: 541.11 ng/ml



#25 Chlordane-3


R.T.: 6.122 min
Delta R.T.: 0.001 min
Response: 156303407
Conc: 361.83 ng/ml



#26 Chlordane-4


R.T.: 5.455 min
Delta R.T.: 0.000 min
Response: 87421171
Conc: 635.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131729BS




#26 Chlordane-4

R.T.: 6.195 min
Delta R.T.: 0.000 min
Response: 153909831
Conc: 294.02 ng/ml




#27 Chlordane-5

R.T.: 6.281 min
Delta R.T.: -0.009 min
Response: 75785300
Conc: 1348.33 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 7.002 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.211 min
Delta R.T.: 0.002 min
Response: 31523454
Conc: 18.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131729BS



#28 Decachlorobiphenyl

R.T.: 9.096 min
Delta R.T.: 0.003 min
Response: 43377460
Conc: 18.34 ng/ml