

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091820\
 Data File : PL061614.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Sep 2020 20:42
 Operator : DD\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 19 00:43:46 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090820.M
 Quant Title : GC Extractables
 QLast Update : Wed Sep 09 01:27:38 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.459	4.008	85422728	153.0E6	49.529	49.735
28)	SA Decachlor...	8.210	9.095	72142252	103.4E6	43.242	43.741
Target Compounds							
2)	A alpha-BHC	3.895	4.398	129.8E6	237.3E6	50.732	51.382
3)	MA gamma-BHC...	4.178	4.683	117.0E6	217.8E6	51.251	50.776
4)	MA Heptachlor	4.480	5.194	105.7E6	192.1E6	49.249	49.150
5)	MB Aldrin	4.728	5.500	96707286	183.0E6	50.369	48.433
6)	B beta-BHC	4.430	4.854	47859543	88155620	49.823	50.481
7)	B delta-BHC	4.633	5.072	111.1E6	186.0E6	51.296	58.321
8)	B Heptachlo...	5.170	5.887	90569237	176.3E6	48.608	59.038
9)	A Endosulfan I	5.509	6.245	84090993	151.9E6	48.878	47.346
10)	B gamma-Chl...	5.398	6.122	91065718	165.4E6	49.157	47.965
11)	B alpha-Chl...	5.456	6.195	89971351	161.0E6	48.568	46.272
12)	B 4,4'-DDE	5.621	6.353	85243606	148.8E6	50.131	46.427
13)	MA Dieldrin	5.752	6.503	88605198	155.3E6	49.363	47.351
14)	MA Endrin	6.008	6.721	79312813	134.9E6	47.195	48.263
15)	B Endosulfa...	6.281	6.931	82225414	130.4E6	48.062	44.149
16)	A 4,4'-DDD	6.136	6.845	75002110	125.2E6	51.898	48.750
17)	MA 4,4'-DDT	6.377	7.144	65057612	112.2E6	47.381	44.810
18)	B Endrin al...	6.449	7.056	68047236	112.1E6	46.225	45.829
19)	B Endosulfa...	6.662	7.279	76709069	121.7E6	46.609	44.490
20)	A Methoxychlor	6.922	7.605	41278716	64514480	48.220	44.850
21)	B Endrin ke...	7.151	7.751	85343506	130.1E6	46.669	47.939
22)	Mirex	7.340	8.208	63460897	84790237	42.441	44.035



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091820\
Data File : PL061614.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Sep 2020 20:42
Operator : DD\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 19 00:43:46 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090820.M
Quant Title : GC Extractables
QLast Update : Wed Sep 09 01:27:38 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.459 min
Delta R.T.: 0.000 min
Response: 85422728
Conc: 49.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 4.008 min
Delta R.T.: 0.000 min
Response: 152984712
Conc: 49.74 ng/ml




#2 alpha-BHC

R.T.: 3.895 min
Delta R.T.: 0.000 min
Response: 129831082
Conc: 50.73 ng/ml



#2 alpha-BHC


R.T.: 4.398 min
Delta R.T.: 0.000 min
Response: 237290242
Conc: 51.38 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.178 min
Delta R.T.: 0.000 min
Response: 116974082
Conc: 51.25 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.683 min
Delta R.T.: 0.000 min
Response: 217845316
Conc: 50.78 ng/ml




#4 Heptachlor

R.T.: 4.480 min
Delta R.T.: 0.000 min
Response: 105664087
Conc: 49.25 ng/ml



#4 Heptachlor


R.T.: 5.194 min
Delta R.T.: 0.001 min
Response: 192141553
Conc: 49.15 ng/ml



#5 Aldrin


R.T.: 4.728 min
Delta R.T.: 0.000 min
Response: 96707286
Conc: 50.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.500 min
Delta R.T.: 0.000 min
Response: 183009773
Conc: 48.43 ng/ml




#6 beta-BHC

R.T.: 4.430 min
Delta R.T.: 0.000 min
Response: 47859543
Conc: 49.82 ng/ml



#6 beta-BHC


R.T.: 4.854 min
Delta R.T.: 0.000 min
Response: 88155620
Conc: 50.48 ng/ml



#7 delta-BHC


R.T.: 4.633 min
Delta R.T.: 0.000 min
Response: 111119152
Conc: 51.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.072 min
Delta R.T.: 0.000 min
Response: 186015122
Conc: 58.32 ng/ml




#8 Heptachlor epoxide

R.T.: 5.170 min
Delta R.T.: 0.000 min
Response: 90569237
Conc: 48.61 ng/ml



#8 Heptachlor epoxide


R.T.: 5.887 min
Delta R.T.: 0.000 min
Response: 176280585
Conc: 59.04 ng/ml



#9 Endosulfan I


R.T.: 5.509 min
Delta R.T.: 0.000 min
Response: 84090993
Conc: 48.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.245 min
Delta R.T.: 0.000 min
Response: 151881101
Conc: 47.35 ng/ml




#10 gamma-Chlordane

R.T.: 5.398 min
Delta R.T.: 0.000 min
Response: 91065718
Conc: 49.16 ng/ml



#10 gamma-Chlordane


R.T.: 6.122 min
Delta R.T.: 0.000 min
Response: 165355626
Conc: 47.97 ng/ml



#11 alpha-Chlordane


R.T.: 5.456 min
Delta R.T.: 0.000 min
Response: 89971351
Conc: 48.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.195 min
Delta R.T.: 0.001 min
Response: 161028054
Conc: 46.27 ng/ml




#12 4,4'-DDE

R.T.: 5.621 min
Delta R.T.: 0.000 min
Response: 85243606
Conc: 50.13 ng/ml



#12 4,4'-DDE


R.T.: 6.353 min
Delta R.T.: 0.000 min
Response: 148818016
Conc: 46.43 ng/ml



#13 Dieldrin


R.T.: 5.752 min
Delta R.T.: 0.000 min
Response: 88605198
Conc: 49.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.503 min
Delta R.T.: 0.001 min
Response: 155251452
Conc: 47.35 ng/ml




#14 Endrin

R.T.: 6.008 min
Delta R.T.: 0.000 min
Response: 79312813
Conc: 47.19 ng/ml



#14 Endrin


R.T.: 6.721 min
Delta R.T.: 0.001 min
Response: 134948647
Conc: 48.26 ng/ml



#15 Endosulfan II


R.T.: 6.281 min
Delta R.T.: 0.000 min
Response: 82225414
Conc: 48.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.931 min
Delta R.T.: 0.002 min
Response: 130408621
Conc: 44.15 ng/ml




#16 4,4'-DDD

R.T.: 6.136 min
Delta R.T.: 0.000 min
Response: 75002110
Conc: 51.90 ng/ml



#16 4,4'-DDD


R.T.: 6.845 min
Delta R.T.: 0.002 min
Response: 125189360
Conc: 48.75 ng/ml



#17 4,4'-DDT


R.T.: 6.377 min
Delta R.T.: 0.000 min
Response: 65057612
Conc: 47.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.144 min
Delta R.T.: 0.001 min
Response: 112165127
Conc: 44.81 ng/ml




#18 Endrin aldehyde

R.T.: 6.449 min
Delta R.T.: 0.000 min
Response: 68047236
Conc: 46.22 ng/ml



#18 Endrin aldehyde


R.T.: 7.056 min
Delta R.T.: 0.001 min
Response: 112121601
Conc: 45.83 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.662 min
Delta R.T.: 0.000 min
Response: 76709069
Conc: 46.61 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.279 min
Delta R.T.: 0.002 min
Response: 121711670
Conc: 44.49 ng/ml




#20 Methoxychlor

R.T.: 6.922 min
Delta R.T.: 0.000 min
Response: 41278716
Conc: 48.22 ng/ml



#20 Methoxychlor


R.T.: 7.605 min
Delta R.T.: 0.002 min
Response: 64514480
Conc: 44.85 ng/ml



#21 Endrin ketone


R.T.: 7.151 min
Delta R.T.: 0.000 min
Response: 85343506
Conc: 46.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.751 min
Delta R.T.: 0.002 min
Response: 130144200
Conc: 47.94 ng/ml




#22 Mirex

R.T.: 7.340 min
Delta R.T.: 0.000 min
Response: 63460897
Conc: 42.44 ng/ml



#22 Mirex


R.T.: 8.208 min
Delta R.T.: 0.002 min
Response: 84790237
Conc: 44.03 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.210 min
Delta R.T.: 0.000 min
Response: 72142252
Conc: 43.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.095 min
Delta R.T.: 0.003 min
Response: 103428080
Conc: 43.74 ng/ml