

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092220\
 Data File : PL061656.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 22 Sep 2020 15:53
 Operator : DD\AJ
 Sample : L4101-01MS
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 0-6FTMS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 23 01:06:06 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090820.M
 Quant Title : GC Extractables
 QLast Update : Wed Sep 09 01:27:38 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.458	4.008	36120052	64273157	20.943	20.895
28)	SA Decachlor...	8.211	9.095	29220333	41776119	17.515	17.668
Target Compounds							
2)	A alpha-BHC	3.894	4.397	124.1E6	233.9E6	48.483	50.650
3)	MA gamma-BHC...	4.177	4.682	112.5E6	213.9E6	49.302	49.862
4)	MA Heptachlor	4.479	5.193	104.4E6	193.7E6	48.648	49.557
5)	MB Aldrin	4.727	5.499	91847644	177.1E6	47.838	46.881
6)	B beta-BHC	4.429	4.853	46622935	86940341	48.535	49.785
7)	B delta-BHC	4.633	5.071	106.0E6	165.0E6	48.936	51.722
8)	B Heptachlo...	5.169	5.886	89531351	150.0E6	48.051	50.241
9)	A Endosulfan I	5.508	6.245	81961702	143.9E6	47.640	44.864
10)	B gamma-Chl...	5.397	6.122	88772919	154.5E6	47.919	44.831
11)	B alpha-Chl...	5.455	6.195	88769151	157.3E6	47.919	45.190
12)	B 4,4'-DDE	5.620	6.353	81547197	144.1E6	47.957	44.960
13)	MA Dieldrin	5.751	6.502	85710330	145.7E6	47.750	44.453
14)	MA Endrin	6.008	6.721	78753454	121.3E6	46.862	43.388
15)	B Endosulfa...	6.282	6.931	77475632	125.9E6	45.286	42.636
16)	A 4,4'-DDD	6.136	6.845	65907128	115.7E6	45.605	45.070
17)	MA 4,4'-DDT	6.376	7.145	65791496	104.8E6	47.915	41.854
18)	B Endrin al...	6.449	7.055	67044057	101.2E6	45.543	41.368
19)	B Endosulfa...	6.662	7.279	81864635	114.8E6	49.741	41.949
20)	A Methoxychlor	6.922	7.604	39268419	59678515	45.871	41.488
21)	B Endrin ke...	7.152	7.751	82523097	113.3E6	45.127	41.729
22)	Mirex	7.341	8.207	62941598	76594878	42.094	39.778



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092220\
Data File : PL061656.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 22 Sep 2020 15:53
Operator : DD\AJ
Sample : L4101-01MS
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
0-6FTMS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 23 01:06:06 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090820.M
Quant Title : GC Extractables
QLast Update : Wed Sep 09 01:27:38 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.458 min
Delta R.T.: 0.000 min
Response: 36120052
Conc: 20.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
0-6FTMS




#1 Tetrachloro-m-xylene

R.T.: 4.008 min
Delta R.T.: 0.000 min
Response: 64273157
Conc: 20.90 ng/ml




#2 alpha-BHC

R.T.: 3.894 min
Delta R.T.: 0.000 min
Response: 124073604
Conc: 48.48 ng/ml



#2 alpha-BHC


R.T.: 4.397 min
Delta R.T.: 0.000 min
Response: 233911211
Conc: 50.65 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.177 min
Delta R.T.: 0.000 min
Response: 112524985
Conc: 49.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
0-6FTMS




#3 gamma-BHC (Lindane)

R.T.: 4.682 min
Delta R.T.: 0.000 min
Response: 213925814
Conc: 49.86 ng/ml




#4 Heptachlor

R.T.: 4.479 min
Delta R.T.: 0.000 min
Response: 104375519
Conc: 48.65 ng/ml



#4 Heptachlor

R.T.: 5.193 min
Delta R.T.: 0.000 min
Response: 193730675
Conc: 49.56 ng/ml



#5 Aldrin


R.T.: 4.727 min

Delta R.T.: 0.000 min

Response: 91847644

Conc: 47.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
0-6FTMS




#5 Aldrin

R.T.: 5.499 min

Delta R.T.: 0.000 min

Response: 177145430

Conc: 46.88 ng/ml




#6 beta-BHC

R.T.: 4.429 min

Delta R.T.: 0.000 min

Response: 46622935

Conc: 48.54 ng/ml




#6 beta-BHC

R.T.: 4.853 min

Delta R.T.: 0.000 min

Response: 86940341


Conc: 49.78 ng/ml



#7 delta-BHC


R.T.: 4.633 min
Delta R.T.: 0.000 min
Response: 106006624
Conc: 48.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
0-6FTMS




#7 delta-BHC

R.T.: 5.071 min
Delta R.T.: 0.000 min
Response: 164968084
Conc: 51.72 ng/ml




#8 Heptachlor epoxide

R.T.: 5.169 min
Delta R.T.: 0.000 min
Response: 89531351
Conc: 48.05 ng/ml



#8 Heptachlor epoxide


R.T.: 5.886 min
Delta R.T.: 0.000 min
Response: 150012833
Conc: 50.24 ng/ml



#9 Endosulfan I


R.T.: 5.508 min
Delta R.T.: 0.000 min
Response: 81961702
Conc: 47.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
0-6FTMS




#9 Endosulfan I

R.T.: 6.245 min
Delta R.T.: 0.000 min
Response: 143917420
Conc: 44.86 ng/ml




#10 gamma-Chlordane

R.T.: 5.397 min
Delta R.T.: 0.000 min
Response: 88772919
Conc: 47.92 ng/ml



#10 gamma-Chlordane


R.T.: 6.122 min
Delta R.T.: 0.001 min
Response: 154549570
Conc: 44.83 ng/ml



#11 alpha-Chlordane


R.T.: 5.455 min
Delta R.T.: 0.000 min
Response: 88769151
Conc: 47.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
0-6FTMS




#11 alpha-Chlordane

R.T.: 6.195 min
Delta R.T.: 0.000 min
Response: 157262165
Conc: 45.19 ng/ml




#12 4,4'-DDE

R.T.: 5.620 min
Delta R.T.: 0.000 min
Response: 81547197
Conc: 47.96 ng/ml



#12 4,4'-DDE


R.T.: 6.353 min
Delta R.T.: 0.001 min
Response: 144116027
Conc: 44.96 ng/ml



#13 Dieldrin


R.T.: 5.751 min
Delta R.T.: 0.000 min
Response: 85710330
Conc: 47.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
0-6FTMS




#13 Dieldrin

R.T.: 6.502 min
Delta R.T.: 0.000 min
Response: 145748025
Conc: 44.45 ng/ml




#14 Endrin

R.T.: 6.008 min
Delta R.T.: 0.000 min
Response: 78753454
Conc: 46.86 ng/ml



#14 Endrin


R.T.: 6.721 min
Delta R.T.: 0.001 min
Response: 121317127
Conc: 43.39 ng/ml



#15 Endosulfan II


R.T.: 6.282 min
Delta R.T.: 0.000 min
Response: 77475632
Conc: 45.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
0-6FTMS




#15 Endosulfan II

R.T.: 6.931 min
Delta R.T.: 0.002 min
Response: 125939087
Conc: 42.64 ng/ml




#16 4,4'-DDD

R.T.: 6.136 min
Delta R.T.: 0.000 min
Response: 65907128
Conc: 45.61 ng/ml



#16 4,4'-DDD


R.T.: 6.845 min
Delta R.T.: 0.002 min
Response: 115740925
Conc: 45.07 ng/ml



#17 4,4'-DDT


R.T.: 6.376 min
Delta R.T.: 0.000 min
Response: 65791496
Conc: 47.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
0-6FTMS




#17 4,4'-DDT

R.T.: 7.145 min
Delta R.T.: 0.002 min
Response: 104765883
Conc: 41.85 ng/ml




#18 Endrin aldehyde

R.T.: 6.449 min
Delta R.T.: 0.000 min
Response: 67044057
Conc: 45.54 ng/ml



#18 Endrin aldehyde


R.T.: 7.055 min
Delta R.T.: 0.000 min
Response: 101208706
Conc: 41.37 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.662 min
Delta R.T.: 0.000 min
Response: 81864635
Conc: 49.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
0-6FTMS




#19 Endosulfan Sulfate

R.T.: 7.279 min
Delta R.T.: 0.001 min
Response: 114761976
Conc: 41.95 ng/ml




#20 Methoxychlor

R.T.: 6.922 min
Delta R.T.: 0.000 min
Response: 39268419
Conc: 45.87 ng/ml



#20 Methoxychlor


R.T.: 7.604 min
Delta R.T.: 0.001 min
Response: 59678515
Conc: 41.49 ng/ml



#21 Endrin ketone


R.T.: 7.152 min
Delta R.T.: 0.000 min
Response: 82523097
Conc: 45.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
0-6FTMS




#21 Endrin ketone

R.T.: 7.751 min
Delta R.T.: 0.000 min
Response: 113286625
Conc: 41.73 ng/ml




#22 Mirex

R.T.: 7.341 min
Delta R.T.: 0.000 min
Response: 62941598
Conc: 42.09 ng/ml



#22 Mirex


R.T.: 8.207 min
Delta R.T.: 0.002 min
Response: 76594878
Conc: 39.78 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.211 min
Delta R.T.: 0.001 min
Response: 29220333
Conc: 17.51 ng/ml

Instrument :
ECD_L
ClientSampleId :
0-6FTMS



#28 Decachlorobiphenyl

R.T.: 9.095 min
Delta R.T.: 0.002 min
Response: 41776119
Conc: 17.67 ng/ml