

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092220\
 Data File : PL061662.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 22 Sep 2020 17:18
 Operator : DD\AJ
 Sample : PB131808BS
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB131808BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 23 01:07:45 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090820.M
 Quant Title : GC Extractables
 QLast Update : Wed Sep 09 01:27:38 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.459	4.007	33422615	61185925	19.379	19.892
2)	SA Decachlor...	8.211	9.097	30738713	44303708	18.425	18.737
Target Compounds							
2)	A alpha-BHC	3.895	4.397	126.8E6	236.2E6	49.563	51.144
3)	MA gamma-BHC...	4.178	4.683	112.1E6	213.0E6	49.124	49.637
4)	MA Heptachlor	4.480	5.193	105.2E6	198.0E6	49.023	50.649
5)	MB Aldrin	4.727	5.500	95157036	182.1E6	49.562	48.187
6)	B beta-BHC	4.429	4.854	49171796	92455095	51.189	52.943
7)	B delta-BHC	4.633	5.071	107.6E6	180.2E6	49.650	56.495
8)	B Heptachlo...	5.170	5.887	91800566	160.5E6	49.269	53.754
9)	A Endosulfan I	5.508	6.245	85229456	149.4E6	49.540	46.570
10)	B gamma-Chl...	5.397	6.122	91038649	162.7E6	49.142	47.192
11)	B alpha-Chl...	5.456	6.195	89725879	160.7E6	48.435	46.178
12)	B 4,4'-DDE	5.620	6.353	83128552	149.9E6	48.887	46.778
13)	MA Dieldrin	5.752	6.503	89592036	153.3E6	49.912	46.741
14)	MA Endrin	6.008	6.722	76674490	119.7E6	45.625	42.816
15)	B Endosulfa...	6.282	6.931	78465774	126.0E6	45.864	42.644
16)	A 4,4'-DDD	6.136	6.845	71769329	119.1E6	49.661	46.362
17)	MA 4,4'-DDT	6.377	7.145	63743293	107.4E6	46.423	42.896
18)	B Endrin al...	6.449	7.056	69083601	110.5E6	46.929	45.185
19)	B Endosulfa...	6.662	7.280	81033306	125.5E6	49.236	45.878
20)	A Methoxychlor	6.923	7.605	38110091	59607666	44.518	41.439
21)	B Endrin ke...	7.152	7.752	92355487	130.9E6	50.504	48.207
22)	Mirex	7.341	8.208	68254864	90546680	45.648	47.024



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092220\
Data File : PL061662.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 22 Sep 2020 17:18
Operator : DD\AJ
Sample : PB131808BS
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB131808BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 23 01:07:45 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090820.M
Quant Title : GC Extractables
QLast Update : Wed Sep 09 01:27:38 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.459 min
Delta R.T.: 0.000 min
Response: 33422615
Conc: 19.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131808BS




#1 Tetrachloro-m-xylene

R.T.: 4.007 min
Delta R.T.: 0.000 min
Response: 61185925
Conc: 19.89 ng/ml




#2 alpha-BHC

R.T.: 3.895 min
Delta R.T.: 0.000 min
Response: 126838960
Conc: 49.56 ng/ml



#2 alpha-BHC


R.T.: 4.397 min
Delta R.T.: 0.000 min
Response: 236191696
Conc: 51.14 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.178 min
Delta R.T.: 0.000 min
Response: 112119915
Conc: 49.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131808BS




#3 gamma-BHC (Lindane)

R.T.: 4.683 min
Delta R.T.: 0.000 min
Response: 212960695
Conc: 49.64 ng/ml




#4 Heptachlor

R.T.: 4.480 min
Delta R.T.: 0.000 min
Response: 105179403
Conc: 49.02 ng/ml



#4 Heptachlor


R.T.: 5.193 min
Delta R.T.: 0.000 min
Response: 198001137
Conc: 50.65 ng/ml



#5 Aldrin


R.T.: 4.727 min
Delta R.T.: 0.000 min
Response: 95157036
Conc: 49.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131808BS




#5 Aldrin

R.T.: 5.500 min
Delta R.T.: 0.000 min
Response: 182077656
Conc: 48.19 ng/ml




#6 beta-BHC

R.T.: 4.429 min
Delta R.T.: 0.000 min
Response: 49171796
Conc: 51.19 ng/ml



#6 beta-BHC


R.T.: 4.854 min
Delta R.T.: 0.000 min
Response: 92455095
Conc: 52.94 ng/ml



#7 delta-BHC


R.T.: 4.633 min
Delta R.T.: 0.000 min
Response: 107553986
Conc: 49.65 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131808BS




#7 delta-BHC

R.T.: 5.071 min
Delta R.T.: 0.000 min
Response: 180190825
Conc: 56.49 ng/ml




#8 Heptachlor epoxide

R.T.: 5.170 min
Delta R.T.: 0.000 min
Response: 91800566
Conc: 49.27 ng/ml



#8 Heptachlor epoxide


R.T.: 5.887 min
Delta R.T.: 0.001 min
Response: 160502466
Conc: 53.75 ng/ml



#9 Endosulfan I


R.T.: 5.508 min
Delta R.T.: 0.000 min
Response: 85229456
Conc: 49.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131808BS




#9 Endosulfan I

R.T.: 6.245 min
Delta R.T.: 0.001 min
Response: 149391446
Conc: 46.57 ng/ml




#10 gamma-Chlordane

R.T.: 5.397 min
Delta R.T.: 0.000 min
Response: 91038649
Conc: 49.14 ng/ml



#10 gamma-Chlordane


R.T.: 6.122 min
Delta R.T.: 0.001 min
Response: 162689521
Conc: 47.19 ng/ml



#11 alpha-Chlordane


R.T.: 5.456 min
Delta R.T.: 0.000 min
Response: 89725879
Conc: 48.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131808BS




#11 alpha-Chlordane

R.T.: 6.195 min
Delta R.T.: 0.001 min
Response: 160702097
Conc: 46.18 ng/ml




#12 4,4'-DDE

R.T.: 5.620 min
Delta R.T.: 0.000 min
Response: 83128552
Conc: 48.89 ng/ml



#12 4,4'-DDE


R.T.: 6.353 min
Delta R.T.: 0.001 min
Response: 149942280
Conc: 46.78 ng/ml



#13 Dieldrin


R.T.: 5.752 min
Delta R.T.: 0.000 min
Response: 89592036
Conc: 49.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131808BS




#13 Dieldrin

R.T.: 6.503 min
Delta R.T.: 0.001 min
Response: 153251523
Conc: 46.74 ng/ml




#14 Endrin

R.T.: 6.008 min
Delta R.T.: 0.000 min
Response: 76674490
Conc: 45.62 ng/ml



#14 Endrin


R.T.: 6.722 min
Delta R.T.: 0.002 min
Response: 119716938
Conc: 42.82 ng/ml



#15 Endosulfan II


R.T.: 6.282 min
Delta R.T.: 0.000 min
Response: 78465774
Conc: 45.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131808BS




#15 Endosulfan II

R.T.: 6.931 min
Delta R.T.: 0.002 min
Response: 125962369
Conc: 42.64 ng/ml




#16 4,4'-DDD

R.T.: 6.136 min
Delta R.T.: 0.000 min
Response: 71769329
Conc: 49.66 ng/ml



#16 4,4'-DDD


R.T.: 6.845 min
Delta R.T.: 0.002 min
Response: 119058475
Conc: 46.36 ng/ml



#17 4,4'-DDT


R.T.: 6.377 min
Delta R.T.: 0.000 min
Response: 63743293
Conc: 46.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131808BS




#17 4,4'-DDT

R.T.: 7.145 min
Delta R.T.: 0.002 min
Response: 107374581
Conc: 42.90 ng/ml




#18 Endrin aldehyde

R.T.: 6.449 min
Delta R.T.: 0.000 min
Response: 69083601
Conc: 46.93 ng/ml



#18 Endrin aldehyde


R.T.: 7.056 min
Delta R.T.: 0.001 min
Response: 110547037
Conc: 45.19 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.662 min
Delta R.T.: 0.000 min
Response: 81033306
Conc: 49.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131808BS




#19 Endosulfan Sulfate

R.T.: 7.280 min
Delta R.T.: 0.003 min
Response: 125510304
Conc: 45.88 ng/ml




#20 Methoxychlor

R.T.: 6.923 min
Delta R.T.: 0.000 min
Response: 38110091
Conc: 44.52 ng/ml



#20 Methoxychlor


R.T.: 7.605 min
Delta R.T.: 0.002 min
Response: 59607666
Conc: 41.44 ng/ml



#21 Endrin ketone


R.T.: 7.152 min
Delta R.T.: 0.001 min
Response: 92355487
Conc: 50.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131808BS




#21 Endrin ketone

R.T.: 7.752 min
Delta R.T.: 0.002 min
Response: 130871369
Conc: 48.21 ng/ml




#22 Mirex

R.T.: 7.341 min
Delta R.T.: 0.000 min
Response: 68254864
Conc: 45.65 ng/ml



#22 Mirex

R.T.: 8.208 min
Delta R.T.: 0.003 min
Response: 90546680
Conc: 47.02 ng/ml



#28 Decachlorobiphenyl


R.T.: 8.211 min

Delta R.T.: 0.001 min

Response: 30738713

Conc: 18.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB131808BS



#28 Decachlorobiphenyl

R.T.: 9.097 min

Delta R.T.: 0.004 min

Response: 44303708

Conc: 18.74 ng/ml