

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092222\
 Data File : PL077886.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 22 Sep 2022 16:47
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 22 18:18:33 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL091222.M
 Quant Title : GC Extractables
 QLast Update : Tue Sep 13 13:26:11 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.416	2.625	82481382	145.7E6	51.455	49.067
2)	SA Decachlor...	8.908	7.725	62190898	102.9E6	48.120	41.010
Target Compounds							
2)	A alpha-BHC	3.881	3.118	125.3E6	226.8E6	52.818	50.019
3)	MA gamma-BHC...	4.217	3.442	114.8E6	202.2E6	51.881	50.061
4)	MA Heptachlor	4.793	3.774	113.8E6	192.4E6	51.382	48.574
5)	MB Aldrin	5.133	4.048	103.0E6	185.7E6	51.813	48.945
6)	B beta-BHC	4.430	3.742	49507271	80202737	50.940	48.175
7)	B delta-BHC	4.674	3.965	104.7E6	199.1E6	50.999	49.062
8)	B Heptachlo...	5.566	4.547	91644207	163.9E6	52.569	48.464
9)	A Endosulfan I	5.953	4.912	81841248	150.9E6	50.779	47.814
10)	B gamma-Chl...	5.823	4.796	89964037	163.9E6	51.382	48.091
11)	B alpha-Chl...	5.899	4.859	87734871	158.5E6	50.792	47.855
12)	B 4,4'-DDE	6.079	5.053	82183260	155.5E6	51.627	47.795
13)	MA Dieldrin	6.230	5.176	81644067	159.7E6	50.584	48.174
14)	MA Endrin	6.463	5.448	69932879	138.8E6	50.566	48.673
15)	B Endosulfa...	6.691	5.745	65586681	124.8E6	47.479	47.371
16)	A 4,4'-DDD	6.604	5.606	61763878	128.7E6	52.751	49.669
17)	MA 4,4'-DDT	6.915	5.854	60714454	117.4E6	47.915	44.576
18)	B Endrin al...	6.822	5.923	50843101	94428586	48.080	45.760
19)	B Endosulfa...	7.056	6.147	61940092	124.5E6	48.368	46.290
20)	A Methoxychlor	7.397	6.432	31097940	62112342	47.086	45.356
21)	B Endrin ke...	7.544	6.646	65182202	134.4E6	47.172	44.375
22)	Mirex	8.004	6.822	49007212	94695518	46.674	44.047


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092222\
Data File : PL077886.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 22 Sep 2022 16:47
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 22 18:18:33 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL091222.M
Quant Title : GC Extractables
QLast Update : Tue Sep 13 13:26:11 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.416 min
Delta R.T.: -0.001 min
Response: 82481382
Conc: 51.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.625 min
Delta R.T.: -0.001 min
Response: 145666888
Conc: 49.07 ng/ml




#2 alpha-BHC

R.T.: 3.881 min
Delta R.T.: 0.000 min
Response: 125342459
Conc: 52.82 ng/ml



#2 alpha-BHC


R.T.: 3.118 min
Delta R.T.: -0.002 min
Response: 226841264
Conc: 50.02 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.217 min
Delta R.T.: 0.000 min
Response: 114783096
Conc: 51.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.442 min
Delta R.T.: -0.002 min
Response: 202155055
Conc: 50.06 ng/ml




#4 Heptachlor

R.T.: 4.793 min
Delta R.T.: 0.000 min
Response: 113761793
Conc: 51.38 ng/ml



#4 Heptachlor


R.T.: 3.774 min
Delta R.T.: -0.002 min
Response: 192381837
Conc: 48.57 ng/ml



#5 Aldrin


R.T.: 5.133 min
Delta R.T.: 0.000 min
Response: 102974033
Conc: 51.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.048 min
Delta R.T.: -0.002 min
Response: 185742608
Conc: 48.95 ng/ml




#6 beta-BHC

R.T.: 4.430 min
Delta R.T.: 0.000 min
Response: 49507271
Conc: 50.94 ng/ml



#6 beta-BHC


R.T.: 3.742 min
Delta R.T.: -0.002 min
Response: 80202737
Conc: 48.18 ng/ml



#7 delta-BHC


R.T.: 4.674 min
Delta R.T.: 0.000 min
Response: 104711711
Conc: 51.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 3.965 min
Delta R.T.: -0.002 min
Response: 199081947
Conc: 49.06 ng/ml




#8 Heptachlor epoxide

R.T.: 5.566 min
Delta R.T.: 0.000 min
Response: 91644207
Conc: 52.57 ng/ml



#8 Heptachlor epoxide


R.T.: 4.547 min
Delta R.T.: -0.002 min
Response: 163878086
Conc: 48.46 ng/ml



#9 Endosulfan I


R.T.: 5.953 min
Delta R.T.: 0.000 min
Response: 81841248
Conc: 50.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 4.912 min
Delta R.T.: -0.002 min
Response: 150864865
Conc: 47.81 ng/ml




#10 gamma-Chlordane

R.T.: 5.823 min
Delta R.T.: 0.000 min
Response: 89964037
Conc: 51.38 ng/ml



#10 gamma-Chlordane


R.T.: 4.796 min
Delta R.T.: -0.003 min
Response: 163910526
Conc: 48.09 ng/ml



#11 alpha-Chlordane


R.T.: 5.899 min
Delta R.T.: -0.001 min
Response: 87734871
Conc: 50.79 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 4.859 min
Delta R.T.: -0.002 min
Response: 158479691
Conc: 47.86 ng/ml




#12 4,4'-DDE

R.T.: 6.079 min
Delta R.T.: 0.000 min
Response: 82183260
Conc: 51.63 ng/ml



#12 4,4'-DDE


R.T.: 5.053 min
Delta R.T.: -0.002 min
Response: 155517102
Conc: 47.80 ng/ml



#13 Dieldrin


R.T.: 6.230 min
Delta R.T.: -0.001 min
Response: 81644067
Conc: 50.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.176 min
Delta R.T.: -0.002 min
Response: 159730359
Conc: 48.17 ng/ml




#14 Endrin

R.T.: 6.463 min
Delta R.T.: 0.000 min
Response: 69932879
Conc: 50.57 ng/ml



#14 Endrin


R.T.: 5.448 min
Delta R.T.: -0.002 min
Response: 138789036
Conc: 48.67 ng/ml



#15 Endosulfan II


R.T.: 6.691 min
Delta R.T.: 0.000 min
Response: 65586681
Conc: 47.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.745 min
Delta R.T.: -0.002 min
Response: 124831125
Conc: 47.37 ng/ml




#16 4,4'-DDD

R.T.: 6.604 min
Delta R.T.: 0.000 min
Response: 61763878
Conc: 52.75 ng/ml



#16 4,4'-DDD


R.T.: 5.606 min
Delta R.T.: -0.003 min
Response: 128672521
Conc: 49.67 ng/ml



#17 4,4'-DDT


R.T.: 6.915 min
Delta R.T.: 0.000 min
Response: 60714454
Conc: 47.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 5.854 min
Delta R.T.: -0.003 min
Response: 117448156
Conc: 44.58 ng/ml




#18 Endrin aldehyde

R.T.: 6.822 min
Delta R.T.: 0.000 min
Response: 50843101
Conc: 48.08 ng/ml



#18 Endrin aldehyde


R.T.: 5.923 min
Delta R.T.: -0.003 min
Response: 94428586
Conc: 45.76 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.056 min
Delta R.T.: 0.000 min
Response: 61940092
Conc: 48.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.147 min
Delta R.T.: -0.002 min
Response: 124482455
Conc: 46.29 ng/ml




#20 Methoxychlor

R.T.: 7.397 min
Delta R.T.: 0.000 min
Response: 31097940
Conc: 47.09 ng/ml



#20 Methoxychlor


R.T.: 6.432 min
Delta R.T.: -0.003 min
Response: 62112342
Conc: 45.36 ng/ml



#21 Endrin ketone


R.T.: 7.544 min
Delta R.T.: 0.000 min
Response: 65182202
Conc: 47.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.646 min
Delta R.T.: -0.002 min
Response: 134383800
Conc: 44.38 ng/ml




#22 Mirex

R.T.: 8.004 min
Delta R.T.: 0.000 min
Response: 49007212
Conc: 46.67 ng/ml



#22 Mirex


R.T.: 6.822 min
Delta R.T.: -0.003 min
Response: 94695518
Conc: 44.05 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.908 min
Delta R.T.: 0.000 min
Response: 62190898
Conc: 48.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.725 min
Delta R.T.: -0.002 min
Response: 102943235
Conc: 41.01 ng/ml