

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092320\
 Data File : PL061681.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Sep 2020 11:34
 Operator : DD\AJ
 Sample : PSTDICC075
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC075

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 23 12:17:09 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092320.M
 Quant Title : GC Extractables
 QLast Update : Wed Sep 23 12:15:56 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.457	4.007	125.8E6	205.2E6	73.972	74.029
28)	SA Decachlor...	8.211	9.094	114.1E6	154.5E6	72.104	71.525
Target Compounds							
2)	A alpha-BHC	3.894	4.396	188.8E6	315.8E6	76.110	75.791
3)	MA gamma-BHC...	4.177	4.681	166.3E6	288.4E6	75.486	75.246
4)	MA Heptachlor	4.478	5.192	153.2E6	261.3E6	74.707	74.592
5)	MB Aldrin	4.726	5.498	137.2E6	249.3E6	75.280	75.772
6)	B beta-BHC	4.428	4.853	67110603	115.2E6	73.263	73.843
7)	B delta-BHC	4.632	5.071	160.0E6	203.5E6	76.196	74.773
8)	B Heptachlo...	5.169	5.886	129.4E6	192.4E6	73.751	75.089
9)	A Endosulfan I	5.508	6.244	121.0E6	205.4E6	74.504	74.536
10)	B gamma-Chl...	5.397	6.122	129.8E6	222.2E6	74.709	75.946
11)	B alpha-Chl...	5.455	6.194	129.3E6	223.3E6	74.247	74.946
12)	B 4,4'-DDE	5.620	6.352	120.2E6	208.3E6	75.782	75.268
13)	MA Dieldrin	5.751	6.502	127.3E6	214.6E6	75.259	75.014
14)	MA Endrin	6.007	6.721	120.0E6	184.4E6	75.285	75.120
15)	B Endosulfa...	6.281	6.930	117.8E6	184.1E6	74.116	73.029
16)	A 4,4'-DDD	6.135	6.843	101.2E6	166.0E6	75.588	74.664
17)	MA 4,4'-DDT	6.376	7.143	102.8E6	167.4E6	77.657	75.066
18)	B Endrin al...	6.449	7.055	100.8E6	154.9E6	73.398	72.571
19)	B Endosulfa...	6.662	7.279	111.8E6	169.8E6	72.513	72.968
20)	A Methoxychlor	6.922	7.604	60832382	91768466	73.441	72.661
21)	B Endrin ke...	7.152	7.751	128.3E6	174.5E6	73.949	73.405
22)	Mirex	7.340	8.207	99423021	124.6E6	72.960	71.492



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092320\
Data File : PL061681.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Sep 2020 11:34
Operator : DD\AJ
Sample : PSTDICC075
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC075

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 23 12:17:09 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092320.M
Quant Title : GC Extractables
QLast Update : Wed Sep 23 12:15:56 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.457 min
Delta R.T.: 0.000 min
Response: 125820768
Conc: 73.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC075




#1 Tetrachloro-m-xylene

R.T.: 4.007 min
Delta R.T.: 0.000 min
Response: 205195694
Conc: 74.03 ng/ml




#2 alpha-BHC

R.T.: 3.894 min
Delta R.T.: 0.000 min
Response: 188774402
Conc: 76.11 ng/ml



#2 alpha-BHC


R.T.: 4.396 min
Delta R.T.: 0.000 min
Response: 315786357
Conc: 75.79 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.177 min
Delta R.T.: 0.000 min
Response: 166347772
Conc: 75.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#3 gamma-BHC (Lindane)

R.T.: 4.681 min
Delta R.T.: 0.000 min
Response: 288432976
Conc: 75.25 ng/ml




#4 Heptachlor

R.T.: 4.478 min
Delta R.T.: 0.000 min
Response: 153154626
Conc: 74.71 ng/ml



#4 Heptachlor


R.T.: 5.192 min
Delta R.T.: 0.000 min
Response: 261300913
Conc: 74.59 ng/ml



#5 Aldrin


R.T.: 4.726 min
Delta R.T.: 0.000 min
Response: 137204214
Conc: 75.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#5 Aldrin

R.T.: 5.498 min
Delta R.T.: 0.000 min
Response: 249286859
Conc: 75.77 ng/ml




#6 beta-BHC

R.T.: 4.428 min
Delta R.T.: 0.000 min
Response: 67110603
Conc: 73.26 ng/ml



#6 beta-BHC


R.T.: 4.853 min
Delta R.T.: 0.000 min
Response: 115192144
Conc: 73.84 ng/ml



#7 delta-BHC


R.T.: 4.632 min
Delta R.T.: 0.000 min
Response: 160021080
Conc: 76.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#7 delta-BHC

R.T.: 5.071 min
Delta R.T.: 0.000 min
Response: 203530348
Conc: 74.77 ng/ml




#8 Heptachlor epoxide

R.T.: 5.169 min
Delta R.T.: 0.000 min
Response: 129351147
Conc: 73.75 ng/ml



#8 Heptachlor epoxide


R.T.: 5.886 min
Delta R.T.: 0.000 min
Response: 192411519
Conc: 75.09 ng/ml



#9 Endosulfan I


R.T.: 5.508 min
Delta R.T.: 0.000 min
Response: 120999709
Conc: 74.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#9 Endosulfan I

R.T.: 6.244 min
Delta R.T.: 0.000 min
Response: 205358632
Conc: 74.54 ng/ml




#10 gamma-Chlordane

R.T.: 5.397 min
Delta R.T.: 0.000 min
Response: 129755937
Conc: 74.71 ng/ml



#10 gamma-Chlordane


R.T.: 6.122 min
Delta R.T.: 0.000 min
Response: 222172185
Conc: 75.95 ng/ml



#11 alpha-Chlordane


R.T.: 5.455 min
Delta R.T.: 0.000 min
Response: 129304130
Conc: 74.25 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#11 alpha-Chlordane

R.T.: 6.194 min
Delta R.T.: 0.000 min
Response: 223311429
Conc: 74.95 ng/ml




#12 4,4'-DDE

R.T.: 5.620 min
Delta R.T.: 0.000 min
Response: 120178563
Conc: 75.78 ng/ml



#12 4,4'-DDE


R.T.: 6.352 min
Delta R.T.: 0.000 min
Response: 208330166
Conc: 75.27 ng/ml



#13 Dieldrin


R.T.: 5.751 min
Delta R.T.: 0.000 min
Response: 127271982
Conc: 75.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC075




#13 Dieldrin

R.T.: 6.502 min
Delta R.T.: 0.000 min
Response: 214572773
Conc: 75.01 ng/ml




#14 Endrin

R.T.: 6.007 min
Delta R.T.: 0.000 min
Response: 119958545
Conc: 75.28 ng/ml



#14 Endrin


R.T.: 6.721 min
Delta R.T.: 0.000 min
Response: 184361215
Conc: 75.12 ng/ml



#15 Endosulfan II


R.T.: 6.281 min
Delta R.T.: 0.000 min
Response: 117751427
Conc: 74.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#15 Endosulfan II

R.T.: 6.930 min
Delta R.T.: 0.000 min
Response: 184069727
Conc: 73.03 ng/ml




#16 4,4'-DDD

R.T.: 6.135 min
Delta R.T.: 0.000 min
Response: 101184621
Conc: 75.59 ng/ml



#16 4,4'-DDD


R.T.: 6.843 min
Delta R.T.: 0.000 min
Response: 165971131
Conc: 74.66 ng/ml



#17 4,4'-DDT


R.T.: 6.376 min
Delta R.T.: 0.000 min
Response: 102776808
Conc: 77.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC075




#17 4,4'-DDT

R.T.: 7.143 min
Delta R.T.: 0.000 min
Response: 167385785
Conc: 75.07 ng/ml




#18 Endrin aldehyde

R.T.: 6.449 min
Delta R.T.: 0.000 min
Response: 100785339
Conc: 73.40 ng/ml



#18 Endrin aldehyde


R.T.: 7.055 min
Delta R.T.: 0.000 min
Response: 154861247
Conc: 72.57 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.662 min
Delta R.T.: 0.000 min
Response: 111771640
Conc: 72.51 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#19 Endosulfan Sulfate

R.T.: 7.279 min
Delta R.T.: 0.000 min
Response: 169818240
Conc: 72.97 ng/ml




#20 Methoxychlor

R.T.: 6.922 min
Delta R.T.: 0.000 min
Response: 60832382
Conc: 73.44 ng/ml



#20 Methoxychlor


R.T.: 7.604 min
Delta R.T.: 0.000 min
Response: 91768466
Conc: 72.66 ng/ml



#21 Endrin ketone


R.T.: 7.152 min
Delta R.T.: 0.000 min
Response: 128292841
Conc: 73.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#21 Endrin ketone

R.T.: 7.751 min
Delta R.T.: 0.000 min
Response: 174493269
Conc: 73.41 ng/ml




#22 Mirex

R.T.: 7.340 min
Delta R.T.: 0.000 min
Response: 99423021
Conc: 72.96 ng/ml



#22 Mirex


R.T.: 8.207 min
Delta R.T.: 0.000 min
Response: 124627117
Conc: 71.49 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.211 min
Delta R.T.: 0.000 min
Response: 114064930
Conc: 72.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075



#28 Decachlorobiphenyl

R.T.: 9.094 min
Delta R.T.: 0.000 min
Response: 154460637
Conc: 71.52 ng/ml