

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092324\
 Data File : PL091958.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Sep 2024 11:59
 Operator : AR\AJ
 Sample : PSTDIC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 23 12:36:33 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 23 12:36:16 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.544	2.782	107.3E6	123.8E6	50.000	50.000
28)	SA Decachlor...	9.060	7.923	79539342	121.4E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.999	3.286	149.3E6	184.5E6	50.000	50.000
3)	MA gamma-BHC...	4.332	3.616	147.5E6	178.9E6	50.000	50.000
4)	MA Heptachlor	4.920	3.955	131.2E6	171.6E6	50.000	50.000
5)	MB Aldrin	5.263	4.235	132.1E6	171.0E6	50.000	50.000
6)	B beta-BHC	4.529	3.915	63477159	73292412	50.000	50.000
7)	B delta-BHC	4.777	4.145	138.9E6	175.5E6	50.000	50.000
8)	B Heptachlo...	5.689	4.738	120.5E6	150.6E6	50.000	50.000
9)	A Endosulfan I	6.075	5.108	110.4E6	137.1E6	50.000	50.000
10)	B gamma-Chl...	5.945	4.988	117.9E6	150.4E6	50.000	50.000
11)	B alpha-Chl...	6.024	5.052	117.7E6	149.5E6	50.000	50.000
12)	B 4,4'-DDE	6.197	5.241	103.6E6	139.8E6	50.000	50.000
13)	MA Dieldrin	6.349	5.372	116.5E6	147.4E6	50.000	50.000
14)	MA Endrin	6.579	5.648	98582726	131.2E6	50.000	50.000
15)	B Endosulfa...	6.798	5.942	103.2E6	125.3E6	50.000	50.000
16)	A 4,4'-DDD	6.714	5.796	83925087	107.0E6	50.000	50.000
17)	MA 4,4'-DDT	7.028	6.046	87708743	116.5E6	50.000	50.000
18)	B Endrin al...	6.928	6.122	82365868	101.0E6	50.000	50.000
19)	B Endosulfa...	7.163	6.344	94470405	120.1E6	50.000	50.000
20)	A Methoxychlor	7.504	6.621	47708430	61703976	50.000	50.000
21)	B Endrin ke...	7.648	6.850	105.2E6	138.9E6	50.000	50.000
22)	Mirex	8.121	7.031	85437944	117.1E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092324\
Data File : PL091958.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Sep 2024 11:59
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 23 12:36:33 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
Quant Title : GC Extractables
QLast Update : Mon Sep 23 12:36:16 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.544 min
Delta R.T.: 0.000 min
Response: 107271908
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.782 min
Delta R.T.: 0.000 min
Response: 123833671
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.999 min
Delta R.T.: 0.000 min
Response: 149285848
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 3.286 min
Delta R.T.: 0.000 min
Response: 184503257
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.332 min
Delta R.T.: 0.000 min
Response: 147455261
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.616 min
Delta R.T.: 0.000 min
Response: 178891113
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.920 min
Delta R.T.: 0.000 min
Response: 131213735
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 3.955 min
Delta R.T.: 0.000 min
Response: 171574520
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 5.263 min
Delta R.T.: 0.000 min
Response: 132091357
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.235 min
Delta R.T.: 0.000 min
Response: 170981605
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.529 min
Delta R.T.: 0.000 min
Response: 63477159
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 3.915 min
Delta R.T.: 0.000 min
Response: 73292412
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.777 min
Delta R.T.: 0.000 min
Response: 138938121
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.145 min
Delta R.T.: 0.000 min
Response: 175465800
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.689 min
Delta R.T.: 0.000 min
Response: 120530054
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 4.738 min
Delta R.T.: 0.000 min
Response: 150620562
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 6.075 min
Delta R.T.: 0.000 min
Response: 110364978
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.108 min
Delta R.T.: 0.000 min
Response: 137068016
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.945 min
Delta R.T.: 0.000 min
Response: 117872862
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 4.988 min
Delta R.T.: 0.000 min
Response: 150403178
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 6.024 min
Delta R.T.: 0.000 min
Response: 117698011
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.052 min
Delta R.T.: 0.000 min
Response: 149515666
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 6.197 min
Delta R.T.: 0.000 min
Response: 103591524
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 5.241 min
Delta R.T.: 0.000 min
Response: 139829847
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 6.349 min
Delta R.T.: 0.000 min
Response: 116479479
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.372 min
Delta R.T.: 0.000 min
Response: 147359155
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.579 min
Delta R.T.: 0.000 min
Response: 98582726
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 5.648 min
Delta R.T.: 0.000 min
Response: 131228630
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.798 min
Delta R.T.: 0.000 min
Response: 103160112
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.942 min
Delta R.T.: 0.000 min
Response: 125327671
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.714 min
Delta R.T.: 0.000 min
Response: 83925087
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 5.796 min
Delta R.T.: 0.000 min
Response: 106992744
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 7.028 min
Delta R.T.: 0.000 min
Response: 87708743
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.046 min
Delta R.T.: 0.000 min
Response: 116476772
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.928 min
Delta R.T.: 0.000 min
Response: 82365868
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.122 min
Delta R.T.: 0.000 min
Response: 100998643
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.163 min
Delta R.T.: 0.000 min
Response: 94470405
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.344 min
Delta R.T.: 0.000 min
Response: 120126007
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 7.504 min
Delta R.T.: 0.000 min
Response: 47708430
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 6.621 min
Delta R.T.: 0.000 min
Response: 61703976
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.648 min
Delta R.T.: 0.000 min
Response: 105235059
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.850 min
Delta R.T.: 0.000 min
Response: 138942194
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 8.121 min
Delta R.T.: 0.000 min
Response: 85437944
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 7.031 min
Delta R.T.: 0.000 min
Response: 117135847
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.060 min
Delta R.T.: 0.000 min
Response: 79539342
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.923 min
Delta R.T.: 0.000 min
Response: 121423717
Conc: 50.00 ng/ml