

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092424\
 Data File : PL092000.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Sep 2024 13:32
 Operator : AR\AJ
 Sample : P3845-09DL2 20X
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 25 01:18:11 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 23 16:44:57 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.541	2.782	3965300	2740841	1.782	1.093 #
28)	SA Decachlor...	9.060	7.923	1918063	3427174	1.171	1.370
Target Compounds							
2)	A alpha-BHC	4.000	3.286	189.4E6	238.3E6	61.180	65.400
3)	MA gamma-BHC...	4.332	3.615	92799999	107.0E6	29.947	30.313
4)	MA Heptachlor	4.921	3.955	59198181	72128403	21.406	20.903
5)	MB Aldrin	5.263	4.235	93863127	117.9E6	33.793	34.656
6)	B beta-BHC	4.529	3.915	74249363	87534650	55.979	58.236
7)	B delta-BHC	4.777	4.144	173.6E6	241.8E6	60.183	69.656
8)	B Heptachlo...	5.689	4.738	91405349	107.9E6	35.916	35.692
9)	A Endosulfan I	6.075	5.108	117.5E6	148.8E6	50.792	54.229
10)	B gamma-Chl...	5.945	4.988	39135674	44663233	15.837	14.845
11)	B alpha-Chl...	6.024	5.052	75335096	91414213	30.583	30.537
12)	B 4,4'-DDE	6.197	5.240	49182938	61421358	22.723	22.103
13)	MA Dieldrin	6.350	5.372	136.4E6	175.8E6	55.910	59.965
14)	MA Endrin	6.579	5.647	22310611	26225580	10.827	10.001
15)	B Endosulfa...	6.799	5.942	64961331	75622177	29.532	30.220
16)	A 4,4'-DDD	6.714	5.795	51223226	75479636	28.525	35.333
17)	MA 4,4'-DDT	7.028	6.046	40364518	47682739	21.923	20.614
18)	B Endrin al...	6.929	6.122	127.5E6	159.6E6	73.175	78.204
19)	B Endosulfa...	7.163	6.344	48327182	56756160	24.380	23.526
20)	A Methoxychlor	7.503	6.621	38323112	48422867	39.037	38.728
21)	B Endrin ke...	7.648	6.850	160.0E6	215.0E6	72.825	77.631
22)	Mirex	0.000	7.022	0	170889	N.D.	0.070 #
24)	Chlordane-2	5.263f	4.386f	93863127	1349338	875.208	12.023 #
25)	Chlordane-3	5.945	4.988	39135674	44663233	104.480	134.841 #
26)	Chlordane-4	6.024	5.052	75335096	91414213	166.359	288.117 #
27)	Chlordane-5	0.000	5.942	0	75622177	N.D.	697.304 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092424\
Data File : PL092000.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Sep 2024 13:32
Operator : AR\AJ
Sample : P3845-09DL2 20X
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 25 01:18:11 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
Quant Title : GC Extractables
QLast Update : Mon Sep 23 16:44:57 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.541 min
Delta R.T.: -0.003 min
Response: 3965300
Conc: 1.78 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.782 min
Delta R.T.: 0.000 min
Response: 2740841
Conc: 1.09 ng/ml




#2 alpha-BHC

R.T.: 4.000 min
Delta R.T.: 0.000 min
Response: 189444314
Conc: 61.18 ng/ml



#2 alpha-BHC


R.T.: 3.286 min
Delta R.T.: 0.000 min
Response: 238273600
Conc: 65.40 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.332 min
Delta R.T.: 0.000 min
Response: 92799999
Conc: 29.95 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.615 min
Delta R.T.: 0.000 min
Response: 107035734
Conc: 30.31 ng/ml




#4 Heptachlor

R.T.: 4.921 min
Delta R.T.: 0.000 min
Response: 59198181
Conc: 21.41 ng/ml



#4 Heptachlor


R.T.: 3.955 min
Delta R.T.: 0.000 min
Response: 72128403
Conc: 20.90 ng/ml



#5 Aldrin


R.T.: 5.263 min
Delta R.T.: 0.000 min
Response: 93863127
Conc: 33.79 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.235 min
Delta R.T.: 0.000 min
Response: 117870098
Conc: 34.66 ng/ml




#6 beta-BHC

R.T.: 4.529 min
Delta R.T.: 0.000 min
Response: 74249363
Conc: 55.98 ng/ml



#6 beta-BHC


R.T.: 3.915 min
Delta R.T.: 0.000 min
Response: 87534650
Conc: 58.24 ng/ml



#7 delta-BHC


R.T.: 4.777 min
Delta R.T.: 0.000 min
Response: 173579846
Conc: 60.18 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.144 min
Delta R.T.: 0.000 min
Response: 241823297
Conc: 69.66 ng/ml




#8 Heptachlor epoxide

R.T.: 5.689 min
Delta R.T.: 0.000 min
Response: 91405349
Conc: 35.92 ng/ml



#8 Heptachlor epoxide


R.T.: 4.738 min
Delta R.T.: 0.000 min
Response: 107893514
Conc: 35.69 ng/ml



#9 Endosulfan I


R.T.: 6.075 min
Delta R.T.: 0.000 min
Response: 117502419
Conc: 50.79 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.108 min
Delta R.T.: 0.000 min
Response: 148837921
Conc: 54.23 ng/ml




#10 gamma-Chlordane

R.T.: 5.945 min
Delta R.T.: 0.000 min
Response: 39135674
Conc: 15.84 ng/ml



#10 gamma-Chlordane


R.T.: 4.988 min
Delta R.T.: 0.000 min
Response: 44663233
Conc: 14.85 ng/ml



#11 alpha-Chlordane


R.T.: 6.024 min
Delta R.T.: 0.000 min
Response: 75335096
Conc: 30.58 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.052 min
Delta R.T.: 0.000 min
Response: 91414213
Conc: 30.54 ng/ml




#12 4,4'-DDE

R.T.: 6.197 min
Delta R.T.: 0.000 min
Response: 49182938
Conc: 22.72 ng/ml



#12 4,4'-DDE


R.T.: 5.240 min
Delta R.T.: 0.000 min
Response: 61421358
Conc: 22.10 ng/ml



#13 Dieldrin


R.T.: 6.350 min
Delta R.T.: 0.000 min
Response: 136356399
Conc: 55.91 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.372 min
Delta R.T.: 0.000 min
Response: 175806499
Conc: 59.96 ng/ml




#14 Endrin

R.T.: 6.579 min
Delta R.T.: 0.000 min
Response: 22310611
Conc: 10.83 ng/ml



#14 Endrin


R.T.: 5.647 min
Delta R.T.: 0.000 min
Response: 26225580
Conc: 10.00 ng/ml



#15 Endosulfan II


R.T.: 6.799 min
Delta R.T.: 0.000 min
Response: 64961331
Conc: 29.53 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.942 min
Delta R.T.: 0.000 min
Response: 75622177
Conc: 30.22 ng/ml




#16 4,4'-DDD

R.T.: 6.714 min
Delta R.T.: 0.000 min
Response: 51223226
Conc: 28.53 ng/ml



#16 4,4'-DDD


R.T.: 5.795 min
Delta R.T.: -0.001 min
Response: 75479636
Conc: 35.33 ng/ml



#17 4,4'-DDT


R.T.: 7.028 min
Delta R.T.: 0.000 min
Response: 40364518
Conc: 21.92 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.046 min
Delta R.T.: 0.000 min
Response: 47682739
Conc: 20.61 ng/ml




#18 Endrin aldehyde

R.T.: 6.929 min
Delta R.T.: 0.000 min
Response: 127526455
Conc: 73.17 ng/ml



#18 Endrin aldehyde


R.T.: 6.122 min
Delta R.T.: 0.000 min
Response: 159592364
Conc: 78.20 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.163 min
Delta R.T.: 0.000 min
Response: 48327182
Conc: 24.38 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.344 min
Delta R.T.: 0.000 min
Response: 56756160
Conc: 23.53 ng/ml




#20 Methoxychlor

R.T.: 7.503 min
Delta R.T.: 0.000 min
Response: 38323112
Conc: 39.04 ng/ml



#20 Methoxychlor


R.T.: 6.621 min
Delta R.T.: 0.000 min
Response: 48422867
Conc: 38.73 ng/ml



#21 Endrin ketone


R.T.: 7.648 min
Delta R.T.: 0.000 min
Response: 160036818
Conc: 72.82 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.850 min
Delta R.T.: 0.000 min
Response: 214956550
Conc: 77.63 ng/ml




#22 Mirex

R.T.: 0.000 min
Exp R.T. : 8.121 min
Response: 0
Conc: N.D.



#22 Mirex


R.T.: 7.022 min
Delta R.T.: -0.010 min
Response: 170889
Conc: 0.07 ng/ml



#24 Chlordane-2


R.T.: 5.263 min
Delta R.T.: 0.028 min
Response: 93863127
Conc: 875.21 ng/ml

Instrument :
ECD_L
ClientSampleId :




#24 Chlordane-2

R.T.: 4.386 min
Delta R.T.: 0.027 min
Response: 1349338
Conc: 12.02 ng/ml




#25 Chlordane-3

R.T.: 5.945 min
Delta R.T.: 0.000 min
Response: 39135674
Conc: 104.48 ng/ml



#25 Chlordane-3


R.T.: 4.988 min
Delta R.T.: 0.000 min
Response: 44663233
Conc: 134.84 ng/ml



#26 Chlordane-4


R.T.: 6.024 min
Delta R.T.: -0.003 min
Response: 75335096
Conc: 166.36 ng/ml

Instrument :
ECD_L
ClientSampleId :




#26 Chlordane-4

R.T.: 5.052 min
Delta R.T.: 0.000 min
Response: 91414213
Conc: 288.12 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.876 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.942 min
Delta R.T.: -0.005 min
Response: 75622177
Conc: 697.30 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.060 min
Delta R.T.: 0.000 min
Response: 1918063
Conc: 1.17 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.923 min
Delta R.T.: 0.000 min
Response: 3427174
Conc: 1.37 ng/ml