

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092424\
 Data File : PL092003.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Sep 2024 14:21
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :


Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 25 01:18:41 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 23 16:44:57 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.544	2.782	111.6E6	129.6E6	50.170	51.675
28)	SA Decachlor...	9.060	7.923	82833383	132.3E6	50.563	52.868
Target Compounds							
2)	A alpha-BHC	4.000	3.286	156.4E6	195.0E6	50.494	53.513
3)	MA gamma-BHC...	4.332	3.616	150.9E6	183.8E6	48.690	52.054
4)	MA Heptachlor	4.921	3.955	137.5E6	180.7E6	49.725	52.370
5)	MB Aldrin	5.263	4.235	131.3E6	177.2E6	47.260	52.087
6)	B beta-BHC	4.529	3.915	66618744	77977889	50.226	51.878
7)	B delta-BHC	4.776	4.145	139.7E6	178.7E6	48.445	51.475
8)	B Heptachlo...	5.689	4.738	135.3E6	152.3E6	53.178	50.378
9)	A Endosulfan I	6.074	5.107	117.9E6	134.3E6	50.953	48.950
10)	B gamma-Chl...	5.945	4.988	140.9E6	158.4E6	57.036	52.643
11)	B alpha-Chl...	6.024	5.051	127.6E6	155.9E6	51.815	52.071
12)	B 4,4'-DDE	6.197	5.241	106.3E6	152.3E6	49.126	54.825
13)	MA Dieldrin	6.349	5.372	119.0E6	152.6E6	48.813	52.060
14)	MA Endrin	6.579	5.648	96879071	135.2E6	47.013	51.552
15)	B Endosulfa...	6.798	5.942	104.4E6	129.4E6	47.463	51.703
16)	A 4,4'-DDD	6.714	5.795	79904260	113.8E6	44.497	53.291
17)	MA 4,4'-DDT	7.028	6.046	90260213	117.4E6	49.022	50.751
18)	B Endrin al...	6.928	6.121	81741545	98784245	46.903	48.407
19)	B Endosulfa...	7.163	6.344	97043176	123.5E6	48.955	51.174
20)	A Methoxychlor	7.504	6.621	46746340	61598109	47.617	49.265
21)	B Endrin ke...	7.647	6.850	108.1E6	135.6E6	49.199	48.959
22)	Mirex	8.121	7.031	84740455	114.6E6	47.052	47.113
24)	Chlordane-2	5.263f	4.374	131.3E6	16985241	1223.978	151.349 #
25)	Chlordane-3	5.945	4.988	140.9E6	158.4E6	376.282	478.160 #
26)	Chlordane-4	6.024	5.051	127.6E6	155.9E6	281.855	491.288 #
27)	Chlordane-5	0.000	5.942	0	129.4E6	N.D.	1193.021 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.



#1 Tetrachloro-m-xylene


R.T.: 3.544 min
Delta R.T.: 0.000 min
Response: 111610150
Conc: 50.17 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.782 min
Delta R.T.: 0.000 min
Response: 129604341
Conc: 51.67 ng/ml




#2 alpha-BHC

R.T.: 4.000 min
Delta R.T.: 0.000 min
Response: 156356738
Conc: 50.49 ng/ml



#2 alpha-BHC


R.T.: 3.286 min
Delta R.T.: 0.000 min
Response: 194964456
Conc: 53.51 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.332 min
Delta R.T.: 0.000 min
Response: 150881075
Conc: 48.69 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.616 min
Delta R.T.: 0.000 min
Response: 183802739
Conc: 52.05 ng/ml




#4 Heptachlor

R.T.: 4.921 min
Delta R.T.: 0.000 min
Response: 137511126
Conc: 49.72 ng/ml



#4 Heptachlor


R.T.: 3.955 min
Delta R.T.: 0.000 min
Response: 180708496
Conc: 52.37 ng/ml



#5 Aldrin


R.T.: 5.263 min
Delta R.T.: 0.000 min
Response: 131267452
Conc: 47.26 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.235 min
Delta R.T.: 0.000 min
Response: 177152856
Conc: 52.09 ng/ml




#6 beta-BHC

R.T.: 4.529 min
Delta R.T.: 0.000 min
Response: 66618744
Conc: 50.23 ng/ml



#6 beta-BHC


R.T.: 3.915 min
Delta R.T.: 0.000 min
Response: 77977889
Conc: 51.88 ng/ml



#7 delta-BHC


R.T.: 4.776 min
Delta R.T.: 0.000 min
Response: 139725846
Conc: 48.45 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.145 min
Delta R.T.: 0.000 min
Response: 178706956
Conc: 51.48 ng/ml




#8 Heptachlor epoxide

R.T.: 5.689 min
Delta R.T.: 0.000 min
Response: 135337201
Conc: 53.18 ng/ml



#8 Heptachlor epoxide


R.T.: 4.738 min
Delta R.T.: 0.000 min
Response: 152285952
Conc: 50.38 ng/ml



#9 Endosulfan I


R.T.: 6.074 min
Delta R.T.: 0.000 min
Response: 117873778
Conc: 50.95 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.107 min
Delta R.T.: 0.000 min
Response: 134349793
Conc: 48.95 ng/ml




#10 gamma-Chlordane

R.T.: 5.945 min
Delta R.T.: 0.000 min
Response: 140946579
Conc: 57.04 ng/ml



#10 gamma-Chlordane


R.T.: 4.988 min
Delta R.T.: 0.000 min
Response: 158380094
Conc: 52.64 ng/ml



#11 alpha-Chlordane


R.T.: 6.024 min
Delta R.T.: 0.000 min
Response: 127636793
Conc: 51.81 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.051 min
Delta R.T.: 0.000 min
Response: 155876668
Conc: 52.07 ng/ml




#12 4,4'-DDE

R.T.: 6.197 min
Delta R.T.: 0.000 min
Response: 106330237
Conc: 49.13 ng/ml



#12 4,4'-DDE


R.T.: 5.241 min
Delta R.T.: 0.000 min
Response: 152349543
Conc: 54.82 ng/ml



#13 Dieldrin


R.T.: 6.349 min
Delta R.T.: 0.000 min
Response: 119048974
Conc: 48.81 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.372 min
Delta R.T.: 0.000 min
Response: 152630848
Conc: 52.06 ng/ml




#14 Endrin

R.T.: 6.579 min
Delta R.T.: 0.000 min
Response: 96879071
Conc: 47.01 ng/ml



#14 Endrin


R.T.: 5.648 min
Delta R.T.: 0.000 min
Response: 135177588
Conc: 51.55 ng/ml



#15 Endosulfan II


R.T.: 6.798 min
Delta R.T.: 0.000 min
Response: 104405256
Conc: 47.46 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.942 min
Delta R.T.: 0.000 min
Response: 129382471
Conc: 51.70 ng/ml




#16 4,4'-DDD

R.T.: 6.714 min
Delta R.T.: 0.000 min
Response: 79904260
Conc: 44.50 ng/ml



#16 4,4'-DDD


R.T.: 5.795 min
Delta R.T.: 0.000 min
Response: 113841994
Conc: 53.29 ng/ml



#17 4,4'-DDT


R.T.: 7.028 min
Delta R.T.: 0.000 min
Response: 90260213
Conc: 49.02 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.046 min
Delta R.T.: 0.000 min
Response: 117395883
Conc: 50.75 ng/ml




#18 Endrin aldehyde

R.T.: 6.928 min
Delta R.T.: 0.000 min
Response: 81741545
Conc: 46.90 ng/ml



#18 Endrin aldehyde


R.T.: 6.121 min
Delta R.T.: 0.000 min
Response: 98784245
Conc: 48.41 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.163 min
Delta R.T.: 0.000 min
Response: 97043176
Conc: 48.96 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.344 min
Delta R.T.: 0.000 min
Response: 123458061
Conc: 51.17 ng/ml




#20 Methoxychlor

R.T.: 7.504 min
Delta R.T.: 0.000 min
Response: 46746340
Conc: 47.62 ng/ml



#20 Methoxychlor


R.T.: 6.621 min
Delta R.T.: 0.000 min
Response: 61598109
Conc: 49.26 ng/ml



#21 Endrin ketone


R.T.: 7.647 min
Delta R.T.: 0.000 min
Response: 108118391
Conc: 49.20 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.850 min
Delta R.T.: 0.000 min
Response: 135566104
Conc: 48.96 ng/ml




#22 Mirex

R.T.: 8.121 min
Delta R.T.: 0.000 min
Response: 84740455
Conc: 47.05 ng/ml



#22 Mirex


R.T.: 7.031 min
Delta R.T.: 0.000 min
Response: 114609373
Conc: 47.11 ng/ml



#24 Chlordane-2


R.T.: 5.263 min
Delta R.T.: 0.027 min
Response: 131267452
Conc: 1223.98 ng/ml

Instrument :
ECD_L
ClientSampleId :




#24 Chlordane-2

R.T.: 4.374 min
Delta R.T.: 0.015 min
Response: 16985241
Conc: 151.35 ng/ml




#25 Chlordane-3

R.T.: 5.945 min
Delta R.T.: 0.000 min
Response: 140946579
Conc: 376.28 ng/ml



#25 Chlordane-3


R.T.: 4.988 min
Delta R.T.: 0.000 min
Response: 158380094
Conc: 478.16 ng/ml



#26 Chlordane-4


R.T.: 6.024 min
Delta R.T.: -0.003 min
Response: 127636793
Conc: 281.85 ng/ml

Instrument :
ECD_L
ClientSampleId :




#26 Chlordane-4

R.T.: 5.051 min
Delta R.T.: 0.000 min
Response: 155876668
Conc: 491.29 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.876 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.942 min
Delta R.T.: -0.006 min
Response: 129382471
Conc: 1193.02 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.060 min
Delta R.T.: 0.000 min
Response: 82833383
Conc: 50.56 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.923 min
Delta R.T.: 0.000 min
Response: 132272723
Conc: 52.87 ng/ml