

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092520\
 Data File : PL061829.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Sep 2020 18:25
 Operator : DD\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 26 00:49:46 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092320.M
 Quant Title : GC Extractables
 QLast Update : Wed Sep 23 13:58:40 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.458	4.007	78012926	122.5E6	45.729	44.904
2)	SA Decachlor...	8.209	9.093	73650025	103.7E6	45.274	47.117
Target Compounds							
2)	A alpha-BHC	3.894	4.396	114.1E6	183.5E6	46.801	45.944
3)	MA gamma-BHC...	4.177	4.682	103.3E6	169.4E6	47.250	45.768
4)	MA Heptachlor	4.479	5.192	95883255	161.5E6	46.986	46.645
5)	MB Aldrin	4.727	5.498	85781327	149.1E6	47.543	46.029
6)	B beta-BHC	4.428	4.853	42935537	69109536	47.011	45.769
7)	B delta-BHC	4.632	5.071	98035868	143.6E6	47.817	56.339
8)	B Heptachlo...	5.169	5.885	81823059	138.2E6	46.867	55.771
9)	A Endosulfan I	5.507	6.244	76210341	125.0E6	47.031	45.232
10)	B gamma-Chl...	5.396	6.121	82181531	136.2E6	47.321	46.393
11)	B alpha-Chl...	5.454	6.194	81593973	134.9E6	46.972	44.926
12)	B 4,4'-DDE	5.620	6.352	74542168	122.6E6	47.429	44.900
13)	MA Dieldrin	5.750	6.502	78875365	127.3E6	46.897	44.878
14)	MA Endrin	6.007	6.721	70302122	105.5E6	44.182	43.263
15)	B Endosulfa...	6.280	6.930	72821724	110.1E6	45.040	42.602
16)	A 4,4'-DDD	6.135	6.843	64358669	100.3E6	48.608	45.109
17)	MA 4,4'-DDT	6.375	7.143	58391226	94033477	46.288	42.942
18)	B Endrin al...	6.448	7.054	62438009	95440729	44.402	44.589
19)	B Endosulfa...	6.661	7.278	70618183	104.8E6	45.647	44.751
20)	A Methoxychlor	6.921	7.603	35704974	53569308	44.161	42.516
21)	B Endrin ke...	7.151	7.750	80970888	110.6E6	47.379	47.118
22)	Mirex	7.339	8.206	62355633	79493120	44.479	45.117



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092520\
Data File : PL061829.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Sep 2020 18:25
Operator : DD\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 26 00:49:46 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092320.M
Quant Title : GC Extractables
QLast Update : Wed Sep 23 13:58:40 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.458 min
Delta R.T.: 0.000 min
Response: 78012926
Conc: 45.73 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 4.007 min
Delta R.T.: 0.000 min
Response: 122509275
Conc: 44.90 ng/ml




#2 alpha-BHC

R.T.: 3.894 min
Delta R.T.: 0.000 min
Response: 114073159
Conc: 46.80 ng/ml



#2 alpha-BHC


R.T.: 4.396 min
Delta R.T.: 0.000 min
Response: 183515890
Conc: 45.94 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.177 min
Delta R.T.: 0.000 min
Response: 103346088
Conc: 47.25 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.682 min
Delta R.T.: 0.000 min
Response: 169430688
Conc: 45.77 ng/ml




#4 Heptachlor

R.T.: 4.479 min
Delta R.T.: 0.000 min
Response: 95883255
Conc: 46.99 ng/ml



#4 Heptachlor


R.T.: 5.192 min
Delta R.T.: 0.000 min
Response: 161524605
Conc: 46.64 ng/ml



#5 Aldrin


R.T.: 4.727 min
Delta R.T.: 0.000 min
Response: 85781327
Conc: 47.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.498 min
Delta R.T.: 0.000 min
Response: 149109750
Conc: 46.03 ng/ml




#6 beta-BHC

R.T.: 4.428 min
Delta R.T.: 0.000 min
Response: 42935537
Conc: 47.01 ng/ml



#6 beta-BHC


R.T.: 4.853 min
Delta R.T.: 0.000 min
Response: 69109536
Conc: 45.77 ng/ml



#7 delta-BHC


R.T.: 4.632 min
Delta R.T.: 0.000 min
Response: 98035868
Conc: 47.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.071 min
Delta R.T.: 0.000 min
Response: 143557579
Conc: 56.34 ng/ml




#8 Heptachlor epoxide

R.T.: 5.169 min
Delta R.T.: 0.000 min
Response: 81823059
Conc: 46.87 ng/ml



#8 Heptachlor epoxide


R.T.: 5.885 min
Delta R.T.: 0.000 min
Response: 138221319
Conc: 55.77 ng/ml



#9 Endosulfan I


R.T.: 5.507 min
Delta R.T.: 0.000 min
Response: 76210341
Conc: 47.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.244 min
Delta R.T.: 0.000 min
Response: 124952857
Conc: 45.23 ng/ml




#10 gamma-Chlordane

R.T.: 5.396 min
Delta R.T.: 0.000 min
Response: 82181531
Conc: 47.32 ng/ml



#10 gamma-Chlordane


R.T.: 6.121 min
Delta R.T.: 0.000 min
Response: 136239279
Conc: 46.39 ng/ml



#11 alpha-Chlordane


R.T.: 5.454 min
Delta R.T.: 0.000 min
Response: 81593973
Conc: 46.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.194 min
Delta R.T.: 0.000 min
Response: 134937574
Conc: 44.93 ng/ml




#12 4,4'-DDE

R.T.: 5.620 min
Delta R.T.: 0.000 min
Response: 74542168
Conc: 47.43 ng/ml



#12 4,4'-DDE


R.T.: 6.352 min
Delta R.T.: 0.000 min
Response: 122568773
Conc: 44.90 ng/ml



#13 Dieldrin


R.T.: 5.750 min
Delta R.T.: 0.000 min
Response: 78875365
Conc: 46.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.502 min
Delta R.T.: 0.000 min
Response: 127315260
Conc: 44.88 ng/ml




#14 Endrin

R.T.: 6.007 min
Delta R.T.: 0.000 min
Response: 70302122
Conc: 44.18 ng/ml



#14 Endrin


R.T.: 6.721 min
Delta R.T.: 0.000 min
Response: 105543927
Conc: 43.26 ng/ml



#15 Endosulfan II


R.T.: 6.280 min
Delta R.T.: 0.000 min
Response: 72821724
Conc: 45.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.930 min
Delta R.T.: -0.001 min
Response: 110112664
Conc: 42.60 ng/ml




#16 4,4'-DDD

R.T.: 6.135 min
Delta R.T.: 0.000 min
Response: 64358669
Conc: 48.61 ng/ml



#16 4,4'-DDD


R.T.: 6.843 min
Delta R.T.: -0.001 min
Response: 100281294
Conc: 45.11 ng/ml



#17 4,4'-DDT


R.T.: 6.375 min
Delta R.T.: 0.000 min
Response: 58391226
Conc: 46.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.143 min
Delta R.T.: 0.000 min
Response: 94033477
Conc: 42.94 ng/ml




#18 Endrin aldehyde

R.T.: 6.448 min
Delta R.T.: -0.001 min
Response: 62438009
Conc: 44.40 ng/ml



#18 Endrin aldehyde

R.T.: 7.054 min
Delta R.T.: 0.000 min
Response: 95440729
Conc: 44.59 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.661 min

Delta R.T.: -0.001 min

Response: 70618183

Conc: 45.65 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.278 min

Delta R.T.: 0.000 min

Response: 104788553

Conc: 44.75 ng/ml




#20 Methoxychlor

R.T.: 6.921 min

Delta R.T.: -0.001 min

Response: 35704974

Conc: 44.16 ng/ml




#20 Methoxychlor

R.T.: 7.603 min

Delta R.T.: 0.000 min

Response: 53569308


Conc: 42.52 ng/ml



#21 Endrin ketone


R.T.: 7.151 min
Delta R.T.: 0.000 min
Response: 80970888
Conc: 47.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.750 min
Delta R.T.: -0.001 min
Response: 110586189
Conc: 47.12 ng/ml




#22 Mirex

R.T.: 7.339 min
Delta R.T.: -0.001 min
Response: 62355633
Conc: 44.48 ng/ml



#22 Mirex


R.T.: 8.206 min
Delta R.T.: 0.000 min
Response: 79493120
Conc: 45.12 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.209 min
Delta R.T.: -0.002 min
Response: 73650025
Conc: 45.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.093 min
Delta R.T.: -0.002 min
Response: 103722197
Conc: 47.12 ng/ml