

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092618\
 Data File : PL040379.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Sep 2018 15:36
 Operator : AJ\SJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 26 15:54:34 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092618.M
 Quant Title : GC Extractables
 QLast Update : Wed Sep 26 15:54:21 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.211	3.807	374.5E6	162.2E6	50.000	50.000
28)	SA Decachlor...	7.815	8.731	462.6E6	156.3E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.633	4.179	602.7E6	246.3E6	50.000	50.000
3)	MA gamma-BHC...	3.902	4.452	562.0E6	230.7E6	50.000	50.000
4)	MA Heptachlor	4.177	4.951	594.6E6	221.9E6	50.000	50.000
5)	MB Aldrin	4.409	5.247	544.3E6	214.6E6	50.000	50.000
6)	B beta-BHC	4.156	4.615	214.1E6	100.4E6	50.000	50.000
7)	B delta-BHC	4.342	4.824	578.7E6	230.0E6	50.000	50.000
8)	B Heptachlo...	4.839	5.623	524.8E6	190.0E6	50.000	50.000
9)	A Endosulfan I	5.163	5.970	511.0E6	184.7E6	50.000	50.000
10)	B gamma-Chl...	5.058	5.853	551.4E6	200.4E6	50.000	50.000
11)	B alpha-Chl...	5.113	5.925	531.0E6	196.2E6	50.000	50.000
12)	B 4,4'-DDE	5.282	6.084	556.9E6	199.9E6	50.000	50.000
13)	MA Dieldrin	5.399	6.222	554.6E6	191.0E6	50.000	50.000
14)	MA Endrin	5.648	6.433	493.9E6	160.1E6	50.000	50.000
15)	B Endosulfa...	5.922	6.637	501.1E6	171.3E6	50.000	50.000
16)	A 4,4'-DDD	5.787	6.562	461.3E6	156.5E6	50.000	50.000
17)	MA 4,4'-DDT	6.018	6.858	431.6E6	148.6E6	50.000	50.000
18)	B Endrin al...	6.088	6.759	422.3E6	147.9E6	50.000	50.000
19)	B Endosulfa...	6.298	6.980	475.2E6	157.8E6	50.000	50.000
20)	A Methoxychlor	6.565	7.314	238.6E6	78314309	50.000	50.000
21)	B Endrin ke...	6.774	7.438	543.8E6	149.5E6	50.000	50.000


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092618\
Data File : PL040379.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Sep 2018 15:36
Operator : AJ\SJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 26 15:54:34 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092618.M
Quant Title : GC Extractables
QLast Update : Wed Sep 26 15:54:21 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.211 min
Delta R.T.: 0.000 min
Response: 374545334
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.807 min
Delta R.T.: 0.000 min
Response: 162212150
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.633 min
Delta R.T.: 0.000 min
Response: 602738131
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.179 min
Delta R.T.: 0.000 min
Response: 246322867
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 3.902 min
Delta R.T.: 0.000 min
Response: 562037943
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 4.452 min
Delta R.T.: 0.000 min
Response: 230701105
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.177 min
Delta R.T.: 0.000 min
Response: 594566652
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 4.951 min
Delta R.T.: 0.000 min
Response: 221936143
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.409 min
Delta R.T.: 0.000 min
Response: 544266123
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 5.247 min
Delta R.T.: 0.000 min
Response: 214617654
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.156 min
Delta R.T.: 0.000 min
Response: 214100403
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.615 min
Delta R.T.: 0.000 min
Response: 100360226
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.342 min
Delta R.T.: 0.000 min
Response: 578701480
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.824 min
Delta R.T.: 0.000 min
Response: 229951281
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 4.839 min
Delta R.T.: 0.000 min
Response: 524773719
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.623 min
Delta R.T.: 0.000 min
Response: 190033397
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.163 min
Delta R.T.: 0.000 min
Response: 511033487
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.970 min
Delta R.T.: 0.000 min
Response: 184716412
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.058 min
Delta R.T.: 0.000 min
Response: 551382242
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 5.853 min
Delta R.T.: 0.000 min
Response: 200392224
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.113 min
Delta R.T.: 0.000 min
Response: 531012043
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.925 min
Delta R.T.: 0.000 min
Response: 196197925
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.282 min
Delta R.T.: 0.000 min
Response: 556877904
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.084 min
Delta R.T.: 0.000 min
Response: 199855707
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.399 min
Delta R.T.: 0.000 min
Response: 554584238
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 6.222 min
Delta R.T.: 0.000 min
Response: 191006382
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 5.648 min
Delta R.T.: 0.000 min
Response: 493931805
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.433 min
Delta R.T.: 0.000 min
Response: 160062566
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 5.922 min
Delta R.T.: 0.000 min
Response: 501100230
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 6.637 min
Delta R.T.: 0.000 min
Response: 171319927
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 5.787 min
Delta R.T.: 0.000 min
Response: 461334345
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.562 min
Delta R.T.: 0.000 min
Response: 156456854
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.018 min
Delta R.T.: 0.000 min
Response: 431572049
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.858 min
Delta R.T.: 0.000 min
Response: 148569803
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.088 min
Delta R.T.: 0.000 min
Response: 422336622
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.759 min
Delta R.T.: 0.000 min
Response: 147915152
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.298 min
Delta R.T.: 0.000 min
Response: 475209595
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.980 min
Delta R.T.: 0.000 min
Response: 157784348
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.565 min
Delta R.T.: 0.000 min
Response: 238647857
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.314 min
Delta R.T.: 0.000 min
Response: 78314309
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 6.774 min
Delta R.T.: 0.000 min
Response: 543834916
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 7.438 min
Delta R.T.: 0.000 min
Response: 149515500
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.815 min
Delta R.T.: 0.000 min
Response: 462556319
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.731 min
Delta R.T.: 0.000 min
Response: 156286377
Conc: 50.00 ng/ml