

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092624\
 Data File : PL092098.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Sep 2024 23:54
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 27 06:16:39 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 23 16:44:57 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.541	2.780	111.7E6	146.3E6	50.224	58.321
28)	SA Decachlor...	9.059	7.921	74365613	122.5E6	45.394	48.961
Target Compounds							
2)	A alpha-BHC	3.997	3.283	159.5E6	215.3E6	51.503	59.085
3)	MA gamma-BHC...	4.329	3.613	169.1E6	206.0E6	54.570	58.354
4)	MA Heptachlor	4.918	3.952	136.0E6	194.3E6	49.184	56.309
5)	MB Aldrin	5.260	4.232	137.0E6	198.2E6	49.323	58.285
6)	B beta-BHC	4.526	3.912	65006896	84966488	49.011	56.528
7)	B delta-BHC	4.773	4.141	148.6E6	206.3E6	51.512	59.429
8)	B Heptachlo...	5.686	4.734	122.6E6	169.2E6	48.171	55.962
9)	A Endosulfan I	6.072	5.105	113.0E6	152.2E6	48.863	55.445
10)	B gamma-Chl...	5.942	4.985	124.8E6	169.1E6	50.509	56.193
11)	B alpha-Chl...	6.021	5.049	120.5E6	166.7E6	48.914	55.685
12)	B 4,4'-DDE	6.194	5.237	108.1E6	164.9E6	49.939	59.354
13)	MA Dieldrin	6.347	5.369	116.8E6	167.0E6	47.905	56.948
14)	MA Endrin	6.576	5.645	93345533	142.7E6	45.298	54.406
15)	B Endosulfa...	6.796	5.940	102.6E6	139.6E6	46.634	55.781
16)	A 4,4'-DDD	6.712	5.792	90606136	133.4E6	50.457	62.458
17)	MA 4,4'-DDT	7.026	6.043	84557342	125.0E6	45.925	54.057
18)	B Endrin al...	6.927	6.119	81567881	112.3E6	46.804	55.029
19)	B Endosulfa...	7.161	6.342	90664004	131.2E6	45.737	54.385
20)	A Methoxychlor	7.502	6.619	44173497	65551480	44.996	52.427
21)	B Endrin ke...	7.646	6.848	102.9E6	152.0E6	46.803	54.889
22)	Mirex	8.120	7.029	76255849	118.4E6	42.341	48.672
24)	Chlordane-2	5.260f	4.370	137.0E6	3829890	1277.428	34.127 #
25)	Chlordane-3	5.942	4.985	124.8E6	169.1E6	333.224	510.402 #
26)	Chlordane-4	6.021	5.049	120.5E6	166.7E6	266.078	525.389 #
27)	Chlordane-5	0.000	5.940	0	139.6E6	N.D.	1287.118 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092624\
Data File : PL092098.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Sep 2024 23:54
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 27 06:16:39 2024
Quant Method: Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
Quant Title : GC Extractables
QLast Update : Mon Sep 23 16:44:57 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.541 min
Delta R.T.: -0.003 min
Response: 111732248
Conc: 50.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.780 min
Delta R.T.: -0.002 min
Response: 146272382
Conc: 58.32 ng/ml




#2 alpha-BHC

R.T.: 3.997 min
Delta R.T.: -0.003 min
Response: 159479824
Conc: 51.50 ng/ml



#2 alpha-BHC


R.T.: 3.283 min
Delta R.T.: -0.003 min
Response: 215266323
Conc: 59.09 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.329 min
Delta R.T.: -0.003 min
Response: 169102672
Conc: 54.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.613 min
Delta R.T.: -0.003 min
Response: 206047016
Conc: 58.35 ng/ml




#4 Heptachlor

R.T.: 4.918 min
Delta R.T.: -0.003 min
Response: 136015822
Conc: 49.18 ng/ml



#4 Heptachlor


R.T.: 3.952 min
Delta R.T.: -0.003 min
Response: 194299105
Conc: 56.31 ng/ml



#5 Aldrin


R.T.: 5.260 min
Delta R.T.: -0.003 min
Response: 136999861
Conc: 49.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.232 min
Delta R.T.: -0.003 min
Response: 198233661
Conc: 58.29 ng/ml




#6 beta-BHC

R.T.: 4.526 min
Delta R.T.: -0.003 min
Response: 65006896
Conc: 49.01 ng/ml



#6 beta-BHC


R.T.: 3.912 min
Delta R.T.: -0.003 min
Response: 84966488
Conc: 56.53 ng/ml



#7 delta-BHC


R.T.: 4.773 min
Delta R.T.: -0.003 min
Response: 148569981
Conc: 51.51 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.141 min
Delta R.T.: -0.003 min
Response: 206318140
Conc: 59.43 ng/ml




#8 Heptachlor epoxide

R.T.: 5.686 min
Delta R.T.: -0.002 min
Response: 122593667
Conc: 48.17 ng/ml



#8 Heptachlor epoxide


R.T.: 4.734 min
Delta R.T.: -0.004 min
Response: 169166537
Conc: 55.96 ng/ml



#9 Endosulfan I


R.T.: 6.072 min
Delta R.T.: -0.002 min
Response: 113039600
Conc: 48.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.105 min
Delta R.T.: -0.003 min
Response: 152177673
Conc: 55.45 ng/ml




#10 gamma-Chlordane

R.T.: 5.942 min
Delta R.T.: -0.002 min
Response: 124817972
Conc: 50.51 ng/ml



#10 gamma-Chlordane


R.T.: 4.985 min
Delta R.T.: -0.003 min
Response: 169059691
Conc: 56.19 ng/ml



#11 alpha-Chlordane


R.T.: 6.021 min
Delta R.T.: -0.002 min
Response: 120492589
Conc: 48.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.049 min
Delta R.T.: -0.003 min
Response: 166696448
Conc: 55.69 ng/ml




#12 4,4'-DDE

R.T.: 6.194 min
Delta R.T.: -0.002 min
Response: 108089909
Conc: 49.94 ng/ml



#12 4,4'-DDE


R.T.: 5.237 min
Delta R.T.: -0.004 min
Response: 164935772
Conc: 59.35 ng/ml



#13 Dieldrin


R.T.: 6.347 min
Delta R.T.: -0.002 min
Response: 116832919
Conc: 47.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.369 min
Delta R.T.: -0.003 min
Response: 166961397
Conc: 56.95 ng/ml




#14 Endrin

R.T.: 6.576 min
Delta R.T.: -0.003 min
Response: 93345533
Conc: 45.30 ng/ml



#14 Endrin


R.T.: 5.645 min
Delta R.T.: -0.003 min
Response: 142663239
Conc: 54.41 ng/ml



#15 Endosulfan II


R.T.: 6.796 min
Delta R.T.: -0.002 min
Response: 102582125
Conc: 46.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.940 min
Delta R.T.: -0.002 min
Response: 139587203
Conc: 55.78 ng/ml




#16 4,4'-DDD

R.T.: 6.712 min
Delta R.T.: -0.002 min
Response: 90606136
Conc: 50.46 ng/ml



#16 4,4'-DDD


R.T.: 5.792 min
Delta R.T.: -0.003 min
Response: 133423350
Conc: 62.46 ng/ml



#17 4,4'-DDT


R.T.: 7.026 min
Delta R.T.: -0.002 min
Response: 84557342
Conc: 45.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.043 min
Delta R.T.: -0.002 min
Response: 125042284
Conc: 54.06 ng/ml




#18 Endrin aldehyde

R.T.: 6.927 min
Delta R.T.: -0.002 min
Response: 81567881
Conc: 46.80 ng/ml



#18 Endrin aldehyde


R.T.: 6.119 min
Delta R.T.: -0.003 min
Response: 112299615
Conc: 55.03 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.161 min
Delta R.T.: -0.002 min
Response: 90664004
Conc: 45.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.342 min
Delta R.T.: -0.002 min
Response: 131204434
Conc: 54.38 ng/ml




#20 Methoxychlor

R.T.: 7.502 min
Delta R.T.: -0.002 min
Response: 44173497
Conc: 45.00 ng/ml



#20 Methoxychlor


R.T.: 6.619 min
Delta R.T.: -0.002 min
Response: 65551480
Conc: 52.43 ng/ml



#21 Endrin ketone


R.T.: 7.646 min
Delta R.T.: -0.001 min
Response: 102852858
Conc: 46.80 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.848 min
Delta R.T.: -0.002 min
Response: 151985285
Conc: 54.89 ng/ml




#22 Mirex

R.T.: 8.120 min
Delta R.T.: -0.001 min
Response: 76255849
Conc: 42.34 ng/ml



#22 Mirex


R.T.: 7.029 min
Delta R.T.: -0.002 min
Response: 118401766
Conc: 48.67 ng/ml



#24 Chlordane-2


R.T.: 5.260 min
Delta R.T.: 0.025 min
Response: 136999861
Conc: 1277.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.370 min
Delta R.T.: 0.011 min
Response: 3829890
Conc: 34.13 ng/ml




#25 Chlordane-3

R.T.: 5.942 min
Delta R.T.: -0.003 min
Response: 124817972
Conc: 333.22 ng/ml



#25 Chlordane-3


R.T.: 4.985 min
Delta R.T.: -0.004 min
Response: 169059691
Conc: 510.40 ng/ml



#26 Chlordane-4


R.T.: 6.021 min
Delta R.T.: -0.006 min
Response: 120492589
Conc: 266.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.049 min
Delta R.T.: -0.002 min
Response: 166696448
Conc: 525.39 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 6.876 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.940 min
Delta R.T.: -0.008 min
Response: 139587203
Conc: 1287.12 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.059 min
Delta R.T.: -0.001 min
Response: 74365613
Conc: 45.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.921 min
Delta R.T.: -0.001 min
Response: 122497172
Conc: 48.96 ng/ml