

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092624\
 Data File : PL092103.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Sep 2024 01:41
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 27 06:17:47 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 23 16:44:57 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.541	2.780	114.4E6	147.6E6	51.408	58.857
28)	SA Decachlor...	9.059	7.921	77211064	126.0E6	47.131	50.368
Target Compounds							
2)	A alpha-BHC	3.996	3.283	162.1E6	216.9E6	52.340	59.539
3)	MA gamma-BHC...	4.329	3.613	171.4E6	207.2E6	55.310	58.668
4)	MA Heptachlor	4.918	3.952	137.6E6	191.5E6	49.746	55.495
5)	MB Aldrin	5.260	4.232	138.7E6	200.2E6	49.939	58.878
6)	B beta-BHC	4.526	3.912	66423331	85099911	50.079	56.616
7)	B delta-BHC	4.773	4.141	152.3E6	207.9E6	52.796	59.875
8)	B Heptachlo...	5.686	4.735	130.1E6	172.3E6	51.136	57.005
9)	A Endosulfan I	6.072	5.105	116.9E6	152.2E6	50.533	55.436
10)	B gamma-Chl...	5.943	4.985	132.2E6	172.7E6	53.480	57.388
11)	B alpha-Chl...	6.021	5.049	124.6E6	169.8E6	50.580	56.712
12)	B 4,4'-DDE	6.194	5.238	110.2E6	172.3E6	50.924	61.986
13)	MA Dieldrin	6.347	5.370	119.5E6	169.4E6	49.008	57.788
14)	MA Endrin	6.577	5.645	93590005	140.7E6	45.417	53.671
15)	B Endosulfa...	6.796	5.940	104.0E6	140.4E6	47.288	56.104
16)	A 4,4'-DDD	6.712	5.793	89418698	136.8E6	49.796	64.048 #
17)	MA 4,4'-DDT	7.026	6.044	83742332	121.9E6	45.482	52.708
18)	B Endrin al...	6.927	6.119	82920527	114.0E6	47.580	55.841
19)	B Endosulfa...	7.162	6.342	93556736	134.4E6	47.197	55.696
20)	A Methoxychlor	7.502	6.619	44842399	64965080	45.678	51.958
21)	B Endrin ke...	7.646	6.848	106.6E6	156.9E6	48.495	56.664
22)	Mirex	8.120	7.029	78559966	120.8E6	43.620	49.677
24)	Chlordane-2	5.260f	4.369	138.7E6	6785948	1293.365	60.467 #
25)	Chlordane-3	5.943	4.985	132.2E6	172.7E6	352.826	521.261 #
26)	Chlordane-4	6.021	5.049	124.6E6	169.8E6	275.140	535.073 #
27)	Chlordane-5	0.000	5.940	0	140.4E6	N.D.	1294.574 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092624\
Data File : PL092103.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Sep 2024 01:41
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 27 06:17:47 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
Quant Title : GC Extractables
QLast Update : Mon Sep 23 16:44:57 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.541 min
Delta R.T.: -0.003 min
Response: 114364874
Conc: 51.41 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.780 min
Delta R.T.: -0.003 min
Response: 147618550
Conc: 58.86 ng/ml




#2 alpha-BHC

R.T.: 3.996 min
Delta R.T.: -0.003 min
Response: 162070285
Conc: 52.34 ng/ml



#2 alpha-BHC


R.T.: 3.283 min
Delta R.T.: -0.003 min
Response: 216918246
Conc: 59.54 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.329 min
Delta R.T.: -0.003 min
Response: 171394671
Conc: 55.31 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.613 min
Delta R.T.: -0.003 min
Response: 207156278
Conc: 58.67 ng/ml




#4 Heptachlor

R.T.: 4.918 min
Delta R.T.: -0.002 min
Response: 137571317
Conc: 49.75 ng/ml



#4 Heptachlor


R.T.: 3.952 min
Delta R.T.: -0.003 min
Response: 191490862
Conc: 55.49 ng/ml



#5 Aldrin


R.T.: 5.260 min
Delta R.T.: -0.003 min
Response: 138709053
Conc: 49.94 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.232 min
Delta R.T.: -0.003 min
Response: 200248432
Conc: 58.88 ng/ml




#6 beta-BHC

R.T.: 4.526 min
Delta R.T.: -0.003 min
Response: 66423331
Conc: 50.08 ng/ml



#6 beta-BHC


R.T.: 3.912 min
Delta R.T.: -0.003 min
Response: 85099911
Conc: 56.62 ng/ml



#7 delta-BHC


R.T.: 4.773 min
Delta R.T.: -0.003 min
Response: 152273991
Conc: 52.80 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.141 min
Delta R.T.: -0.004 min
Response: 207868889
Conc: 59.88 ng/ml




#8 Heptachlor epoxide

R.T.: 5.686 min
Delta R.T.: -0.003 min
Response: 130140521
Conc: 51.14 ng/ml



#8 Heptachlor epoxide


R.T.: 4.735 min
Delta R.T.: -0.003 min
Response: 172319029
Conc: 57.00 ng/ml



#9 Endosulfan I


R.T.: 6.072 min
Delta R.T.: -0.003 min
Response: 116903193
Conc: 50.53 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.105 min
Delta R.T.: -0.003 min
Response: 152150758
Conc: 55.44 ng/ml




#10 gamma-Chlordane

R.T.: 5.943 min
Delta R.T.: -0.002 min
Response: 132160671
Conc: 53.48 ng/ml



#10 gamma-Chlordane


R.T.: 4.985 min
Delta R.T.: -0.003 min
Response: 172656368
Conc: 57.39 ng/ml



#11 alpha-Chlordane


R.T.: 6.021 min
Delta R.T.: -0.003 min
Response: 124595993
Conc: 50.58 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.049 min
Delta R.T.: -0.003 min
Response: 169769020
Conc: 56.71 ng/ml




#12 4,4'-DDE

R.T.: 6.194 min
Delta R.T.: -0.003 min
Response: 110221234
Conc: 50.92 ng/ml



#12 4,4'-DDE


R.T.: 5.238 min
Delta R.T.: -0.003 min
Response: 172250155
Conc: 61.99 ng/ml



#13 Dieldrin


R.T.: 6.347 min
Delta R.T.: -0.002 min
Response: 119522491
Conc: 49.01 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.370 min
Delta R.T.: -0.003 min
Response: 169425320
Conc: 57.79 ng/ml




#14 Endrin

R.T.: 6.577 min
Delta R.T.: -0.002 min
Response: 93590005
Conc: 45.42 ng/ml



#14 Endrin


R.T.: 5.645 min
Delta R.T.: -0.002 min
Response: 140735726
Conc: 53.67 ng/ml



#15 Endosulfan II


R.T.: 6.796 min
Delta R.T.: -0.002 min
Response: 104021528
Conc: 47.29 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.940 min
Delta R.T.: -0.002 min
Response: 140395776
Conc: 56.10 ng/ml




#16 4,4'-DDD

R.T.: 6.712 min
Delta R.T.: -0.002 min
Response: 89418698
Conc: 49.80 ng/ml



#16 4,4'-DDD


R.T.: 5.793 min
Delta R.T.: -0.003 min
Response: 136821550
Conc: 64.05 ng/ml



#17 4,4'-DDT


R.T.: 7.026 min
Delta R.T.: -0.002 min
Response: 83742332
Conc: 45.48 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.044 min
Delta R.T.: -0.002 min
Response: 121921405
Conc: 52.71 ng/ml




#18 Endrin aldehyde

R.T.: 6.927 min
Delta R.T.: -0.001 min
Response: 82920527
Conc: 47.58 ng/ml



#18 Endrin aldehyde


R.T.: 6.119 min
Delta R.T.: -0.002 min
Response: 113955044
Conc: 55.84 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.162 min
Delta R.T.: -0.001 min
Response: 93556736
Conc: 47.20 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.342 min
Delta R.T.: -0.002 min
Response: 134367537
Conc: 55.70 ng/ml




#20 Methoxychlor

R.T.: 7.502 min
Delta R.T.: -0.001 min
Response: 44842399
Conc: 45.68 ng/ml



#20 Methoxychlor


R.T.: 6.619 min
Delta R.T.: -0.002 min
Response: 64965080
Conc: 51.96 ng/ml



#21 Endrin ketone


R.T.: 7.646 min
Delta R.T.: -0.001 min
Response: 106571047
Conc: 48.50 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.848 min
Delta R.T.: -0.002 min
Response: 156898802
Conc: 56.66 ng/ml




#22 Mirex

R.T.: 8.120 min
Delta R.T.: -0.001 min
Response: 78559966
Conc: 43.62 ng/ml



#22 Mirex


R.T.: 7.029 min
Delta R.T.: -0.002 min
Response: 120845947
Conc: 49.68 ng/ml



#24 Chlordane-2


R.T.: 5.260 min
Delta R.T.: 0.025 min
Response: 138709053
Conc: 1293.37 ng/ml

Instrument :
ECD_L
ClientSampleId :




#24 Chlordane-2

R.T.: 4.369 min
Delta R.T.: 0.011 min
Response: 6785948
Conc: 60.47 ng/ml




#25 Chlordane-3

R.T.: 5.943 min
Delta R.T.: -0.003 min
Response: 132160671
Conc: 352.83 ng/ml



#25 Chlordane-3

R.T.: 4.985 min
Delta R.T.: -0.003 min
Response: 172656368
Conc: 521.26 ng/ml




#26 Chlordane-4

R.T.: 6.021 min
Delta R.T.: -0.006 min
Response: 124595993
Conc: 275.14 ng/ml

Instrument :


ECD_L

ClientSampleId :




#26 Chlordane-4

R.T.: 5.049 min
Delta R.T.: -0.002 min
Response: 169769020
Conc: 535.07 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 6.876 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.940 min
Delta R.T.: -0.007 min
Response: 140395776
Conc: 1294.57 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.059 min
Delta R.T.: -0.001 min
Response: 77211064
Conc: 47.13 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.921 min
Delta R.T.: -0.002 min
Response: 126019057
Conc: 50.37 ng/ml