

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092724\
 Data File : PL092112.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Sep 2024 13:45
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 28 00:03:51 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 23 16:44:57 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.540	2.779	105.5E6	129.0E6	47.427	51.450
28)	SA Decachlor...	9.059	7.922	72506399	104.1E6	44.259	41.627
Target Compounds							
2)	A alpha-BHC	3.996	3.282	147.7E6	190.5E6	47.701	52.300
3)	MA gamma-BHC...	4.329	3.613	148.6E6	181.8E6	47.955	51.480
4)	MA Heptachlor	4.918	3.952	126.4E6	170.7E6	45.689	49.461
5)	MB Aldrin	5.260	4.232	132.7E6	191.8E6	47.764	56.393
6)	B beta-BHC	4.526	3.912	60520367	75537775	45.628	50.255
7)	B delta-BHC	4.773	4.141	135.7E6	187.5E6	47.036	54.002
8)	B Heptachlo...	5.686	4.735	147.7E6	148.7E6	58.021	49.187
9)	A Endosulfan I	6.072	5.105	114.7E6	121.5E6	49.570	44.270
10)	B gamma-Chl...	5.942	4.985	146.4E6	151.7E6	59.237	50.437
11)	B alpha-Chl...	6.021	5.049	123.4E6	149.5E6	50.084	49.939
12)	B 4,4'-DDE	6.194	5.238	98478810	159.4E6	45.499	57.362 #
13)	MA Dieldrin	6.347	5.370	108.8E6	149.3E6	44.629	50.938
14)	MA Endrin	6.577	5.645	89919547	127.8E6	43.635	48.754
15)	B Endosulfa...	6.796	5.940	97578378	119.6E6	44.359	47.788
16)	A 4,4'-DDD	6.712	5.793	74844557	110.3E6	41.679	51.628
17)	MA 4,4'-DDT	7.026	6.044	79493610	109.1E6	43.175	47.176
18)	B Endrin al...	6.926	6.119	75561298	99484753	43.357	48.750
19)	B Endosulfa...	7.161	6.342	85315136	114.2E6	43.039	47.353
20)	A Methoxychlor	7.502	6.619	41441305	57383794	42.213	45.894
21)	B Endrin ke...	7.646	6.848	95971637	123.2E6	43.672	44.494
22)	Mirex	8.120	7.029	73850862	101.3E6	41.006	41.645
23)	Chlordane-1	0.000	3.776	0	233168	N.D.	2.332 #
24)	Chlordane-2	5.260f	4.368	132.7E6	25112669	1237.033	223.769 #
25)	Chlordane-3	5.942	4.985	146.4E6	151.7E6	390.805	458.126
26)	Chlordane-4	6.021	5.049	123.4E6	149.5E6	272.443	471.169 #
27)	Chlordane-5	0.000	5.940	0	119.6E6	N.D.	1102.683 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092724\
Data File : PL092112.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Sep 2024 13:45
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 28 00:03:51 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
Quant Title : GC Extractables
QLast Update : Mon Sep 23 16:44:57 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.540 min
Delta R.T.: -0.004 min
Response: 105509105
Conc: 47.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.779 min
Delta R.T.: -0.003 min
Response: 129040804
Conc: 51.45 ng/ml




#2 alpha-BHC

R.T.: 3.996 min
Delta R.T.: -0.003 min
Response: 147708027
Conc: 47.70 ng/ml



#2 alpha-BHC


R.T.: 3.282 min
Delta R.T.: -0.003 min
Response: 190545110
Conc: 52.30 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.329 min
Delta R.T.: -0.003 min
Response: 148604181
Conc: 47.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.613 min
Delta R.T.: -0.003 min
Response: 181774621
Conc: 51.48 ng/ml




#4 Heptachlor

R.T.: 4.918 min
Delta R.T.: -0.002 min
Response: 126350947
Conc: 45.69 ng/ml



#4 Heptachlor


R.T.: 3.952 min
Delta R.T.: -0.003 min
Response: 170671921
Conc: 49.46 ng/ml



#5 Aldrin


R.T.: 5.260 min
Delta R.T.: -0.003 min
Response: 132667646
Conc: 47.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.232 min
Delta R.T.: -0.003 min
Response: 191797131
Conc: 56.39 ng/ml




#6 beta-BHC

R.T.: 4.526 min
Delta R.T.: -0.003 min
Response: 60520367
Conc: 45.63 ng/ml



#6 beta-BHC


R.T.: 3.912 min
Delta R.T.: -0.003 min
Response: 75537775
Conc: 50.25 ng/ml



#7 delta-BHC


R.T.: 4.773 min
Delta R.T.: -0.003 min
Response: 135660365
Conc: 47.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.141 min
Delta R.T.: -0.003 min
Response: 187478200
Conc: 54.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.686 min
Delta R.T.: -0.003 min
Response: 147662109
Conc: 58.02 ng/ml



#8 Heptachlor epoxide


R.T.: 4.735 min
Delta R.T.: -0.003 min
Response: 148687668
Conc: 49.19 ng/ml



#9 Endosulfan I


R.T.: 6.072 min
Delta R.T.: -0.003 min
Response: 114674290
Conc: 49.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.105 min
Delta R.T.: -0.003 min
Response: 121506177
Conc: 44.27 ng/ml




#10 gamma-Chlordane

R.T.: 5.942 min
Delta R.T.: -0.002 min
Response: 146386420
Conc: 59.24 ng/ml



#10 gamma-Chlordane


R.T.: 4.985 min
Delta R.T.: -0.003 min
Response: 151744407
Conc: 50.44 ng/ml



#11 alpha-Chlordane


R.T.: 6.021 min
Delta R.T.: -0.003 min
Response: 123374714
Conc: 50.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.049 min
Delta R.T.: -0.003 min
Response: 149493303
Conc: 49.94 ng/ml




#12 4,4'-DDE

R.T.: 6.194 min
Delta R.T.: -0.002 min
Response: 98478810
Conc: 45.50 ng/ml



#12 4,4'-DDE


R.T.: 5.238 min
Delta R.T.: -0.003 min
Response: 159400340
Conc: 57.36 ng/ml



#13 Dieldrin


R.T.: 6.347 min
Delta R.T.: -0.002 min
Response: 108843008
Conc: 44.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.370 min
Delta R.T.: -0.003 min
Response: 149340718
Conc: 50.94 ng/ml




#14 Endrin

R.T.: 6.577 min
Delta R.T.: -0.003 min
Response: 89919547
Conc: 43.64 ng/ml



#14 Endrin


R.T.: 5.645 min
Delta R.T.: -0.002 min
Response: 127841419
Conc: 48.75 ng/ml



#15 Endosulfan II


R.T.: 6.796 min
Delta R.T.: -0.002 min
Response: 97578378
Conc: 44.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.940 min
Delta R.T.: -0.002 min
Response: 119585314
Conc: 47.79 ng/ml




#16 4,4'-DDD

R.T.: 6.712 min
Delta R.T.: -0.002 min
Response: 74844557
Conc: 41.68 ng/ml



#16 4,4'-DDD


R.T.: 5.793 min
Delta R.T.: -0.003 min
Response: 110288154
Conc: 51.63 ng/ml



#17 4,4'-DDT


R.T.: 7.026 min
Delta R.T.: -0.002 min
Response: 79493610
Conc: 43.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.044 min
Delta R.T.: -0.002 min
Response: 109126066
Conc: 47.18 ng/ml




#18 Endrin aldehyde

R.T.: 6.926 min
Delta R.T.: -0.002 min
Response: 75561298
Conc: 43.36 ng/ml



#18 Endrin aldehyde


R.T.: 6.119 min
Delta R.T.: -0.002 min
Response: 99484753
Conc: 48.75 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.161 min
Delta R.T.: -0.002 min
Response: 85315136
Conc: 43.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.342 min
Delta R.T.: -0.002 min
Response: 114240828
Conc: 47.35 ng/ml




#20 Methoxychlor

R.T.: 7.502 min
Delta R.T.: -0.002 min
Response: 41441305
Conc: 42.21 ng/ml



#20 Methoxychlor


R.T.: 6.619 min
Delta R.T.: -0.002 min
Response: 57383794
Conc: 45.89 ng/ml



#21 Endrin ketone


R.T.: 7.646 min
Delta R.T.: -0.001 min
Response: 95971637
Conc: 43.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.848 min
Delta R.T.: -0.002 min
Response: 123202390
Conc: 44.49 ng/ml




#22 Mirex

R.T.: 8.120 min
Delta R.T.: -0.002 min
Response: 73850862
Conc: 41.01 ng/ml



#22 Mirex


R.T.: 7.029 min
Delta R.T.: -0.002 min
Response: 101308639
Conc: 41.65 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.706 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.776 min
Delta R.T.: -0.004 min
Response: 233168
Conc: 2.33 ng/ml




#24 Chlordane-2

R.T.: 5.260 min
Delta R.T.: 0.024 min
Response: 132667646
Conc: 1237.03 ng/ml



#24 Chlordane-2


R.T.: 4.368 min
Delta R.T.: 0.009 min
Response: 25112669
Conc: 223.77 ng/ml



#25 Chlordane-3


R.T.: 5.942 min
Delta R.T.: -0.003 min
Response: 146386420
Conc: 390.80 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 4.985 min
Delta R.T.: -0.003 min
Response: 151744407
Conc: 458.13 ng/ml




#26 Chlordane-4

R.T.: 6.021 min
Delta R.T.: -0.006 min
Response: 123374714
Conc: 272.44 ng/ml



#26 Chlordane-4


R.T.: 5.049 min
Delta R.T.: -0.003 min
Response: 149493303
Conc: 471.17 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.876 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 5.940 min
Delta R.T.: -0.007 min
Response: 119585314
Conc: 1102.68 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.059 min
Delta R.T.: 0.000 min
Response: 72506399
Conc: 44.26 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.922 min
Delta R.T.: 0.000 min
Response: 104147758
Conc: 41.63 ng/ml