

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092724\
 Data File : PL092124.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Sep 2024 17:39
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 28 00:15:33 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 23 16:44:57 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.542	2.781	110.0E6	137.1E6	49.444	54.648
28)	SA Decachlor...	9.060	7.922	76349832	125.3E6	46.605	50.079
Target Compounds							
2)	A alpha-BHC	3.998	3.284	156.2E6	203.8E6	50.429	55.948
3)	MA gamma-BHC...	4.331	3.614	157.1E6	194.6E6	50.711	55.124
4)	MA Heptachlor	4.919	3.953	134.6E6	185.8E6	48.686	53.849
5)	MB Aldrin	5.261	4.233	133.3E6	216.2E6	47.978	63.558 #
6)	B beta-BHC	4.528	3.913	63690689	80207056	48.019	53.361
7)	B delta-BHC	4.775	4.143	143.2E6	202.8E6	49.658	58.406
8)	B Heptachlo...	5.687	4.737	152.8E6	161.0E6	60.032	53.265
9)	A Endosulfan I	6.073	5.106	119.2E6	125.5E6	51.523	45.726
10)	B gamma-Chl...	5.944	4.986	152.8E6	163.4E6	61.832	54.307
11)	B alpha-Chl...	6.023	5.050	128.7E6	159.7E6	52.234	53.350
12)	B 4,4'-DDE	6.196	5.239	103.7E6	173.8E6	47.932	62.555 #
13)	MA Dieldrin	6.348	5.371	114.3E6	160.8E6	46.870	54.849
14)	MA Endrin	6.578	5.646	93430658	141.3E6	45.339	53.905
15)	B Endosulfa...	6.798	5.941	105.7E6	131.8E6	48.053	52.682
16)	A 4,4'-DDD	6.713	5.794	78486428	122.2E6	43.708	57.222 #
17)	MA 4,4'-DDT	7.027	6.045	84765270	120.8E6	46.038	52.236
18)	B Endrin al...	6.928	6.120	81930970	106.6E6	47.012	52.227
19)	B Endosulfa...	7.162	6.343	91398337	124.5E6	46.108	51.597
20)	A Methoxychlor	7.503	6.620	41677521	64157586	42.454	51.312
21)	B Endrin ke...	7.647	6.849	101.2E6	125.5E6	46.070	45.323
22)	Mirex	8.121	7.030	79555290	118.9E6	44.173	48.879
23)	Chlordane-1	0.000	3.776	0	251692	N.D.	2.517 #
24)	Chlordane-2	5.261f	4.370	133.3E6	26098724	1242.583	232.555 #
25)	Chlordane-3	5.944	4.986	152.8E6	163.4E6	407.923	493.273
26)	Chlordane-4	6.023	5.050	128.7E6	159.7E6	284.136	503.353 #
27)	Chlordane-5	0.000	5.941	0	131.8E6	N.D.	1215.614 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092724\
Data File : PL092124.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Sep 2024 17:39
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 28 00:15:33 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
Quant Title : GC Extractables
QLast Update : Mon Sep 23 16:44:57 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.542 min
Delta R.T.: -0.002 min
Response: 109996480
Conc: 49.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.781 min
Delta R.T.: -0.001 min
Response: 137061376
Conc: 54.65 ng/ml




#2 alpha-BHC

R.T.: 3.998 min
Delta R.T.: -0.001 min
Response: 156153821
Conc: 50.43 ng/ml



#2 alpha-BHC


R.T.: 3.284 min
Delta R.T.: -0.002 min
Response: 203836114
Conc: 55.95 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.331 min
Delta R.T.: -0.002 min
Response: 157142291
Conc: 50.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.614 min
Delta R.T.: -0.002 min
Response: 194642628
Conc: 55.12 ng/ml




#4 Heptachlor

R.T.: 4.919 min
Delta R.T.: -0.001 min
Response: 134638034
Conc: 48.69 ng/ml



#4 Heptachlor


R.T.: 3.953 min
Delta R.T.: -0.002 min
Response: 185811934
Conc: 53.85 ng/ml



#5 Aldrin


R.T.: 5.261 min
Delta R.T.: -0.002 min
Response: 133262856
Conc: 47.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.233 min
Delta R.T.: -0.002 min
Response: 216168282
Conc: 63.56 ng/ml




#6 beta-BHC

R.T.: 4.528 min
Delta R.T.: -0.001 min
Response: 63690689
Conc: 48.02 ng/ml



#6 beta-BHC


R.T.: 3.913 min
Delta R.T.: -0.002 min
Response: 80207056
Conc: 53.36 ng/ml



#7 delta-BHC


R.T.: 4.775 min
Delta R.T.: -0.002 min
Response: 143223366
Conc: 49.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.143 min
Delta R.T.: -0.002 min
Response: 202767474
Conc: 58.41 ng/ml




#8 Heptachlor epoxide

R.T.: 5.687 min
Delta R.T.: -0.001 min
Response: 152781180
Conc: 60.03 ng/ml



#8 Heptachlor epoxide


R.T.: 4.737 min
Delta R.T.: -0.002 min
Response: 161015306
Conc: 53.27 ng/ml



#9 Endosulfan I


R.T.: 6.073 min
Delta R.T.: -0.001 min
Response: 119192595
Conc: 51.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.106 min
Delta R.T.: -0.002 min
Response: 125500640
Conc: 45.73 ng/ml




#10 gamma-Chlordane

R.T.: 5.944 min
Delta R.T.: -0.001 min
Response: 152798736
Conc: 61.83 ng/ml



#10 gamma-Chlordane


R.T.: 4.986 min
Delta R.T.: -0.002 min
Response: 163385868
Conc: 54.31 ng/ml



#11 alpha-Chlordane


R.T.: 6.023 min
Delta R.T.: -0.001 min
Response: 128670113
Conc: 52.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.050 min
Delta R.T.: -0.002 min
Response: 159704804
Conc: 53.35 ng/ml




#12 4,4'-DDE

R.T.: 6.196 min
Delta R.T.: -0.001 min
Response: 103745793
Conc: 47.93 ng/ml



#12 4,4'-DDE


R.T.: 5.239 min
Delta R.T.: -0.002 min
Response: 173829718
Conc: 62.55 ng/ml



#13 Dieldrin


R.T.: 6.348 min
Delta R.T.: 0.000 min
Response: 114310318
Conc: 46.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.371 min
Delta R.T.: -0.001 min
Response: 160808278
Conc: 54.85 ng/ml




#14 Endrin

R.T.: 6.578 min
Delta R.T.: -0.002 min
Response: 93430658
Conc: 45.34 ng/ml



#14 Endrin


R.T.: 5.646 min
Delta R.T.: -0.001 min
Response: 141349580
Conc: 53.91 ng/ml



#15 Endosulfan II


R.T.: 6.798 min
Delta R.T.: 0.000 min
Response: 105702585
Conc: 48.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.941 min
Delta R.T.: -0.001 min
Response: 131832700
Conc: 52.68 ng/ml




#16 4,4'-DDD

R.T.: 6.713 min
Delta R.T.: -0.001 min
Response: 78486428
Conc: 43.71 ng/ml



#16 4,4'-DDD


R.T.: 5.794 min
Delta R.T.: -0.002 min
Response: 122239773
Conc: 57.22 ng/ml



#17 4,4'-DDT


R.T.: 7.027 min
Delta R.T.: 0.000 min
Response: 84765270
Conc: 46.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.045 min
Delta R.T.: 0.000 min
Response: 120830991
Conc: 52.24 ng/ml




#18 Endrin aldehyde

R.T.: 6.928 min
Delta R.T.: 0.000 min
Response: 81930970
Conc: 47.01 ng/ml



#18 Endrin aldehyde


R.T.: 6.120 min
Delta R.T.: -0.001 min
Response: 106580565
Conc: 52.23 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.162 min
Delta R.T.: 0.000 min
Response: 91398337
Conc: 46.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.343 min
Delta R.T.: -0.001 min
Response: 124478766
Conc: 51.60 ng/ml




#20 Methoxychlor

R.T.: 7.503 min
Delta R.T.: 0.000 min
Response: 41677521
Conc: 42.45 ng/ml



#20 Methoxychlor


R.T.: 6.620 min
Delta R.T.: -0.001 min
Response: 64157586
Conc: 51.31 ng/ml



#21 Endrin ketone


R.T.: 7.647 min
Delta R.T.: 0.000 min
Response: 101242256
Conc: 46.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.849 min
Delta R.T.: -0.001 min
Response: 125498090
Conc: 45.32 ng/ml




#22 Mirex

R.T.: 8.121 min
Delta R.T.: 0.000 min
Response: 79555290
Conc: 44.17 ng/ml



#22 Mirex


R.T.: 7.030 min
Delta R.T.: -0.002 min
Response: 118906984
Conc: 48.88 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.706 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.776 min
Delta R.T.: -0.004 min
Response: 251692
Conc: 2.52 ng/ml




#24 Chlordane-2

R.T.: 5.261 min
Delta R.T.: 0.026 min
Response: 133262856
Conc: 1242.58 ng/ml



#24 Chlordane-2


R.T.: 4.370 min
Delta R.T.: 0.012 min
Response: 26098724
Conc: 232.56 ng/ml



#25 Chlordane-3


R.T.: 5.944 min
Delta R.T.: -0.002 min
Response: 152798736
Conc: 407.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 4.986 min
Delta R.T.: -0.002 min
Response: 163385868
Conc: 493.27 ng/ml




#26 Chlordane-4

R.T.: 6.023 min
Delta R.T.: -0.004 min
Response: 128670113
Conc: 284.14 ng/ml



#26 Chlordane-4


R.T.: 5.050 min
Delta R.T.: -0.001 min
Response: 159704804
Conc: 503.35 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.876 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 5.941 min
Delta R.T.: -0.006 min
Response: 131832700
Conc: 1215.61 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.060 min
Delta R.T.: 0.000 min
Response: 76349832
Conc: 46.61 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.922 min
Delta R.T.: 0.000 min
Response: 125293591
Conc: 50.08 ng/ml