

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092818\
 Data File : PL040507.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Sep 2018 16:18
 Operator : AJ\SJ
 Sample : PB113334BS
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB113334BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 28 22:46:39 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092618.M
 Quant Title : GC Extractables
 QLast Update : Thu Sep 27 01:27:39 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.211	3.806	183.8E6	66521258	25.103	21.066
28)	SA Decachlor...	7.813	8.731	245.7E6	74113781	25.847	23.403
Target Compounds							
2)	A alpha-BHC	3.632	4.177	732.0E6	261.6E6	62.558	55.178
3)	MA gamma-BHC...	3.902	4.451	670.6E6	239.6E6	61.682	52.791
4)	MA Heptachlor	4.176	4.950	734.2E6	236.9E6	62.399	55.770
5)	MB Aldrin	4.408	5.246	669.7E6	230.9E6	63.378	54.704
6)	B beta-BHC	4.156	4.614	260.4E6	104.6E6	61.688	52.348
7)	B delta-BHC	4.342	4.823	712.5E6	232.5E6	63.837	50.363
8)	B Heptachlo...	4.837	5.622	578.2E6	208.6E6	55.855m	54.353
9)	A Endosulfan I	5.161	5.970	576.7E6	197.8E6	57.216m	53.156
10)	B gamma-Chl...	5.056	5.852	670.0E6	214.6E6	61.699m	54.305
11)	B alpha-Chl...	5.110	5.925	631.8E6	213.8E6	60.305m	54.482
12)	B 4,4'-DDE	5.281	6.084	610.0E6	216.6E6	55.190m	53.804
13)	MA Dieldrin	5.398	6.221	658.1E6	210.5E6	60.081	55.092
14)	MA Endrin	5.647	6.433	454.7E6	200.4E6	45.770m	61.358 #
15)	B Endosulfa...	5.921	6.637	574.9E6	182.2E6	57.709	52.110
16)	A 4,4'-DDD	5.788	6.562	543.3E6	185.1E6	58.852	58.270
17)	MA 4,4'-DDT	6.018	6.856	311.4E6	162.0E6	38.508m	53.151m#
18)	B Endrin al...	6.088	6.759	439.5E6	152.9E6	52.338	51.089
19)	B Endosulfa...	6.297	6.980	565.8E6	169.8E6	59.112	52.789
20)	A Methoxychlor	6.564	7.313	262.4E6	64419569	54.319	42.272
21)	B Endrin ke...	6.772	7.438	516.8E6	179.9E6	47.632m	58.505


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092818\
Data File : PL040507.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Sep 2018 16:18
Operator : AJ\SJ
Sample : PB113334BS
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PB113334BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 28 22:46:39 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092618.M
Quant Title : GC Extractables
QLast Update : Thu Sep 27 01:27:39 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.211 min
Delta R.T.: 0.000 min
Response: 183756098
Conc: 25.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB113334BS




#1 Tetrachloro-m-xylene

R.T.: 3.806 min
Delta R.T.: -0.002 min
Response: 66521258
Conc: 21.07 ng/ml




#2 alpha-BHC

R.T.: 3.632 min
Delta R.T.: 0.000 min
Response: 731955636
Conc: 62.56 ng/ml



#2 alpha-BHC


R.T.: 4.177 min
Delta R.T.: -0.001 min
Response: 261608347
Conc: 55.18 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 3.902 min
Delta R.T.: 0.000 min
Response: 670636578
Conc: 61.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB113334BS




#3 gamma-BHC (Lindane)

R.T.: 4.451 min
Delta R.T.: -0.001 min
Response: 239575558
Conc: 52.79 ng/ml




#4 Heptachlor

R.T.: 4.176 min
Delta R.T.: 0.000 min
Response: 734236460
Conc: 62.40 ng/ml



#4 Heptachlor


R.T.: 4.950 min
Delta R.T.: 0.000 min
Response: 236904828
Conc: 55.77 ng/ml



#5 Aldrin


R.T.: 4.408 min
Delta R.T.: 0.000 min
Response: 669678804
Conc: 63.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB113334BS




#5 Aldrin

R.T.: 5.246 min
Delta R.T.: -0.001 min
Response: 230862996
Conc: 54.70 ng/ml




#6 beta-BHC

R.T.: 4.156 min
Delta R.T.: 0.000 min
Response: 260379204
Conc: 61.69 ng/ml



#6 beta-BHC


R.T.: 4.614 min
Delta R.T.: 0.000 min
Response: 104598281
Conc: 52.35 ng/ml



#7 delta-BHC


R.T.: 4.342 min
Delta R.T.: 0.000 min
Response: 712471231
Conc: 63.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB113334BS




#7 delta-BHC

R.T.: 4.823 min
Delta R.T.: -0.001 min
Response: 232460862
Conc: 50.36 ng/ml




#8 Heptachlor epoxide

R.T.: 4.837 min
Delta R.T.: -0.003 min
Response: 578162485
Conc: 55.85 ng/ml m



#8 Heptachlor epoxide


R.T.: 5.622 min
Delta R.T.: 0.000 min
Response: 208641397
Conc: 54.35 ng/ml



#9 Endosulfan I


R.T.: 5.161 min
Delta R.T.: -0.002 min
Response: 576717079
Conc: 57.22 ng/ml m

Instrument :
ECD_L
ClientSampleId :
PB113334BS




#9 Endosulfan I

R.T.: 5.970 min
Delta R.T.: 0.000 min
Response: 197773506
Conc: 53.16 ng/ml




#10 gamma-Chlordane

R.T.: 5.056 min
Delta R.T.: -0.002 min
Response: 670043860
Conc: 61.70 ng/ml m



#10 gamma-Chlordane


R.T.: 5.852 min
Delta R.T.: 0.000 min
Response: 214599157
Conc: 54.31 ng/ml



#11 alpha-Chlordane


R.T.: 5.110 min
Delta R.T.: -0.003 min
Response: 631784643
Conc: 60.30 ng/ml m

Instrument :
ECD_L
ClientSampleId :
PB113334BS




#11 alpha-Chlordane

R.T.: 5.925 min
Delta R.T.: 0.000 min
Response: 213810303
Conc: 54.48 ng/ml




#12 4,4'-DDE

R.T.: 5.281 min
Delta R.T.: -0.002 min
Response: 610013612
Conc: 55.19 ng/ml m



#12 4,4'-DDE


R.T.: 6.084 min
Delta R.T.: 0.000 min
Response: 216633781
Conc: 53.80 ng/ml



#13 Dieldrin


R.T.: 5.398 min
Delta R.T.: 0.000 min
Response: 658136909
Conc: 60.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB113334BS




#13 Dieldrin

R.T.: 6.221 min
Delta R.T.: 0.000 min
Response: 210466316
Conc: 55.09 ng/ml




#14 Endrin

R.T.: 5.647 min
Delta R.T.: -0.001 min
Response: 454675920
Conc: 45.77 ng/ml m



#14 Endrin


R.T.: 6.433 min
Delta R.T.: 0.000 min
Response: 200444081
Conc: 61.36 ng/ml



#15 Endosulfan II


R.T.: 5.921 min
Delta R.T.: 0.000 min
Response: 574927498
Conc: 57.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB113334BS




#15 Endosulfan II

R.T.: 6.637 min
Delta R.T.: 0.000 min
Response: 182160680
Conc: 52.11 ng/ml




#16 4,4'-DDD

R.T.: 5.788 min
Delta R.T.: 0.000 min
Response: 543295578
Conc: 58.85 ng/ml



#16 4,4'-DDD


R.T.: 6.562 min
Delta R.T.: 0.000 min
Response: 185122660
Conc: 58.27 ng/ml



#17 4,4'-DDT


R.T.: 6.018 min
Delta R.T.: 0.000 min
Response: 311403546
Conc: 38.51 ng/ml m

Instrument :
ECD_L
ClientSampleId :
PB113334BS




#17 4,4'-DDT

R.T.: 6.856 min
Delta R.T.: -0.002 min
Response: 161965836
Conc: 53.15 ng/ml m




#18 Endrin aldehyde

R.T.: 6.088 min
Delta R.T.: 0.000 min
Response: 439476745
Conc: 52.34 ng/ml



#18 Endrin aldehyde


R.T.: 6.759 min
Delta R.T.: 0.000 min
Response: 152923750
Conc: 51.09 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.297 min
Delta R.T.: -0.001 min
Response: 565779645
Conc: 59.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB113334BS




#19 Endosulfan Sulfate

R.T.: 6.980 min
Delta R.T.: 0.000 min
Response: 169792193
Conc: 52.79 ng/ml




#20 Methoxychlor

R.T.: 6.564 min
Delta R.T.: -0.001 min
Response: 262378005
Conc: 54.32 ng/ml



#20 Methoxychlor


R.T.: 7.313 min
Delta R.T.: -0.001 min
Response: 64419569
Conc: 42.27 ng/ml



#21 Endrin ketone


R.T.: 6.772 min
Delta R.T.: -0.002 min
Response: 516798935
Conc: 47.63 ng/ml m

Instrument :
ECD_L
ClientSampleId :
PB113334BS




#21 Endrin ketone

R.T.: 7.438 min
Delta R.T.: 0.000 min
Response: 179851786
Conc: 58.51 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.813 min
Delta R.T.: -0.002 min
Response: 245692537
Conc: 25.85 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.731 min
Delta R.T.: 0.000 min
Response: 74113781
Conc: 23.40 ng/ml