

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092820\
 Data File : PL061844.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Sep 2020 15:53
 Operator : DD\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 28 17:45:06 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092320.M
 Quant Title : GC Extractables
 QLast Update : Wed Sep 23 13:58:40 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.458	4.007	85912944	133.4E6	50.360	48.883
28)	SA Decachlor...	8.210	9.094	80103519	111.6E6	49.241	50.685
Target Compounds							
2)	A alpha-BHC	3.894	4.396	125.7E6	200.2E6	51.567	50.115
3)	MA gamma-BHC...	4.177	4.682	112.9E6	184.2E6	51.629	49.759
4)	MA Heptachlor	4.478	5.192	104.7E6	176.1E6	51.290	50.845
5)	MB Aldrin	4.726	5.499	93729339	163.9E6	51.948	50.595
6)	B beta-BHC	4.428	4.853	46694156	75263077	51.126	49.844
7)	B delta-BHC	4.632	5.071	107.1E6	158.2E6	52.223	62.104
8)	B Heptachlo...	5.169	5.886	89382013	145.9E6	51.196	58.851
9)	A Endosulfan I	5.507	6.244	83303886	137.0E6	51.408	49.577
10)	B gamma-Chl...	5.396	6.121	89281730	150.2E6	51.410	51.164
11)	B alpha-Chl...	5.454	6.194	89124834	149.4E6	51.308	49.744
12)	B 4,4'-DDE	5.619	6.352	81867711	137.2E6	52.090	50.275
13)	MA Dieldrin	5.750	6.502	86718442	140.9E6	51.560	49.665
14)	MA Endrin	6.006	6.720	76917125	113.1E6	48.339	46.344
15)	B Endosulfa...	6.280	6.930	79649066	119.1E6	49.263	46.086
16)	A 4,4'-DDD	6.134	6.843	70716896	109.4E6	53.411	49.215
17)	MA 4,4'-DDT	6.375	7.143	65940656	102.8E6	52.272	46.949
18)	B Endrin al...	6.448	7.054	67935122	102.0E6	48.311	47.675
19)	B Endosulfa...	6.661	7.278	77185707	113.1E6	49.892	48.302
20)	A Methoxychlor	6.921	7.603	39421561	58266089	48.758	46.244
21)	B Endrin ke...	7.151	7.750	90076156	118.5E6	52.707	50.499
22)	Mirex	7.340	8.206	67721238	87399882	48.306	49.604



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092820\
Data File : PL061844.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Sep 2020 15:53
Operator : DD\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 28 17:45:06 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092320.M
Quant Title : GC Extractables
QLast Update : Wed Sep 23 13:58:40 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.458 min
Delta R.T.: 0.000 min
Response: 85912944
Conc: 50.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 4.007 min
Delta R.T.: 0.000 min
Response: 133364201
Conc: 48.88 ng/ml




#2 alpha-BHC

R.T.: 3.894 min
Delta R.T.: 0.000 min
Response: 125690642
Conc: 51.57 ng/ml



#2 alpha-BHC


R.T.: 4.396 min
Delta R.T.: 0.000 min
Response: 200175219
Conc: 50.12 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.177 min
Delta R.T.: 0.000 min
Response: 112925068
Conc: 51.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.682 min
Delta R.T.: 0.000 min
Response: 184203167
Conc: 49.76 ng/ml




#4 Heptachlor

R.T.: 4.478 min
Delta R.T.: 0.000 min
Response: 104665904
Conc: 51.29 ng/ml



#4 Heptachlor


R.T.: 5.192 min
Delta R.T.: 0.000 min
Response: 176071140
Conc: 50.85 ng/ml



#5 Aldrin


R.T.: 4.726 min
Delta R.T.: 0.000 min
Response: 93729339
Conc: 51.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.499 min
Delta R.T.: 0.000 min
Response: 163903002
Conc: 50.60 ng/ml




#6 beta-BHC

R.T.: 4.428 min
Delta R.T.: 0.000 min
Response: 46694156
Conc: 51.13 ng/ml



#6 beta-BHC


R.T.: 4.853 min
Delta R.T.: 0.000 min
Response: 75263077
Conc: 49.84 ng/ml



#7 delta-BHC


R.T.: 4.632 min
Delta R.T.: 0.000 min
Response: 107068335
Conc: 52.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.071 min
Delta R.T.: 0.000 min
Response: 158245337
Conc: 62.10 ng/ml




#8 Heptachlor epoxide

R.T.: 5.169 min
Delta R.T.: 0.000 min
Response: 89382013
Conc: 51.20 ng/ml



#8 Heptachlor epoxide


R.T.: 5.886 min
Delta R.T.: 0.000 min
Response: 145854621
Conc: 58.85 ng/ml



#9 Endosulfan I


R.T.: 5.507 min
Delta R.T.: 0.000 min
Response: 83303886
Conc: 51.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.244 min
Delta R.T.: 0.000 min
Response: 136957194
Conc: 49.58 ng/ml




#10 gamma-Chlordane

R.T.: 5.396 min
Delta R.T.: 0.000 min
Response: 89281730
Conc: 51.41 ng/ml



#10 gamma-Chlordane


R.T.: 6.121 min
Delta R.T.: 0.000 min
Response: 150249856
Conc: 51.16 ng/ml



#11 alpha-Chlordane


R.T.: 5.454 min
Delta R.T.: 0.000 min
Response: 89124834
Conc: 51.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.194 min
Delta R.T.: 0.000 min
Response: 149408142
Conc: 49.74 ng/ml




#12 4,4'-DDE

R.T.: 5.619 min
Delta R.T.: 0.000 min
Response: 81867711
Conc: 52.09 ng/ml



#12 4,4'-DDE


R.T.: 6.352 min
Delta R.T.: 0.000 min
Response: 137241913
Conc: 50.28 ng/ml



#13 Dieldrin


R.T.: 5.750 min
Delta R.T.: 0.000 min
Response: 86718442
Conc: 51.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.502 min
Delta R.T.: 0.000 min
Response: 140895443
Conc: 49.66 ng/ml




#14 Endrin

R.T.: 6.006 min
Delta R.T.: -0.001 min
Response: 76917125
Conc: 48.34 ng/ml



#14 Endrin


R.T.: 6.720 min
Delta R.T.: -0.001 min
Response: 113060958
Conc: 46.34 ng/ml



#15 Endosulfan II


R.T.: 6.280 min
Delta R.T.: 0.000 min
Response: 79649066
Conc: 49.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.930 min
Delta R.T.: 0.000 min
Response: 119119544
Conc: 46.09 ng/ml




#16 4,4'-DDD

R.T.: 6.134 min
Delta R.T.: 0.000 min
Response: 70716896
Conc: 53.41 ng/ml



#16 4,4'-DDD


R.T.: 6.843 min
Delta R.T.: 0.000 min
Response: 109409807
Conc: 49.22 ng/ml



#17 4,4'-DDT


R.T.: 6.375 min
Delta R.T.: -0.002 min
Response: 65940656
Conc: 52.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.143 min
Delta R.T.: 0.000 min
Response: 102810046
Conc: 46.95 ng/ml




#18 Endrin aldehyde

R.T.: 6.448 min
Delta R.T.: -0.001 min
Response: 67935122
Conc: 48.31 ng/ml



#18 Endrin aldehyde


R.T.: 7.054 min
Delta R.T.: 0.000 min
Response: 102045612
Conc: 47.67 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.661 min
Delta R.T.: 0.000 min
Response: 77185707
Conc: 49.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.278 min
Delta R.T.: 0.000 min
Response: 113103823
Conc: 48.30 ng/ml




#20 Methoxychlor

R.T.: 6.921 min
Delta R.T.: -0.001 min
Response: 39421561
Conc: 48.76 ng/ml



#20 Methoxychlor


R.T.: 7.603 min
Delta R.T.: -0.001 min
Response: 58266089
Conc: 46.24 ng/ml



#21 Endrin ketone


R.T.: 7.151 min
Delta R.T.: 0.000 min
Response: 90076156
Conc: 52.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.750 min
Delta R.T.: 0.000 min
Response: 118523187
Conc: 50.50 ng/ml




#22 Mirex

R.T.: 7.340 min
Delta R.T.: -0.001 min
Response: 67721238
Conc: 48.31 ng/ml



#22 Mirex


R.T.: 8.206 min
Delta R.T.: 0.000 min
Response: 87399882
Conc: 49.60 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.210 min
Delta R.T.: -0.002 min
Response: 80103519
Conc: 49.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.094 min
Delta R.T.: -0.001 min
Response: 111575151
Conc: 50.68 ng/ml