

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092821\
 Data File : PL070028.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Sep 2021 13:41
 Operator : AR\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 28 14:35:54 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092821.M
 Quant Title : GC Extractables
 QLast Update : Tue Sep 28 14:33:23 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.629	5.566	25428757	67599724	50.000	50.000
28)	SA Decachlor...	10.398	11.492	34404868	62016525	50.000	50.000
Target Compounds							
2)	A alpha-BHC	5.336	6.148	38226702	102.2E6	50.000	50.000
3)	MA gamma-BHC...	5.759	6.544	36699692	95496309	50.000	50.000
4)	MA Heptachlor	6.169	7.194	40150005	98065772	50.000	50.000
5)	MB Aldrin	6.494	7.565	37493793	89487523	50.000	50.000
6)	B beta-BHC	6.139	6.798	17590337	43182032	50.000	50.000
7)	B delta-BHC	6.401	7.066	36434920	98897403	50.000	50.000
8)	B Heptachlo...	7.071	8.032	36110719	81159132	50.000	50.000
9)	A Endosulfan I	7.474	8.438	34519312	75919325	50.000	50.000
10)	B gamma-Chl...	7.348	8.302	37259457	81802286	50.000	50.000
11)	B alpha-Chl...	7.418	8.383	37381331	80882681	50.000	50.000
12)	B 4,4'-DDE	7.632	8.570	33353991	79856210	50.000	50.000
13)	MA Dieldrin	7.761	8.728	35541703	78174662	50.000	50.000
14)	MA Endrin	8.052	8.967	32524271	64263473	50.000	50.000
15)	B Endosulfa...	8.363	9.201	33214414	60518721	50.000	50.000
16)	A 4,4'-DDD	8.218	9.110	29238182	61747591	50.000	50.000
17)	MA 4,4'-DDT	8.479	9.428	32007385	67356216	50.000	50.000
18)	B Endrin al...	8.551	9.336	24968033	48323169	50.000	50.000
19)	B Endosulfa...	8.782	9.574	33543087	62445739	50.000	50.000
20)	A Methoxychlor	9.073	9.913	19148892	33022121	50.000	50.000
21)	B Endrin ke...	9.301	10.072	39482927	68391788	50.000	50.000
22)	Mirex	9.488	10.539	32891662	50154559	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092821\
Data File : PL070028.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Sep 2021 13:41
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 28 14:35:54 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092821.M
Quant Title : GC Extractables
QLast Update : Tue Sep 28 14:33:23 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.629 min
Delta R.T.: 0.000 min
Response: 25428757
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#1 Tetrachloro-m-xylene

R.T.: 5.566 min
Delta R.T.: 0.000 min
Response: 67599724
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 5.336 min
Delta R.T.: 0.000 min
Response: 38226702
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 6.148 min
Delta R.T.: 0.000 min
Response: 102238695
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 5.759 min
Delta R.T.: 0.000 min
Response: 36699692
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 6.544 min
Delta R.T.: 0.000 min
Response: 95496309
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 6.169 min
Delta R.T.: 0.000 min
Response: 40150005
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 7.194 min
Delta R.T.: 0.000 min
Response: 98065772
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 6.494 min
Delta R.T.: 0.000 min
Response: 37493793
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#5 Aldrin

R.T.: 7.565 min
Delta R.T.: 0.000 min
Response: 89487523
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 6.139 min
Delta R.T.: 0.000 min
Response: 17590337
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 6.798 min
Delta R.T.: 0.000 min
Response: 43182032
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 6.401 min
Delta R.T.: 0.000 min
Response: 36434920
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#7 delta-BHC

R.T.: 7.066 min
Delta R.T.: 0.000 min
Response: 98897403
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 7.071 min
Delta R.T.: 0.000 min
Response: 36110719
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 8.032 min
Delta R.T.: 0.000 min
Response: 81159132
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 7.474 min
Delta R.T.: 0.000 min
Response: 34519312
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#9 Endosulfan I

R.T.: 8.438 min
Delta R.T.: 0.000 min
Response: 75919325
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 7.348 min
Delta R.T.: 0.000 min
Response: 37259457
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 8.302 min
Delta R.T.: 0.000 min
Response: 81802286
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 7.418 min
Delta R.T.: 0.000 min
Response: 37381331
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#11 alpha-Chlordane

R.T.: 8.383 min
Delta R.T.: 0.000 min
Response: 80882681
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 7.632 min
Delta R.T.: 0.000 min
Response: 33353991
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 8.570 min
Delta R.T.: 0.000 min
Response: 79856210
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 7.761 min
Delta R.T.: 0.000 min
Response: 35541703
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#13 Dieldrin

R.T.: 8.728 min
Delta R.T.: 0.000 min
Response: 78174662
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 8.052 min
Delta R.T.: 0.000 min
Response: 32524271
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 8.967 min
Delta R.T.: 0.000 min
Response: 64263473
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 8.363 min
Delta R.T.: 0.000 min
Response: 33214414
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#15 Endosulfan II

R.T.: 9.201 min
Delta R.T.: 0.000 min
Response: 60518721
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 8.218 min
Delta R.T.: 0.000 min
Response: 29238182
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 9.110 min
Delta R.T.: 0.000 min
Response: 61747591
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 8.479 min
Delta R.T.: 0.000 min
Response: 32007385
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#17 4,4'-DDT

R.T.: 9.428 min
Delta R.T.: 0.000 min
Response: 67356216
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 8.551 min
Delta R.T.: 0.000 min
Response: 24968033
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 9.336 min
Delta R.T.: 0.000 min
Response: 48323169
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 8.782 min
Delta R.T.: 0.000 min
Response: 33543087
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 9.574 min
Delta R.T.: 0.000 min
Response: 62445739
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 9.073 min
Delta R.T.: 0.000 min
Response: 19148892
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 9.913 min
Delta R.T.: 0.000 min
Response: 33022121
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 9.301 min
Delta R.T.: 0.000 min
Response: 39482927
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#21 Endrin ketone

R.T.: 10.072 min
Delta R.T.: 0.000 min
Response: 68391788
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 9.488 min
Delta R.T.: 0.000 min
Response: 32891662
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 10.539 min
Delta R.T.: 0.000 min
Response: 50154559
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.398 min
Delta R.T.: 0.000 min
Response: 34404868
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050



#28 Decachlorobiphenyl

R.T.: 11.492 min
Delta R.T.: 0.000 min
Response: 62016525
Conc: 50.00 ng/ml