

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092919\
 Data File : PL052816.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Sep 2019 22:57
 Operator : SG\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 28 04:24:18 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092919.M
 Quant Title : GC Extractables
 QLast Update : Sat Sep 28 04:20:28 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.550	4.048	497.8E6	133.0E6	50.000	50.000
28)	SA Decachlor...	8.346	9.123	488.4E6	144.9E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.994	4.439	817.5E6	194.9E6	50.000	50.000
3)	MA gamma-BHC...	4.281	4.724	750.2E6	182.5E6	50.000	50.000
4)	MA Heptachlor	4.590	5.234	761.0E6	190.7E6	50.000	50.000
5)	MB Aldrin	4.842	5.540	710.6E6	173.7E6	50.000	50.000
6)	B beta-BHC	4.531	4.892	306.5E6	79099982	50.000	50.000
7)	B delta-BHC	4.740	5.110	741.1E6	181.3E6	50.000	50.000
8)	B Heptachlo...	5.289	5.926	658.8E6	166.3E6	50.000	50.000
9)	A Endosulfan I	5.632	6.282	615.3E6	154.8E6	50.000	50.000
10)	B gamma-Chl...	5.518	6.159	683.7E6	168.4E6	50.000	50.000
11)	B alpha-Chl...	5.577	6.232	668.1E6	166.9E6	50.000	50.000
12)	B 4,4'-DDE	5.740	6.387	599.1E6	161.9E6	50.000	50.000
13)	MA Dieldrin	5.876	6.539	665.5E6	162.8E6	50.000	50.000
14)	MA Endrin	6.135	6.756	585.5E6	137.8E6	50.000	50.000
15)	B Endosulfa...	6.408	6.964	579.0E6	146.1E6	50.000	50.000
16)	A 4,4'-DDD	6.258	6.876	462.5E6	121.5E6	50.000	50.000
17)	MA 4,4'-DDT	6.501	7.175	526.1E6	129.6E6	50.000	50.000
18)	B Endrin al...	6.577	7.088	471.2E6	121.0E6	50.000	50.000
19)	B Endosulfa...	6.790	7.311	520.3E6	133.4E6	50.000	50.000
20)	A Methoxychlor	7.048	7.632	255.8E6	70697886	50.000	50.000
21)	B Endrin ke...	7.284	7.782	587.7E6	141.9E6	50.000	50.000
22)	Mirex	7.480	8.237	457.2E6	109.2E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092919\
Data File : PL052816.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Sep 2019 22:57
Operator : SG\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 28 04:24:18 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092919.M
Quant Title : GC Extractables
QLast Update : Sat Sep 28 04:20:28 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.550 min
Delta R.T.: 0.000 min
Response: 497820713
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#1 Tetrachloro-m-xylene

R.T.: 4.048 min
Delta R.T.: 0.000 min
Response: 133035082
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.994 min
Delta R.T.: 0.000 min
Response: 817526622
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.439 min
Delta R.T.: 0.000 min
Response: 194916967
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.281 min
Delta R.T.: 0.000 min
Response: 750247145
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.724 min
Delta R.T.: 0.000 min
Response: 182450721
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.590 min
Delta R.T.: 0.000 min
Response: 761043178
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.234 min
Delta R.T.: 0.000 min
Response: 190739931
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.842 min
Delta R.T.: 0.000 min
Response: 710583935
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 5.540 min
Delta R.T.: 0.000 min
Response: 173720469
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.531 min
Delta R.T.: 0.000 min
Response: 306530587
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.892 min
Delta R.T.: 0.000 min
Response: 79099982
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.740 min
Delta R.T.: 0.000 min
Response: 741138701
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 5.110 min
Delta R.T.: 0.000 min
Response: 181339105
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.289 min
Delta R.T.: 0.000 min
Response: 658814606
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.926 min
Delta R.T.: 0.000 min
Response: 166338128
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.632 min
Delta R.T.: 0.000 min
Response: 615284696
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#9 Endosulfan I

R.T.: 6.282 min
Delta R.T.: 0.000 min
Response: 154814751
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.518 min
Delta R.T.: 0.000 min
Response: 683653912
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.159 min
Delta R.T.: 0.000 min
Response: 168434888
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.577 min
Delta R.T.: 0.000 min
Response: 668093125
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#11 alpha-Chlordane

R.T.: 6.232 min
Delta R.T.: 0.000 min
Response: 166885540
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.740 min
Delta R.T.: 0.000 min
Response: 599130877
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.387 min
Delta R.T.: 0.000 min
Response: 161871232
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.876 min
Delta R.T.: 0.000 min
Response: 665498256
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#13 Dieldrin

R.T.: 6.539 min
Delta R.T.: 0.000 min
Response: 162812644
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.135 min
Delta R.T.: 0.000 min
Response: 585516194
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.756 min
Delta R.T.: 0.000 min
Response: 137775035
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.408 min
Delta R.T.: 0.000 min
Response: 578954278
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#15 Endosulfan II

R.T.: 6.964 min
Delta R.T.: 0.000 min
Response: 146120848
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.258 min
Delta R.T.: 0.000 min
Response: 462544302
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.876 min
Delta R.T.: 0.000 min
Response: 121467971
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.501 min
Delta R.T.: 0.000 min
Response: 526107451
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 7.175 min
Delta R.T.: 0.000 min
Response: 129564073
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.577 min
Delta R.T.: 0.000 min
Response: 471182297
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 7.088 min
Delta R.T.: 0.000 min
Response: 121021158
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.790 min
Delta R.T.: 0.000 min
Response: 520327914
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#19 Endosulfan Sulfate

R.T.: 7.311 min
Delta R.T.: 0.000 min
Response: 133406756
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 7.048 min
Delta R.T.: 0.000 min
Response: 255803697
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.632 min
Delta R.T.: 0.000 min
Response: 70697886
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.284 min
Delta R.T.: 0.000 min
Response: 587681767
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#21 Endrin ketone

R.T.: 7.782 min
Delta R.T.: 0.000 min
Response: 141923294
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.480 min
Delta R.T.: 0.000 min
Response: 457188502
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 8.237 min
Delta R.T.: 0.000 min
Response: 109219654
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.346 min
Delta R.T.: 0.000 min
Response: 488377016
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050



#28 Decachlorobiphenyl

R.T.: 9.123 min
Delta R.T.: 0.000 min
Response: 144885327
Conc: 50.00 ng/ml