

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL100220\
 Data File : PL061958.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Oct 2020 18:52
 Operator : DD\AJ
 Sample : L3863-12MS
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 HD-02-093020MS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 03 06:28:12 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092320.M
 Quant Title : GC Extractables
 QLast Update : Wed Sep 23 13:58:40 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.458	4.007	18533030	27804718	10.864	10.191
28)	SA Decachlor...	8.209	9.094	18501497	26337790	11.373	11.964
Target Compounds							
2)	A alpha-BHC	3.894	4.397	71525604	113.6E6	29.345	28.451
3)	MA gamma-BHC...	4.177	4.682	65681448	107.5E6	30.030	29.047
4)	MA Heptachlor	4.479	5.193	59656192	100.5E6	29.234	29.030
5)	MB Aldrin	4.726	5.499	53687644	91847080	29.755	28.352
6)	B beta-BHC	4.429	4.854	26865574	45353198	29.415	30.036
7)	B delta-BHC	4.632	5.071	60226652	83799899	29.376	32.887
8)	B Heptachlo...	5.169	5.887	54529984	86297182	31.234	34.820
9)	A Endosulfan I	5.507	6.245	50320802	80225169	31.054	29.041
10)	B gamma-Chl...	5.396	6.122	53879327	86095799	31.025	29.318
11)	B alpha-Chl...	5.455	6.195	54098254	87449245	31.144	29.115
12)	B 4,4'-DDE	5.619	6.352	48211239	78010395	30.675	28.577
13)	MA Dieldrin	5.750	6.502	51551754	81008324	30.651	28.555
14)	MA Endrin	6.007	6.721	45400308	62728574	28.532	25.713
15)	B Endosulfa...	6.280	6.931	48026777	71700669	29.704	27.740
16)	A 4,4'-DDD	6.135	6.844	42546638	65689254	32.134	29.549
17)	MA 4,4'-DDT	6.375	7.144	35878113	55931151	28.441	25.542
18)	B Endrin al...	6.448	7.055	41861134	61421310	29.769	28.695
19)	B Endosulfa...	6.661	7.279	46358337	65802112	29.966	28.101
20)	A Methoxychlor	6.921	7.604	22305395	33125606	27.588	26.291
21)	B Endrin ke...	7.150	7.751	54225371	70102887	31.729	29.869
22)	Mirex	7.340	8.206	39901063	52318706	28.462	29.694



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL100220\
Data File : PL061958.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Oct 2020 18:52
Operator : DD\AJ
Sample : L3863-12MS
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
HD-02-093020MS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 03 06:28:12 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092320.M
Quant Title : GC Extractables
QLast Update : Wed Sep 23 13:58:40 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.458 min
Delta R.T.: 0.000 min
Response: 18533030
Conc: 10.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MS




#1 Tetrachloro-m-xylene

R.T.: 4.007 min
Delta R.T.: 0.000 min
Response: 27804718
Conc: 10.19 ng/ml




#2 alpha-BHC

R.T.: 3.894 min
Delta R.T.: 0.000 min
Response: 71525604
Conc: 29.34 ng/ml



#2 alpha-BHC


R.T.: 4.397 min
Delta R.T.: 0.000 min
Response: 113640948
Conc: 28.45 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.177 min
Delta R.T.: 0.000 min
Response: 65681448
Conc: 30.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MS




#3 gamma-BHC (Lindane)

R.T.: 4.682 min
Delta R.T.: 0.000 min
Response: 107530754
Conc: 29.05 ng/ml




#4 Heptachlor

R.T.: 4.479 min
Delta R.T.: 0.000 min
Response: 59656192
Conc: 29.23 ng/ml



#4 Heptachlor


R.T.: 5.193 min
Delta R.T.: 0.000 min
Response: 100528859
Conc: 29.03 ng/ml



#5 Aldrin


R.T.: 4.726 min
Delta R.T.: 0.000 min
Response: 53687644
Conc: 29.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MS




#5 Aldrin

R.T.: 5.499 min
Delta R.T.: 0.000 min
Response: 91847080
Conc: 28.35 ng/ml




#6 beta-BHC

R.T.: 4.429 min
Delta R.T.: 0.000 min
Response: 26865574
Conc: 29.42 ng/ml



#6 beta-BHC


R.T.: 4.854 min
Delta R.T.: 0.000 min
Response: 45353198
Conc: 30.04 ng/ml



#7 delta-BHC


R.T.: 4.632 min
Delta R.T.: 0.000 min
Response: 60226652
Conc: 29.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MS




#7 delta-BHC

R.T.: 5.071 min
Delta R.T.: 0.000 min
Response: 83799899
Conc: 32.89 ng/ml




#8 Heptachlor epoxide

R.T.: 5.169 min
Delta R.T.: 0.000 min
Response: 54529984
Conc: 31.23 ng/ml



#8 Heptachlor epoxide


R.T.: 5.887 min
Delta R.T.: 0.000 min
Response: 86297182
Conc: 34.82 ng/ml



#9 Endosulfan I


R.T.: 5.507 min
Delta R.T.: 0.000 min
Response: 50320802
Conc: 31.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MS




#9 Endosulfan I

R.T.: 6.245 min
Delta R.T.: 0.000 min
Response: 80225169
Conc: 29.04 ng/ml




#10 gamma-Chlordane

R.T.: 5.396 min
Delta R.T.: 0.000 min
Response: 53879327
Conc: 31.02 ng/ml



#10 gamma-Chlordane


R.T.: 6.122 min
Delta R.T.: 0.000 min
Response: 86095799
Conc: 29.32 ng/ml



#11 alpha-Chlordane


R.T.: 5.455 min
Delta R.T.: 0.000 min
Response: 54098254
Conc: 31.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MS




#11 alpha-Chlordane

R.T.: 6.195 min
Delta R.T.: 0.000 min
Response: 87449245
Conc: 29.12 ng/ml




#12 4,4'-DDE

R.T.: 5.619 min
Delta R.T.: 0.000 min
Response: 48211239
Conc: 30.68 ng/ml



#12 4,4'-DDE


R.T.: 6.352 min
Delta R.T.: 0.000 min
Response: 78010395
Conc: 28.58 ng/ml



#13 Dieldrin


R.T.: 5.750 min
Delta R.T.: 0.000 min
Response: 51551754
Conc: 30.65 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MS




#13 Dieldrin

R.T.: 6.502 min
Delta R.T.: 0.000 min
Response: 81008324
Conc: 28.55 ng/ml




#14 Endrin

R.T.: 6.007 min
Delta R.T.: 0.000 min
Response: 45400308
Conc: 28.53 ng/ml



#14 Endrin


R.T.: 6.721 min
Delta R.T.: 0.000 min
Response: 62728574
Conc: 25.71 ng/ml



#15 Endosulfan II


R.T.: 6.280 min
Delta R.T.: 0.000 min
Response: 48026777
Conc: 29.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MS




#15 Endosulfan II

R.T.: 6.931 min
Delta R.T.: 0.000 min
Response: 71700669
Conc: 27.74 ng/ml




#16 4,4'-DDD

R.T.: 6.135 min
Delta R.T.: 0.000 min
Response: 42546638
Conc: 32.13 ng/ml



#16 4,4'-DDD


R.T.: 6.844 min
Delta R.T.: 0.000 min
Response: 65689254
Conc: 29.55 ng/ml



#17 4,4'-DDT


R.T.: 6.375 min
Delta R.T.: 0.000 min
Response: 35878113
Conc: 28.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MS




#17 4,4'-DDT

R.T.: 7.144 min
Delta R.T.: 0.000 min
Response: 55931151
Conc: 25.54 ng/ml




#18 Endrin aldehyde

R.T.: 6.448 min
Delta R.T.: -0.001 min
Response: 41861134
Conc: 29.77 ng/ml



#18 Endrin aldehyde


R.T.: 7.055 min
Delta R.T.: 0.000 min
Response: 61421310
Conc: 28.70 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.661 min
Delta R.T.: -0.001 min
Response: 46358337
Conc: 29.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MS




#19 Endosulfan Sulfate

R.T.: 7.279 min
Delta R.T.: 0.000 min
Response: 65802112
Conc: 28.10 ng/ml




#20 Methoxychlor

R.T.: 6.921 min
Delta R.T.: -0.002 min
Response: 22305395
Conc: 27.59 ng/ml



#20 Methoxychlor


R.T.: 7.604 min
Delta R.T.: 0.000 min
Response: 33125606
Conc: 26.29 ng/ml



#21 Endrin ketone


R.T.: 7.150 min
Delta R.T.: -0.001 min
Response: 54225371
Conc: 31.73 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MS




#21 Endrin ketone

R.T.: 7.751 min
Delta R.T.: 0.000 min
Response: 70102887
Conc: 29.87 ng/ml




#22 Mirex

R.T.: 7.340 min
Delta R.T.: 0.000 min
Response: 39901063
Conc: 28.46 ng/ml



#22 Mirex


R.T.: 8.206 min
Delta R.T.: 0.000 min
Response: 52318706
Conc: 29.69 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.209 min
Delta R.T.: -0.002 min
Response: 18501497
Conc: 11.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MS



#28 Decachlorobiphenyl

R.T.: 9.094 min
Delta R.T.: 0.000 min
Response: 26337790
Conc: 11.96 ng/ml