

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL100220\
 Data File : PL061959.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Oct 2020 19:06
 Operator : DD\AJ
 Sample : L3863-12MSD
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 HD-02-093020MSD

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 03 06:28:35 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092320.M
 Quant Title : GC Extractables
 QLast Update : Wed Sep 23 13:58:40 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.458	4.008	18779442	28100364	11.008	10.300
2)	SA Decachlor...	8.209	9.094	18847375	26885201	11.586	12.213
Target Compounds							
2)	A alpha-BHC	3.894	4.397	72364747	114.6E6	29.689	28.684
3)	MA gamma-BHC...	4.178	4.682	66542160	108.9E6	30.423	29.415
4)	MA Heptachlor	4.479	5.193	60566888	101.8E6	29.680	29.392
5)	MB Aldrin	4.726	5.499	54480797	93170878	30.195	28.761
6)	B beta-BHC	4.429	4.854	25924553	45815352	28.385	30.342
7)	B delta-BHC	4.632	5.072	61090510	87915014	29.797	34.502
8)	B Heptachlo...	5.169	5.887	55200177	87780384	31.618	35.419
9)	A Endosulfan I	5.507	6.245	50937832	81281566	31.435	29.423
10)	B gamma-Chl...	5.397	6.122	55034247	87445451	31.690	29.777
11)	B alpha-Chl...	5.454	6.195	54890576	88580183	31.600	29.492
12)	B 4,4'-DDE	5.619	6.352	48878170	79208415	31.100	29.016
13)	MA Dieldrin	5.750	6.502	52107444	80760042	30.981	28.467
14)	MA Endrin	6.007	6.721	45857475	63843926	28.819	26.170
15)	B Endosulfa...	6.280	6.931	48492638	72413825	29.993	28.016
16)	A 4,4'-DDD	6.134	6.844	43045327	66845399	32.511	30.069
17)	MA 4,4'-DDT	6.375	7.144	36218801	56346519	28.711	25.731
18)	B Endrin al...	6.448	7.055	42348177	61550906	30.115	28.756
19)	B Endosulfa...	6.661	7.279	47028194	66512216	30.399	28.405
20)	A Methoxychlor	6.921	7.604	22777892	33539154	28.172	26.619
21)	B Endrin ke...	7.151	7.751	54425930	72097046	31.846	30.719
22)	Mirex	7.339	8.207	40602396	52799731	28.962	29.967



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL100220\
Data File : PL061959.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Oct 2020 19:06
Operator : DD\AJ
Sample : L3863-12MSD
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MSD

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 03 06:28:35 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092320.M
Quant Title : GC Extractables
QLast Update : Wed Sep 23 13:58:40 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.458 min
Delta R.T.: 0.000 min
Response: 18779442
Conc: 11.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MSD




#1 Tetrachloro-m-xylene

R.T.: 4.008 min
Delta R.T.: 0.000 min
Response: 28100364
Conc: 10.30 ng/ml




#2 alpha-BHC

R.T.: 3.894 min
Delta R.T.: 0.000 min
Response: 72364747
Conc: 29.69 ng/ml



#2 alpha-BHC


R.T.: 4.397 min
Delta R.T.: 0.000 min
Response: 114571628
Conc: 28.68 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.178 min
Delta R.T.: 0.000 min
Response: 66542160
Conc: 30.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MSD




#3 gamma-BHC (Lindane)

R.T.: 4.682 min
Delta R.T.: 0.000 min
Response: 108891876
Conc: 29.41 ng/ml




#4 Heptachlor

R.T.: 4.479 min
Delta R.T.: 0.000 min
Response: 60566888
Conc: 29.68 ng/ml



#4 Heptachlor


R.T.: 5.193 min
Delta R.T.: 0.000 min
Response: 101779372
Conc: 29.39 ng/ml



#5 Aldrin


R.T.: 4.726 min
Delta R.T.: 0.000 min
Response: 54480797
Conc: 30.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MSD




#5 Aldrin

R.T.: 5.499 min
Delta R.T.: 0.000 min
Response: 93170878
Conc: 28.76 ng/ml




#6 beta-BHC

R.T.: 4.429 min
Delta R.T.: 0.000 min
Response: 25924553
Conc: 28.39 ng/ml



#6 beta-BHC


R.T.: 4.854 min
Delta R.T.: 0.001 min
Response: 45815352
Conc: 30.34 ng/ml



#7 delta-BHC


R.T.: 4.632 min
Delta R.T.: 0.000 min
Response: 61090510
Conc: 29.80 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MSD




#7 delta-BHC

R.T.: 5.072 min
Delta R.T.: 0.000 min
Response: 87915014
Conc: 34.50 ng/ml




#8 Heptachlor epoxide

R.T.: 5.169 min
Delta R.T.: 0.000 min
Response: 55200177
Conc: 31.62 ng/ml



#8 Heptachlor epoxide


R.T.: 5.887 min
Delta R.T.: 0.000 min
Response: 87780384
Conc: 35.42 ng/ml



#9 Endosulfan I


R.T.: 5.507 min
Delta R.T.: 0.000 min
Response: 50937832
Conc: 31.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MSD




#9 Endosulfan I

R.T.: 6.245 min
Delta R.T.: 0.000 min
Response: 81281566
Conc: 29.42 ng/ml




#10 gamma-Chlordane

R.T.: 5.397 min
Delta R.T.: 0.000 min
Response: 55034247
Conc: 31.69 ng/ml



#10 gamma-Chlordane


R.T.: 6.122 min
Delta R.T.: 0.000 min
Response: 87445451
Conc: 29.78 ng/ml



#11 alpha-Chlordane


R.T.: 5.454 min
Delta R.T.: 0.000 min
Response: 54890576
Conc: 31.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MSD




#11 alpha-Chlordane

R.T.: 6.195 min
Delta R.T.: 0.000 min
Response: 88580183
Conc: 29.49 ng/ml




#12 4,4'-DDE

R.T.: 5.619 min
Delta R.T.: 0.000 min
Response: 48878170
Conc: 31.10 ng/ml



#12 4,4'-DDE


R.T.: 6.352 min
Delta R.T.: 0.000 min
Response: 79208415
Conc: 29.02 ng/ml



#13 Dieldrin


R.T.: 5.750 min
Delta R.T.: 0.000 min
Response: 52107444
Conc: 30.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MSD




#13 Dieldrin

R.T.: 6.502 min
Delta R.T.: 0.000 min
Response: 80760042
Conc: 28.47 ng/ml




#14 Endrin

R.T.: 6.007 min
Delta R.T.: -0.001 min
Response: 45857475
Conc: 28.82 ng/ml



#14 Endrin


R.T.: 6.721 min
Delta R.T.: 0.000 min
Response: 63843926
Conc: 26.17 ng/ml



#15 Endosulfan II


R.T.: 6.280 min
Delta R.T.: 0.000 min
Response: 48492638
Conc: 29.99 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MSD




#15 Endosulfan II

R.T.: 6.931 min
Delta R.T.: 0.000 min
Response: 72413825
Conc: 28.02 ng/ml




#16 4,4'-DDD

R.T.: 6.134 min
Delta R.T.: 0.000 min
Response: 43045327
Conc: 32.51 ng/ml



#16 4,4'-DDD


R.T.: 6.844 min
Delta R.T.: 0.000 min
Response: 66845399
Conc: 30.07 ng/ml



#17 4,4'-DDT


R.T.: 6.375 min
Delta R.T.: -0.001 min
Response: 36218801
Conc: 28.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MSD




#17 4,4'-DDT

R.T.: 7.144 min
Delta R.T.: 0.000 min
Response: 56346519
Conc: 25.73 ng/ml




#18 Endrin aldehyde

R.T.: 6.448 min
Delta R.T.: -0.001 min
Response: 42348177
Conc: 30.12 ng/ml



#18 Endrin aldehyde


R.T.: 7.055 min
Delta R.T.: 0.000 min
Response: 61550906
Conc: 28.76 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.661 min
Delta R.T.: -0.001 min
Response: 47028194
Conc: 30.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MSD




#19 Endosulfan Sulfate

R.T.: 7.279 min
Delta R.T.: 0.000 min
Response: 66512216
Conc: 28.40 ng/ml




#20 Methoxychlor

R.T.: 6.921 min
Delta R.T.: -0.002 min
Response: 22777892
Conc: 28.17 ng/ml



#20 Methoxychlor


R.T.: 7.604 min
Delta R.T.: 0.000 min
Response: 33539154
Conc: 26.62 ng/ml



#21 Endrin ketone


R.T.: 7.151 min
Delta R.T.: 0.000 min
Response: 54425930
Conc: 31.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MSD




#21 Endrin ketone

R.T.: 7.751 min
Delta R.T.: 0.000 min
Response: 72097046
Conc: 30.72 ng/ml




#22 Mirex

R.T.: 7.339 min
Delta R.T.: -0.002 min
Response: 40602396
Conc: 28.96 ng/ml



#22 Mirex


R.T.: 8.207 min
Delta R.T.: 0.000 min
Response: 52799731
Conc: 29.97 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.209 min
Delta R.T.: -0.003 min
Response: 18847375
Conc: 11.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
HD-02-093020MSD



#28 Decachlorobiphenyl

R.T.: 9.094 min
Delta R.T.: 0.000 min
Response: 26885201
Conc: 12.21 ng/ml