

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL100319\
 Data File : PL053054.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 03 Oct 2019 19:35
 Operator : SG\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PEM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 04 00:57:40 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092919.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 30 08:44:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.548	4.049	197.6E6	50948541	19.867	18.974
28)	SA Decachlor...	8.342	9.127	176.7E6	54427992	17.638	18.553
Target Compounds							
2)	A alpha-BHC	3.992	4.440	145.9E6	32632168	9.149	8.498
3)	MA gamma-BHC...	4.279	4.726	130.1E6	31506588	8.935	8.701
6)	B beta-BHC	4.529	4.894	60622115	16620781	9.764	10.574
8)	B Heptachlo...	0.000	5.933	0	1958757	N.D.	0.584 #
12)	B 4,4'-DDE	0.000	6.390	0	487777	N.D.	0.149 #
14)	MA Endrin	6.133	6.759	545.0E6	126.6E6	47.842	45.590
15)	B Endosulfa...	0.000	6.971	0	5143921	N.D.	1.734 #
16)	A 4,4'-DDD	0.000	6.880	0	3315471	N.D.	1.352 #
17)	MA 4,4'-DDT	6.499	7.178	1030.4E6	253.1E6	100.893	97.269
20)	A Methoxychlor	7.045	7.635	1210.6E6	328.9E6	234.697	233.634



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL100319\
Data File : PL053054.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 03 Oct 2019 19:35
Operator : SG\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PEM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 04 00:57:40 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092919.M
Quant Title : GC Extractables
QLast Update : Mon Sep 30 08:44:08 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.548 min
Delta R.T.: 0.000 min
Response: 197615462
Conc: 19.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#1 Tetrachloro-m-xylene

R.T.: 4.049 min
Delta R.T.: 0.002 min
Response: 50948541
Conc: 18.97 ng/ml




#2 alpha-BHC

R.T.: 3.992 min
Delta R.T.: -0.002 min
Response: 145933414
Conc: 9.15 ng/ml



#2 alpha-BHC


R.T.: 4.440 min
Delta R.T.: 0.002 min
Response: 32632168
Conc: 8.50 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.279 min
Delta R.T.: -0.001 min
Response: 130141585
Conc: 8.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#3 gamma-BHC (Lindane)

R.T.: 4.726 min
Delta R.T.: 0.002 min
Response: 31506588
Conc: 8.70 ng/ml




#6 beta-BHC

R.T.: 4.529 min
Delta R.T.: 0.000 min
Response: 60622115
Conc: 9.76 ng/ml



#6 beta-BHC


R.T.: 4.894 min
Delta R.T.: 0.002 min
Response: 16620781
Conc: 10.57 ng/ml



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T.: 5.289 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PEM




#8 Heptachlor epoxide

R.T.: 5.933 min
Delta R.T.: 0.008 min
Response: 1958757
Conc: 0.58 ng/ml




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T.: 5.740 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 6.390 min
Delta R.T.: 0.004 min
Response: 487777
Conc: 0.15 ng/ml



#14 Endrin


R.T.: 6.133 min
Delta R.T.: -0.002 min
Response: 544952497
Conc: 47.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#14 Endrin

R.T.: 6.759 min
Delta R.T.: 0.003 min
Response: 126598820
Conc: 45.59 ng/ml




#15 Endosulfan II

R.T.: 0.000 min
Exp R.T. : 6.408 min
Response: 0
Conc: N.D.



#15 Endosulfan II


R.T.: 6.971 min
Delta R.T.: 0.008 min
Response: 5143921
Conc: 1.73 ng/ml



#16 4,4'-DDD


R.T.: 0.000 min
Exp R.T.: 6.258 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PEM




#16 4,4'-DDD

R.T.: 6.880 min
Delta R.T.: 0.004 min
Response: 3315471
Conc: 1.35 ng/ml




#17 4,4'-DDT

R.T.: 6.499 min
Delta R.T.: -0.003 min
Response: 1030362209
Conc: 100.89 ng/ml



#17 4,4'-DDT


R.T.: 7.178 min
Delta R.T.: 0.003 min
Response: 253146776
Conc: 97.27 ng/ml



#20 Methoxychlor


R.T.: 7.045 min
Delta R.T.: -0.004 min
Response: 1210601005
Conc: 234.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#20 Methoxychlor

R.T.: 7.635 min
Delta R.T.: 0.003 min
Response: 328938797
Conc: 233.63 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.342 min
Delta R.T.: -0.004 min
Response: 176667150
Conc: 17.64 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.127 min
Delta R.T.: 0.003 min
Response: 54427992
Conc: 18.55 ng/ml