

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL100824\
 Data File : PL092268.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 08 Oct 2024 14:43
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 09 01:20:19 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 23 16:44:57 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.542	2.781	110.4E6	131.7E6	49.634	52.515
28)	SA Decachlor...	9.059	7.921	78794089	103.1E6	48.097	41.202
Target Compounds							
2)	A alpha-BHC	3.998	3.284	152.6E6	193.9E6	49.283	53.215
3)	MA gamma-BHC...	4.330	3.614	147.7E6	185.3E6	47.674	52.465
4)	MA Heptachlor	4.919	3.953	128.3E6	173.1E6	46.387	50.164
5)	MB Aldrin	5.261	4.233	129.5E6	178.2E6	46.625	52.406
6)	B beta-BHC	4.528	3.913	64077450	76833882	48.310	51.117
7)	B delta-BHC	4.775	4.142	139.2E6	183.4E6	48.268	52.839
8)	B Heptachlo...	5.687	4.736	119.0E6	152.6E6	46.763	50.478
9)	A Endosulfan I	6.073	5.105	106.2E6	139.7E6	45.891	50.906
10)	B gamma-Chl...	5.943	4.985	117.5E6	154.1E6	47.560	51.232
11)	B alpha-Chl...	6.022	5.049	113.4E6	152.3E6	46.026	50.867
12)	B 4,4'-DDE	6.195	5.238	101.2E6	145.6E6	46.737	52.385
13)	MA Dieldrin	6.347	5.370	111.0E6	147.4E6	45.520	50.282
14)	MA Endrin	6.577	5.645	85687683	115.2E6	41.582	43.928
15)	B Endosulfa...	6.797	5.940	96540179	121.1E6	43.887	48.390
16)	A 4,4'-DDD	6.712	5.793	83096486	113.8E6	46.275	53.294
17)	MA 4,4'-DDT	7.026	6.043	77060175	100.6E6	41.853	43.499
18)	B Endrin al...	6.927	6.119	78817825	97931913	45.226	47.989
19)	B Endosulfa...	7.162	6.342	88608283	114.9E6	44.700	47.619
20)	A Methoxychlor	7.502	6.619	42522072	52698138	43.314	42.147
21)	B Endrin ke...	7.647	6.847	102.7E6	133.5E6	46.740	48.196
22)	Mirex	8.120	7.028	77791939	103.9E6	43.194	42.698
23)	Chlordane-1	0.000	3.805f	0	48702	N.D.	0.487 #
24)	Chlordane-2	5.261f	4.371	129.5E6	3521395	1207.552	31.378 #
25)	Chlordane-3	5.943	4.985	117.5E6	154.1E6	313.767	465.342 #
26)	Chlordane-4	6.022	5.049	113.4E6	152.3E6	250.368	479.928 #
27)	Chlordane-5	0.000	5.940	0	121.1E6	N.D.	1116.569 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL100824\
Data File : PL092268.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 08 Oct 2024 14:43
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 09 01:20:19 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
Quant Title : GC Extractables
QLast Update : Mon Sep 23 16:44:57 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.542 min
Delta R.T.: -0.002 min
Response: 110417789
Conc: 49.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.781 min
Delta R.T.: -0.001 min
Response: 131711396
Conc: 52.51 ng/ml




#2 alpha-BHC

R.T.: 3.998 min
Delta R.T.: -0.001 min
Response: 152604134
Conc: 49.28 ng/ml



#2 alpha-BHC


R.T.: 3.284 min
Delta R.T.: -0.002 min
Response: 193878971
Conc: 53.21 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.330 min
Delta R.T.: -0.002 min
Response: 147732029
Conc: 47.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.614 min
Delta R.T.: -0.002 min
Response: 185251095
Conc: 52.46 ng/ml




#4 Heptachlor

R.T.: 4.919 min
Delta R.T.: 0.000 min
Response: 128280662
Conc: 46.39 ng/ml



#4 Heptachlor


R.T.: 3.953 min
Delta R.T.: -0.002 min
Response: 173096982
Conc: 50.16 ng/ml



#5 Aldrin


R.T.: 5.261 min
Delta R.T.: -0.001 min
Response: 129505915
Conc: 46.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.233 min
Delta R.T.: -0.002 min
Response: 178238993
Conc: 52.41 ng/ml




#6 beta-BHC

R.T.: 4.528 min
Delta R.T.: -0.002 min
Response: 64077450
Conc: 48.31 ng/ml



#6 beta-BHC


R.T.: 3.913 min
Delta R.T.: -0.002 min
Response: 76833882
Conc: 51.12 ng/ml



#7 delta-BHC


R.T.: 4.775 min
Delta R.T.: -0.001 min
Response: 139214613
Conc: 48.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.142 min
Delta R.T.: -0.003 min
Response: 183440568
Conc: 52.84 ng/ml




#8 Heptachlor epoxide

R.T.: 5.687 min
Delta R.T.: -0.001 min
Response: 119011884
Conc: 46.76 ng/ml



#8 Heptachlor epoxide


R.T.: 4.736 min
Delta R.T.: -0.003 min
Response: 152587919
Conc: 50.48 ng/ml



#11 alpha-Chlordane


R.T.: 6.022 min
Delta R.T.: -0.002 min
Response: 113378061
Conc: 46.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.049 min
Delta R.T.: -0.003 min
Response: 152272549
Conc: 50.87 ng/ml




#12 4,4'-DDE

R.T.: 6.195 min
Delta R.T.: -0.001 min
Response: 101159165
Conc: 46.74 ng/ml



#12 4,4'-DDE


R.T.: 5.238 min
Delta R.T.: -0.003 min
Response: 145570401
Conc: 52.39 ng/ml



#13 Dieldrin


R.T.: 6.347 min
Delta R.T.: -0.002 min
Response: 111016434
Conc: 45.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.370 min
Delta R.T.: -0.003 min
Response: 147419310
Conc: 50.28 ng/ml




#14 Endrin

R.T.: 6.577 min
Delta R.T.: -0.002 min
Response: 85687683
Conc: 41.58 ng/ml



#14 Endrin


R.T.: 5.645 min
Delta R.T.: -0.003 min
Response: 115187017
Conc: 43.93 ng/ml



#15 Endosulfan II


R.T.: 6.797 min
Delta R.T.: 0.000 min
Response: 96540179
Conc: 43.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.940 min
Delta R.T.: -0.002 min
Response: 121091250
Conc: 48.39 ng/ml




#16 4,4'-DDD

R.T.: 6.712 min
Delta R.T.: -0.002 min
Response: 83096486
Conc: 46.27 ng/ml



#16 4,4'-DDD


R.T.: 5.793 min
Delta R.T.: -0.003 min
Response: 113846826
Conc: 53.29 ng/ml



#17 4,4'-DDT


R.T.: 7.026 min
Delta R.T.: -0.001 min
Response: 77060175
Conc: 41.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.043 min
Delta R.T.: -0.002 min
Response: 100620371
Conc: 43.50 ng/ml




#18 Endrin aldehyde

R.T.: 6.927 min
Delta R.T.: -0.001 min
Response: 78817825
Conc: 45.23 ng/ml



#18 Endrin aldehyde


R.T.: 6.119 min
Delta R.T.: -0.002 min
Response: 97931913
Conc: 47.99 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.162 min
Delta R.T.: -0.001 min
Response: 88608283
Conc: 44.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.342 min
Delta R.T.: -0.003 min
Response: 114882139
Conc: 47.62 ng/ml




#20 Methoxychlor

R.T.: 7.502 min
Delta R.T.: -0.002 min
Response: 42522072
Conc: 43.31 ng/ml



#20 Methoxychlor


R.T.: 6.619 min
Delta R.T.: -0.002 min
Response: 52698138
Conc: 42.15 ng/ml



#21 Endrin ketone


R.T.: 7.647 min
Delta R.T.: 0.000 min
Response: 102714216
Conc: 46.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.847 min
Delta R.T.: -0.003 min
Response: 133450814
Conc: 48.20 ng/ml




#22 Mirex

R.T.: 8.120 min
Delta R.T.: -0.001 min
Response: 77791939
Conc: 43.19 ng/ml



#22 Mirex


R.T.: 7.028 min
Delta R.T.: -0.003 min
Response: 103868810
Conc: 42.70 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.706 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.805 min
Delta R.T.: 0.024 min
Response: 48702
Conc: 0.49 ng/ml




#24 Chlordane-2

R.T.: 5.261 min
Delta R.T.: 0.026 min
Response: 129505915
Conc: 1207.55 ng/ml



#24 Chlordane-2


R.T.: 4.371 min
Delta R.T.: 0.013 min
Response: 3521395
Conc: 31.38 ng/ml



#25 Chlordane-3


R.T.: 5.943 min
Delta R.T.: -0.002 min
Response: 117529763
Conc: 313.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 4.985 min
Delta R.T.: -0.003 min
Response: 154134440
Conc: 465.34 ng/ml




#26 Chlordane-4

R.T.: 6.022 min
Delta R.T.: -0.005 min
Response: 113378061
Conc: 250.37 ng/ml



#26 Chlordane-4


R.T.: 5.049 min
Delta R.T.: -0.002 min
Response: 152272549
Conc: 479.93 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.876 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 5.940 min
Delta R.T.: -0.007 min
Response: 121091250
Conc: 1116.57 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.059 min
Delta R.T.: -0.002 min
Response: 78794089
Conc: 48.10 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.921 min
Delta R.T.: -0.002 min
Response: 103084967
Conc: 41.20 ng/ml