

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL100824\
 Data File : PL092273.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 08 Oct 2024 15:50
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 09 01:21:21 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 23 16:44:57 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.542	2.781	111.5E6	131.9E6	50.111	52.576
28)	SA Decachlor...	9.059	7.920	78552939	112.8E6	47.950	45.085
Target Compounds							
2)	A alpha-BHC	3.998	3.284	154.7E6	196.6E6	49.954	53.963
3)	MA gamma-BHC...	4.331	3.614	149.8E6	188.3E6	48.355	53.341
4)	MA Heptachlor	4.920	3.953	130.4E6	174.7E6	47.169	50.640
5)	MB Aldrin	5.261	4.233	130.9E6	181.7E6	47.142	53.435
6)	B beta-BHC	4.528	3.913	65164051	77417141	49.129	51.505
7)	B delta-BHC	4.775	4.142	142.1E6	185.8E6	49.262	53.513
8)	B Heptachlo...	5.688	4.736	121.8E6	157.8E6	47.867	52.209
9)	A Endosulfan I	6.073	5.105	109.0E6	140.4E6	47.131	51.149
10)	B gamma-Chl...	5.944	4.986	122.3E6	157.0E6	49.485	52.181
11)	B alpha-Chl...	6.023	5.049	116.4E6	154.5E6	47.242	51.614
12)	B 4,4'-DDE	6.196	5.239	103.3E6	148.9E6	47.731	53.586
13)	MA Dieldrin	6.348	5.370	113.8E6	150.7E6	46.645	51.401
14)	MA Endrin	6.579	5.645	88270080	121.5E6	42.835	46.329
15)	B Endosulfa...	6.798	5.940	98130893	126.5E6	44.610	50.553
16)	A 4,4'-DDD	6.713	5.793	83889603	119.2E6	46.716	55.796
17)	MA 4,4'-DDT	7.027	6.044	79118319	105.1E6	42.971	45.455
18)	B Endrin al...	6.927	6.119	80487684	101.5E6	46.184	49.761
19)	B Endosulfa...	7.162	6.342	90880190	119.0E6	45.846	49.314
20)	A Methoxychlor	7.503	6.618	42970413	55003192	43.771	43.990
21)	B Endrin ke...	7.647	6.848	104.7E6	141.1E6	47.666	50.973
22)	Mirex	8.121	7.029	80226931	112.3E6	44.546	46.163
24)	Chlordane-2	5.261f	4.370	130.9E6	1160639	1220.927	10.342 #
25)	Chlordane-3	5.944	4.986	122.3E6	157.0E6	326.469	473.960 #
26)	Chlordane-4	6.023	5.049	116.4E6	154.5E6	256.982	486.976 #
27)	Chlordane-5	0.000	5.940	0	126.5E6	N.D.	1166.485 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL100824\
Data File : PL092273.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 08 Oct 2024 15:50
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 09 01:21:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
Quant Title : GC Extractables
QLast Update : Mon Sep 23 16:44:57 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.542 min
Delta R.T.: -0.002 min
Response: 111480381
Conc: 50.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.781 min
Delta R.T.: -0.001 min
Response: 131864944
Conc: 52.58 ng/ml




#2 alpha-BHC

R.T.: 3.998 min
Delta R.T.: 0.000 min
Response: 154682879
Conc: 49.95 ng/ml



#2 alpha-BHC


R.T.: 3.284 min
Delta R.T.: -0.002 min
Response: 196606124
Conc: 53.96 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.331 min
Delta R.T.: -0.002 min
Response: 149841653
Conc: 48.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.614 min
Delta R.T.: -0.002 min
Response: 188344566
Conc: 53.34 ng/ml




#4 Heptachlor

R.T.: 4.920 min
Delta R.T.: 0.000 min
Response: 130442541
Conc: 47.17 ng/ml



#4 Heptachlor


R.T.: 3.953 min
Delta R.T.: -0.002 min
Response: 174738585
Conc: 50.64 ng/ml



#5 Aldrin


R.T.: 5.261 min
Delta R.T.: -0.001 min
Response: 130940306
Conc: 47.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.233 min
Delta R.T.: -0.002 min
Response: 181737185
Conc: 53.43 ng/ml




#6 beta-BHC

R.T.: 4.528 min
Delta R.T.: 0.000 min
Response: 65164051
Conc: 49.13 ng/ml



#6 beta-BHC


R.T.: 3.913 min
Delta R.T.: -0.002 min
Response: 77417141
Conc: 51.51 ng/ml



#7 delta-BHC


R.T.: 4.775 min
Delta R.T.: -0.001 min
Response: 142082110
Conc: 49.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.142 min
Delta R.T.: -0.002 min
Response: 185779358
Conc: 53.51 ng/ml




#8 Heptachlor epoxide

R.T.: 5.688 min
Delta R.T.: -0.001 min
Response: 121821735
Conc: 47.87 ng/ml



#8 Heptachlor epoxide


R.T.: 4.736 min
Delta R.T.: -0.003 min
Response: 157820719
Conc: 52.21 ng/ml



#9 Endosulfan I


R.T.: 6.073 min
Delta R.T.: -0.002 min
Response: 109033294
Conc: 47.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.105 min
Delta R.T.: -0.003 min
Response: 140385894
Conc: 51.15 ng/ml




#10 gamma-Chlordane

R.T.: 5.944 min
Delta R.T.: 0.000 min
Response: 122287631
Conc: 49.49 ng/ml



#10 gamma-Chlordane


R.T.: 4.986 min
Delta R.T.: -0.002 min
Response: 156989103
Conc: 52.18 ng/ml



#11 alpha-Chlordane


R.T.: 6.023 min
Delta R.T.: 0.000 min
Response: 116373441
Conc: 47.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.049 min
Delta R.T.: -0.003 min
Response: 154508561
Conc: 51.61 ng/ml




#12 4,4'-DDE

R.T.: 6.196 min
Delta R.T.: 0.000 min
Response: 103311198
Conc: 47.73 ng/ml



#12 4,4'-DDE


R.T.: 5.239 min
Delta R.T.: -0.002 min
Response: 148907564
Conc: 53.59 ng/ml



#13 Dieldrin


R.T.: 6.348 min
Delta R.T.: 0.000 min
Response: 113761039
Conc: 46.65 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.370 min
Delta R.T.: -0.002 min
Response: 150698825
Conc: 51.40 ng/ml




#14 Endrin

R.T.: 6.579 min
Delta R.T.: 0.000 min
Response: 88270080
Conc: 42.84 ng/ml



#14 Endrin


R.T.: 5.645 min
Delta R.T.: -0.002 min
Response: 121481990
Conc: 46.33 ng/ml



#15 Endosulfan II


R.T.: 6.798 min
Delta R.T.: 0.000 min
Response: 98130893
Conc: 44.61 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.940 min
Delta R.T.: -0.002 min
Response: 126504633
Conc: 50.55 ng/ml




#16 4,4'-DDD

R.T.: 6.713 min
Delta R.T.: 0.000 min
Response: 83889603
Conc: 46.72 ng/ml



#16 4,4'-DDD


R.T.: 5.793 min
Delta R.T.: -0.002 min
Response: 119191961
Conc: 55.80 ng/ml



#17 4,4'-DDT


R.T.: 7.027 min
Delta R.T.: -0.001 min
Response: 79118319
Conc: 42.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.044 min
Delta R.T.: -0.002 min
Response: 105144313
Conc: 45.45 ng/ml




#18 Endrin aldehyde

R.T.: 6.927 min
Delta R.T.: 0.000 min
Response: 80487684
Conc: 46.18 ng/ml



#18 Endrin aldehyde


R.T.: 6.119 min
Delta R.T.: -0.002 min
Response: 101548490
Conc: 49.76 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.162 min
Delta R.T.: 0.000 min
Response: 90880190
Conc: 45.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.342 min
Delta R.T.: -0.002 min
Response: 118970550
Conc: 49.31 ng/ml




#20 Methoxychlor

R.T.: 7.503 min
Delta R.T.: -0.001 min
Response: 42970413
Conc: 43.77 ng/ml



#20 Methoxychlor


R.T.: 6.618 min
Delta R.T.: -0.002 min
Response: 55003192
Conc: 43.99 ng/ml



#21 Endrin ketone


R.T.: 7.647 min
Delta R.T.: 0.000 min
Response: 104748072
Conc: 47.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.848 min
Delta R.T.: -0.002 min
Response: 141141312
Conc: 50.97 ng/ml




#22 Mirex

R.T.: 8.121 min
Delta R.T.: 0.000 min
Response: 80226931
Conc: 44.55 ng/ml



#22 Mirex


R.T.: 7.029 min
Delta R.T.: -0.003 min
Response: 112298881
Conc: 46.16 ng/ml



#24 Chlordane-2


R.T.: 5.261 min
Delta R.T.: 0.026 min
Response: 130940306
Conc: 1220.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.370 min
Delta R.T.: 0.012 min
Response: 1160639
Conc: 10.34 ng/ml




#25 Chlordane-3

R.T.: 5.944 min
Delta R.T.: -0.001 min
Response: 122287631
Conc: 326.47 ng/ml



#25 Chlordane-3


R.T.: 4.986 min
Delta R.T.: -0.003 min
Response: 156989103
Conc: 473.96 ng/ml



#26 Chlordane-4


R.T.: 6.023 min
Delta R.T.: -0.004 min
Response: 116373441
Conc: 256.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.049 min
Delta R.T.: -0.002 min
Response: 154508561
Conc: 486.98 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.876 min
Response: 0
Conc: N.D.



#27 Chlordane-5

R.T.: 5.940 min
Delta R.T.: -0.007 min
Response: 126504633
Conc: 1166.48 ng/ml



#28 Decachlorobiphenyl


R.T.: 9.059 min

Delta R.T.: -0.001 min

Response: 78552939

Conc: 47.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.920 min

Delta R.T.: -0.002 min

Response: 112800031

Conc: 45.08 ng/ml