

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL100824\
 Data File : PL092279.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 08 Oct 2024 17:29
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 09 01:22:23 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 23 16:44:57 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.543	2.781	111.1E6	130.6E6	49.943	52.076
2)	SA Decachlor...	9.059	7.920	79363149	117.9E6	48.444	47.115
Target Compounds							
2)	A alpha-BHC	3.998	3.284	153.7E6	193.9E6	49.643	53.211
3)	MA gamma-BHC...	4.331	3.614	149.0E6	187.2E6	48.070	53.007
4)	MA Heptachlor	4.919	3.953	130.2E6	173.2E6	47.068	50.190
5)	MB Aldrin	5.261	4.233	131.4E6	185.3E6	47.324	54.470
6)	B beta-BHC	4.528	3.913	65000605	76839089	49.006	51.120
7)	B delta-BHC	4.775	4.142	142.0E6	187.2E6	49.228	53.924
8)	B Heptachlo...	5.687	4.735	130.6E6	155.9E6	51.324	51.581
9)	A Endosulfan I	6.073	5.105	111.6E6	137.8E6	48.227	50.214
10)	B gamma-Chl...	5.944	4.986	130.5E6	157.9E6	52.821	52.497
11)	B alpha-Chl...	6.022	5.049	119.7E6	155.1E6	48.594	51.803
12)	B 4,4'-DDE	6.196	5.238	103.0E6	155.0E6	47.600	55.770
13)	MA Dieldrin	6.348	5.370	113.9E6	153.8E6	46.693	52.462
14)	MA Endrin	6.578	5.645	87480260	123.4E6	42.452	47.062
15)	B Endosulfa...	6.797	5.940	99001669	128.2E6	45.006	51.231
16)	A 4,4'-DDD	6.713	5.793	83279276	122.1E6	46.377	57.157
17)	MA 4,4'-DDT	7.027	6.044	79205842	105.6E6	43.019	45.658
18)	B Endrin al...	6.928	6.119	81346410	102.8E6	46.677	50.391
19)	B Endosulfa...	7.162	6.342	92102985	120.8E6	46.463	50.079
20)	A Methoxychlor	7.503	6.619	42744874	56148116	43.541	44.906
21)	B Endrin ke...	7.647	6.847	107.3E6	143.5E6	48.805	51.841
22)	Mirex	8.120	7.029	80475737	115.2E6	44.684	47.341
24)	Chlordane-2	5.261f	4.370	131.4E6	16252853	1225.637	144.823 #
25)	Chlordane-3	5.944	4.986	130.5E6	157.9E6	348.477	476.839 #
26)	Chlordane-4	6.022	5.049	119.7E6	155.1E6	264.334	488.760 #
27)	Chlordane-5	0.000	5.940	0	128.2E6	N.D.	1182.122 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL100824\
Data File : PL092279.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 08 Oct 2024 17:29
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 09 01:22:23 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
Quant Title : GC Extractables
QLast Update : Mon Sep 23 16:44:57 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.543 min
Delta R.T.: -0.001 min
Response: 111106749
Conc: 49.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.781 min
Delta R.T.: -0.002 min
Response: 130609670
Conc: 52.08 ng/ml




#2 alpha-BHC

R.T.: 3.998 min
Delta R.T.: -0.001 min
Response: 153720667
Conc: 49.64 ng/ml



#2 alpha-BHC


R.T.: 3.284 min
Delta R.T.: -0.002 min
Response: 193866392
Conc: 53.21 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.331 min
Delta R.T.: -0.002 min
Response: 148957945
Conc: 48.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.614 min
Delta R.T.: -0.002 min
Response: 187164692
Conc: 53.01 ng/ml




#4 Heptachlor

R.T.: 4.919 min
Delta R.T.: -0.001 min
Response: 130165375
Conc: 47.07 ng/ml



#4 Heptachlor


R.T.: 3.953 min
Delta R.T.: -0.002 min
Response: 173187576
Conc: 50.19 ng/ml



#5 Aldrin


R.T.: 5.261 min
Delta R.T.: -0.002 min
Response: 131445403
Conc: 47.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.233 min
Delta R.T.: -0.002 min
Response: 185257631
Conc: 54.47 ng/ml




#6 beta-BHC

R.T.: 4.528 min
Delta R.T.: -0.001 min
Response: 65000605
Conc: 49.01 ng/ml



#6 beta-BHC


R.T.: 3.913 min
Delta R.T.: -0.002 min
Response: 76839089
Conc: 51.12 ng/ml



#7 delta-BHC


R.T.: 4.775 min
Delta R.T.: -0.001 min
Response: 141984159
Conc: 49.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.142 min
Delta R.T.: -0.002 min
Response: 187206795
Conc: 53.92 ng/ml




#8 Heptachlor epoxide

R.T.: 5.687 min
Delta R.T.: -0.001 min
Response: 130620518
Conc: 51.32 ng/ml



#8 Heptachlor epoxide


R.T.: 4.735 min
Delta R.T.: -0.003 min
Response: 155923219
Conc: 51.58 ng/ml



#9 Endosulfan I


R.T.: 6.073 min
Delta R.T.: -0.002 min
Response: 111567858
Conc: 48.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.105 min
Delta R.T.: -0.003 min
Response: 137818076
Conc: 50.21 ng/ml




#10 gamma-Chlordane

R.T.: 5.944 min
Delta R.T.: 0.000 min
Response: 130531438
Conc: 52.82 ng/ml



#10 gamma-Chlordane


R.T.: 4.986 min
Delta R.T.: -0.003 min
Response: 157942603
Conc: 52.50 ng/ml



#11 alpha-Chlordane


R.T.: 6.022 min
Delta R.T.: -0.002 min
Response: 119702712
Conc: 48.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.049 min
Delta R.T.: -0.003 min
Response: 155074851
Conc: 51.80 ng/ml




#12 4,4'-DDE

R.T.: 6.196 min
Delta R.T.: 0.000 min
Response: 103025547
Conc: 47.60 ng/ml



#12 4,4'-DDE


R.T.: 5.238 min
Delta R.T.: -0.003 min
Response: 154975011
Conc: 55.77 ng/ml



#13 Dieldrin


R.T.: 6.348 min
Delta R.T.: -0.001 min
Response: 113876939
Conc: 46.69 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.370 min
Delta R.T.: -0.002 min
Response: 153809134
Conc: 52.46 ng/ml




#14 Endrin

R.T.: 6.578 min
Delta R.T.: -0.001 min
Response: 87480260
Conc: 42.45 ng/ml



#14 Endrin


R.T.: 5.645 min
Delta R.T.: -0.002 min
Response: 123405685
Conc: 47.06 ng/ml



#15 Endosulfan II


R.T.: 6.797 min
Delta R.T.: 0.000 min
Response: 99001669
Conc: 45.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.940 min
Delta R.T.: -0.002 min
Response: 128200439
Conc: 51.23 ng/ml




#16 4,4'-DDD

R.T.: 6.713 min
Delta R.T.: -0.001 min
Response: 83279276
Conc: 46.38 ng/ml



#16 4,4'-DDD


R.T.: 5.793 min
Delta R.T.: -0.003 min
Response: 122099960
Conc: 57.16 ng/ml



#17 4,4'-DDT


R.T.: 7.027 min
Delta R.T.: 0.000 min
Response: 79205842
Conc: 43.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.044 min
Delta R.T.: -0.002 min
Response: 105614878
Conc: 45.66 ng/ml




#18 Endrin aldehyde

R.T.: 6.928 min
Delta R.T.: 0.000 min
Response: 81346410
Conc: 46.68 ng/ml



#18 Endrin aldehyde


R.T.: 6.119 min
Delta R.T.: -0.002 min
Response: 102834234
Conc: 50.39 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.162 min
Delta R.T.: 0.000 min
Response: 92102985
Conc: 46.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.342 min
Delta R.T.: -0.002 min
Response: 120816720
Conc: 50.08 ng/ml




#20 Methoxychlor

R.T.: 7.503 min
Delta R.T.: 0.000 min
Response: 42744874
Conc: 43.54 ng/ml



#20 Methoxychlor


R.T.: 6.619 min
Delta R.T.: -0.002 min
Response: 56148116
Conc: 44.91 ng/ml



#21 Endrin ketone


R.T.: 7.647 min
Delta R.T.: 0.000 min
Response: 107252727
Conc: 48.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.847 min
Delta R.T.: -0.003 min
Response: 143544592
Conc: 51.84 ng/ml




#22 Mirex

R.T.: 8.120 min
Delta R.T.: -0.001 min
Response: 80475737
Conc: 44.68 ng/ml



#22 Mirex


R.T.: 7.029 min
Delta R.T.: -0.003 min
Response: 115163221
Conc: 47.34 ng/ml



#24 Chlordane-2


R.T.: 5.261 min
Delta R.T.: 0.026 min
Response: 131445403
Conc: 1225.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.370 min
Delta R.T.: 0.012 min
Response: 16252853
Conc: 144.82 ng/ml




#25 Chlordane-3

R.T.: 5.944 min
Delta R.T.: -0.001 min
Response: 130531438
Conc: 348.48 ng/ml



#25 Chlordane-3


R.T.: 4.986 min
Delta R.T.: -0.003 min
Response: 157942603
Conc: 476.84 ng/ml



#26 Chlordane-4


R.T.: 6.022 min
Delta R.T.: -0.005 min
Response: 119702712
Conc: 264.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.049 min
Delta R.T.: -0.002 min
Response: 155074851
Conc: 488.76 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.876 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.940 min
Delta R.T.: -0.007 min
Response: 128200439
Conc: 1182.12 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.059 min
Delta R.T.: 0.000 min
Response: 79363149
Conc: 48.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.920 min
Delta R.T.: -0.002 min
Response: 117878362
Conc: 47.11 ng/ml