

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL101118\
 Data File : PL040942.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 11 Oct 2018 20:46
 Operator : AJ\SJ
 Sample : J5366-01MSD
 Misc :
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 12 01:42:04 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101118.M
 Quant Title : GC Extractables
 QLast Update : Thu Oct 11 03:28:36 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.479	4.106	91432902	23439572	16.683	8.406 #
2)	SA Decachlor...	8.233	9.238	75332957	26000581	14.488	10.055 #
Target Compounds							
2)	A alpha-BHC	3.921	4.501	390.5E6	177.5E6	49.285	45.882
3)	MA gamma-BHC...	4.207	4.790	477.7E6	226.6E6	65.424	63.650
4)	MA Heptachlor	4.504	5.306	360.2E6	158.8E6	48.884	46.932
5)	MB Aldrin	4.751	5.616	335.2E6	148.9E6	48.828	49.346
6)	B beta-BHC	4.457	4.958	163.5E6	61533887	51.535	38.394 #
7)	B delta-BHC	4.661	5.179	344.4E6	157.0E6	51.682	47.836
8)	B Heptachlo...	5.195	6.003	313.4E6	139.5E6	47.781	48.639
9)	A Endosulfan I	5.534	6.364	233.6E6	107.6E6	38.993	41.998
10)	B gamma-Chl...	5.421	6.238	309.4E6	139.7E6	47.043	49.816
11)	B alpha-Chl...	5.479	6.312	304.8E6	125.3E6	46.843	45.148
12)	B 4,4'-DDE	5.646	6.465	281.6E6	119.3E6	49.546	45.091
13)	MA Dieldrin	5.777	6.622	337.1E6	119.5E6	53.324	44.881
14)	MA Endrin	6.034	6.842	285.6E6	102.5E6	49.726	45.915
15)	B Endosulfa...	6.308	7.050	260.6E6	110.9E6	46.491	46.714
16)	A 4,4'-DDD	6.163	6.957	215.6E6	103.3E6	47.730	49.303
17)	MA 4,4'-DDT	6.402	7.258	205.9E6	93440426	45.208	44.921
18)	B Endrin al...	6.478	7.173	181.6E6	87921763	43.303	44.313
19)	B Endosulfa...	6.690	7.396	240.5E6	99721271	47.276	44.629
20)	A Methoxychlor	6.951	7.713	108.1E6	53863850	41.554	45.758
21)	B Endrin ke...	7.180	7.871	252.0E6	115.0E6	48.149	48.910
23)	Chlordane-1	4.360	5.179	8969830	157.0E6	35.146	1271.283 #
24)	Chlordane-2	4.802	5.616	5533255	148.9E6	20.502	1204.261 #
25)	Chlordane-3	5.421	6.238	309.4E6	139.7E6	404.208	346.575
26)	Chlordane-4	5.479	6.312	304.8E6	125.3E6	454.538	264.013 #
27)	Chlordane-5	6.308	7.173	260.6E6	87921763	1202.411	993.691



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL101118\
Data File : PL040942.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Oct 2018 20:46
Operator : AJ\SJ
Sample : J5366-01MSD
Misc :
ALS Vial : 44 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 12 01:42:04 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101118.M
Quant Title : GC Extractables
QLast Update : Thu Oct 11 03:28:36 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.479 min
Delta R.T.: 0.000 min
Response: 91432902
Conc: 16.68 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 4.106 min
Delta R.T.: 0.002 min
Response: 23439572
Conc: 8.41 ng/ml




#2 alpha-BHC

R.T.: 3.921 min
Delta R.T.: 0.000 min
Response: 390515016
Conc: 49.29 ng/ml



#2 alpha-BHC


R.T.: 4.501 min
Delta R.T.: 0.002 min
Response: 177528788
Conc: 45.88 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.207 min
Delta R.T.: 0.000 min
Response: 477721029
Conc: 65.42 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 4.790 min
Delta R.T.: 0.002 min
Response: 226643882
Conc: 63.65 ng/ml




#4 Heptachlor

R.T.: 4.504 min
Delta R.T.: -0.001 min
Response: 360225276
Conc: 48.88 ng/ml



#4 Heptachlor


R.T.: 5.306 min
Delta R.T.: 0.003 min
Response: 158847125
Conc: 46.93 ng/ml



#5 Aldrin


R.T.: 4.751 min
Delta R.T.: -0.001 min
Response: 335174757
Conc: 48.83 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 5.616 min
Delta R.T.: 0.003 min
Response: 148931288
Conc: 49.35 ng/ml




#6 beta-BHC

R.T.: 4.457 min
Delta R.T.: 0.000 min
Response: 163522723
Conc: 51.54 ng/ml



#6 beta-BHC


R.T.: 4.958 min
Delta R.T.: 0.003 min
Response: 61533887
Conc: 38.39 ng/ml



#7 delta-BHC


R.T.: 4.661 min
Delta R.T.: 0.000 min
Response: 344403024
Conc: 51.68 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 5.179 min
Delta R.T.: 0.003 min
Response: 157021673
Conc: 47.84 ng/ml




#8 Heptachlor epoxide

R.T.: 5.195 min
Delta R.T.: 0.000 min
Response: 313380369
Conc: 47.78 ng/ml



#8 Heptachlor epoxide


R.T.: 6.003 min
Delta R.T.: 0.003 min
Response: 139503812
Conc: 48.64 ng/ml



#9 Endosulfan I


R.T.: 5.534 min
Delta R.T.: 0.000 min
Response: 233606944
Conc: 38.99 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 6.364 min
Delta R.T.: 0.003 min
Response: 107565779
Conc: 42.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.421 min
Delta R.T.: -0.001 min
Response: 309366624
Conc: 47.04 ng/ml



#10 gamma-Chlordane


R.T.: 6.238 min
Delta R.T.: 0.003 min
Response: 139715319
Conc: 49.82 ng/ml



#11 alpha-Chlordane


R.T.: 5.479 min
Delta R.T.: -0.001 min
Response: 304758825
Conc: 46.84 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 6.312 min
Delta R.T.: 0.003 min
Response: 125311859
Conc: 45.15 ng/ml




#12 4,4'-DDE

R.T.: 5.646 min
Delta R.T.: -0.001 min
Response: 281610831
Conc: 49.55 ng/ml



#12 4,4'-DDE


R.T.: 6.465 min
Delta R.T.: 0.004 min
Response: 119280744
Conc: 45.09 ng/ml



#13 Dieldrin


R.T.: 5.777 min
Delta R.T.: 0.000 min
Response: 337137132
Conc: 53.32 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 6.622 min
Delta R.T.: 0.004 min
Response: 119492476
Conc: 44.88 ng/ml




#14 Endrin

R.T.: 6.034 min
Delta R.T.: 0.000 min
Response: 285625782
Conc: 49.73 ng/ml



#14 Endrin


R.T.: 6.842 min
Delta R.T.: 0.003 min
Response: 102488106
Conc: 45.91 ng/ml



#15 Endosulfan II


R.T.: 6.308 min
Delta R.T.: 0.000 min
Response: 260581343
Conc: 46.49 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 7.050 min
Delta R.T.: 0.004 min
Response: 110948237
Conc: 46.71 ng/ml




#16 4,4'-DDD

R.T.: 6.163 min
Delta R.T.: 0.000 min
Response: 215593207
Conc: 47.73 ng/ml



#16 4,4'-DDD


R.T.: 6.957 min
Delta R.T.: 0.003 min
Response: 103275458
Conc: 49.30 ng/ml



#17 4,4'-DDT


R.T.: 6.402 min
Delta R.T.: 0.000 min
Response: 205905841
Conc: 45.21 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 7.258 min
Delta R.T.: 0.004 min
Response: 93440426
Conc: 44.92 ng/ml




#18 Endrin aldehyde

R.T.: 6.478 min
Delta R.T.: 0.000 min
Response: 181561758
Conc: 43.30 ng/ml



#18 Endrin aldehyde


R.T.: 7.173 min
Delta R.T.: 0.004 min
Response: 87921763
Conc: 44.31 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.690 min
Delta R.T.: 0.000 min
Response: 240534181
Conc: 47.28 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 7.396 min
Delta R.T.: 0.004 min
Response: 99721271
Conc: 44.63 ng/ml




#20 Methoxychlor

R.T.: 6.951 min
Delta R.T.: -0.001 min
Response: 108091523
Conc: 41.55 ng/ml



#20 Methoxychlor


R.T.: 7.713 min
Delta R.T.: 0.004 min
Response: 53863850
Conc: 45.76 ng/ml



#21 Endrin ketone


R.T.: 7.180 min
Delta R.T.: 0.000 min
Response: 252047931
Conc: 48.15 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 7.871 min
Delta R.T.: 0.004 min
Response: 115015013
Conc: 48.91 ng/ml




#23 Chlordane-1

R.T.: 4.360 min
Delta R.T.: 0.007 min
Response: 8969830
Conc: 35.15 ng/ml



#23 Chlordane-1


R.T.: 5.179 min
Delta R.T.: 0.066 min
Response: 157021673
Conc: 1271.28 ng/ml



#24 Chlordane-2


R.T.: 4.802 min
Delta R.T.: -0.052 min
Response: 5533255
Conc: 20.50 ng/ml

Instrument :
ECD_L
ClientSampleId :




#24 Chlordane-2

R.T.: 5.616 min
Delta R.T.: 0.031 min
Response: 148931288
Conc: 1204.26 ng/ml




#25 Chlordane-3

R.T.: 5.421 min
Delta R.T.: -0.001 min
Response: 309366624
Conc: 404.21 ng/ml



#25 Chlordane-3


R.T.: 6.238 min
Delta R.T.: 0.003 min
Response: 139715319
Conc: 346.57 ng/ml



#26 Chlordane-4


R.T.: 5.479 min
Delta R.T.: 0.000 min
Response: 304758825
Conc: 454.54 ng/ml

Instrument :
ECD_L
ClientSampleId :




#26 Chlordane-4

R.T.: 6.312 min
Delta R.T.: 0.002 min
Response: 125311859
Conc: 264.01 ng/ml




#27 Chlordane-5

R.T.: 6.308 min
Delta R.T.: -0.007 min
Response: 260581343
Conc: 1202.41 ng/ml



#27 Chlordane-5


R.T.: 7.173 min
Delta R.T.: 0.053 min
Response: 87921763
Conc: 993.69 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.233 min
Delta R.T.: -0.002 min
Response: 75332957
Conc: 14.49 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 9.238 min
Delta R.T.: 0.007 min
Response: 26000581
Conc: 10.05 ng/ml