

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL101118\
 Data File : PL040883.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 10 Oct 2018 19:32
 Operator : AJ\SJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 11 02:10:49 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101118.M
 Quant Title : GC Extractables
 QLast Update : Thu Oct 11 02:09:55 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.480	4.104	276.9E6	140.4E6	50.000	50.000
28)	SA Decachlor...	8.233	9.231	260.1E6	128.1E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.922	4.499	408.1E6	196.9E6	50.000	50.000
3)	MA gamma-BHC...	4.206	4.788	378.3E6	181.5E6	50.000	50.000
4)	MA Heptachlor	4.505	5.304	377.4E6	171.4E6	50.000	50.000
5)	MB Aldrin	4.752	5.612	356.3E6	153.4E6	50.000	50.000
6)	B beta-BHC	4.457	4.955	157.3E6	80607522	50.000	50.000
7)	B delta-BHC	4.661	5.176	348.4E6	168.3E6	50.000	50.000
8)	B Heptachlo...	5.196	6.000	333.6E6	143.2E6	50.000	50.000
9)	A Endosulfan I	5.534	6.360	305.2E6	128.7E6	50.000	50.000
10)	B gamma-Chl...	5.422	6.234	335.1E6	141.4E6	50.000	50.000
11)	B alpha-Chl...	5.480	6.308	331.4E6	139.3E6	50.000	50.000
12)	B 4,4'-DDE	5.647	6.462	296.4E6	133.9E6	50.000	50.000
13)	MA Dieldrin	5.777	6.618	327.3E6	134.0E6	50.000	50.000
14)	MA Endrin	6.035	6.837	295.5E6	112.6E6	50.000	50.000
15)	B Endosulfa...	6.309	7.045	281.5E6	118.3E6	50.000	50.000
16)	A 4,4'-DDD	6.163	6.953	233.9E6	104.3E6	50.000	50.000
17)	MA 4,4'-DDT	6.403	7.253	236.9E6	105.4E6	50.000	50.000
18)	B Endrin al...	6.478	7.169	209.0E6	98736794	50.000	50.000
19)	B Endosulfa...	6.690	7.392	255.2E6	111.4E6	50.000	50.000
20)	A Methoxychlor	6.952	7.709	130.0E6	59084206	50.000	50.000
21)	B Endrin ke...	7.181	7.866	267.8E6	118.2E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL101118\
Data File : PL040883.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Oct 2018 19:32
Operator : AJ\SJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 11 02:10:49 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101118.M
Quant Title : GC Extractables
QLast Update : Thu Oct 11 02:09:55 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.480 min
Delta R.T.: 0.000 min
Response: 276886451
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#1 Tetrachloro-m-xylene

R.T.: 4.104 min
Delta R.T.: 0.000 min
Response: 140435849
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.922 min
Delta R.T.: 0.000 min
Response: 408101389
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.499 min
Delta R.T.: 0.000 min
Response: 196868833
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.206 min
Delta R.T.: 0.000 min
Response: 378270622
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#3 gamma-BHC (Lindane)

R.T.: 4.788 min
Delta R.T.: 0.000 min
Response: 181470246
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.505 min
Delta R.T.: 0.000 min
Response: 377379089
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.304 min
Delta R.T.: 0.000 min
Response: 171368591
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.752 min
Delta R.T.: 0.000 min
Response: 356306439
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 5.612 min
Delta R.T.: 0.000 min
Response: 153429503
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.457 min
Delta R.T.: 0.000 min
Response: 157342095
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.955 min
Delta R.T.: 0.000 min
Response: 80607522
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.661 min
Delta R.T.: 0.000 min
Response: 348364202
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#7 delta-BHC

R.T.: 5.176 min
Delta R.T.: 0.000 min
Response: 168253379
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.196 min
Delta R.T.: 0.000 min
Response: 333631680
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 6.000 min
Delta R.T.: 0.000 min
Response: 143203220
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.534 min
Delta R.T.: 0.000 min
Response: 305231507
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#9 Endosulfan I

R.T.: 6.360 min
Delta R.T.: 0.000 min
Response: 128650440
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.422 min
Delta R.T.: 0.000 min
Response: 335121773
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.234 min
Delta R.T.: 0.000 min
Response: 141366009
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.480 min
Delta R.T.: 0.000 min
Response: 331393741
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#11 alpha-Chlordane

R.T.: 6.308 min
Delta R.T.: 0.000 min
Response: 139349938
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.647 min
Delta R.T.: 0.000 min
Response: 296362345
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.462 min
Delta R.T.: 0.000 min
Response: 133923392
Conc: 50.00 ng/ml



#13 Dielddrin


R.T.: 5.777 min
Delta R.T.: 0.000 min
Response: 327324890
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#13 Dielddrin

R.T.: 6.618 min
Delta R.T.: 0.000 min
Response: 134047365
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.035 min
Delta R.T.: 0.000 min
Response: 295547052
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.837 min
Delta R.T.: 0.000 min
Response: 112597686
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.309 min
Delta R.T.: 0.000 min
Response: 281518798
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 7.045 min
Delta R.T.: 0.000 min
Response: 118255403
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.163 min
Delta R.T.: 0.000 min
Response: 233862285
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.953 min
Delta R.T.: 0.000 min
Response: 104304814
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.403 min
Delta R.T.: 0.000 min
Response: 236870768
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 7.253 min
Delta R.T.: 0.000 min
Response: 105407282
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.478 min
Delta R.T.: 0.000 min
Response: 208992854
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 7.169 min
Delta R.T.: 0.000 min
Response: 98736794
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.690 min
Delta R.T.: 0.000 min
Response: 255245057
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 7.392 min
Delta R.T.: 0.000 min
Response: 111408814
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.952 min
Delta R.T.: 0.000 min
Response: 129962446
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.709 min
Delta R.T.: 0.000 min
Response: 59084206
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.181 min
Delta R.T.: 0.000 min
Response: 267801260
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#21 Endrin ketone

R.T.: 7.866 min
Delta R.T.: 0.000 min
Response: 118246399
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.233 min
Delta R.T.: 0.000 min
Response: 260063112
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.231 min
Delta R.T.: 0.000 min
Response: 128081397
Conc: 50.00 ng/ml