

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL101320\
 Data File : PL062234.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 12 Oct 2020 19:11
 Operator : DD\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 13 03:39:06 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101320.M
 Quant Title : GC Extractables
 QLast Update : Tue Oct 13 03:38:06 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.412	3.952	86731817	143.1E6	50.000	50.000
28)	SA Decachlor...	8.124	8.993	90385964	136.2E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.844	4.338	128.5E6	217.7E6	50.000	50.000
3)	MA gamma-BHC...	4.123	4.621	115.0E6	202.6E6	50.000	50.000
4)	MA Heptachlor	4.420	5.127	105.9E6	192.2E6	50.000	50.000
5)	MB Aldrin	4.664	5.430	95530109	180.6E6	50.000	50.000
6)	B beta-BHC	4.372	4.793	47904711	87091626	50.000	50.000
7)	B delta-BHC	4.572	5.007	109.1E6	179.8E6	50.000	50.000
8)	B Heptachlo...	5.103	5.816	91745557	163.4E6	50.000	50.000
9)	A Endosulfan I	5.438	6.171	84681032	152.1E6	50.000	50.000
10)	B gamma-Chl...	5.328	6.050	90317776	166.4E6	50.000	50.000
11)	B alpha-Chl...	5.385	6.122	90549851	165.4E6	50.000	50.000
12)	B 4,4'-DDE	5.550	6.281	83273919	154.6E6	50.000	50.000
13)	MA Dieldrin	5.678	6.428	88706385	156.9E6	50.000	50.000
14)	MA Endrin	5.933	6.645	77129300	125.3E6	50.000	50.000
15)	B Endosulfa...	6.205	6.854	83056560	136.5E6	50.000	50.000
16)	A 4,4'-DDD	6.061	6.769	73418139	124.9E6	50.000	50.000
17)	MA 4,4'-DDT	6.300	7.068	67780197	117.5E6	50.000	50.000
18)	B Endrin al...	6.371	6.979	72312706	118.2E6	50.000	50.000
19)	B Endosulfa...	6.583	7.201	82506996	130.7E6	50.000	50.000
20)	A Methoxychlor	6.843	7.527	42024461	66997810	50.000	50.000
21)	B Endrin ke...	7.069	7.670	99429412	141.7E6	50.000	50.000
22)	Mirex	7.256	8.123	73567603	104.3E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL101320\
Data File : PL062234.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Oct 2020 19:11
Operator : DD\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 13 03:39:06 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101320.M
Quant Title : GC Extractables
QLast Update : Tue Oct 13 03:38:06 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.412 min
Delta R.T.: 0.000 min
Response: 86731817
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#1 Tetrachloro-m-xylene

R.T.: 3.952 min
Delta R.T.: 0.000 min
Response: 143072151
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.844 min
Delta R.T.: 0.000 min
Response: 128542681
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.338 min
Delta R.T.: 0.000 min
Response: 217693411
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.123 min
Delta R.T.: 0.000 min
Response: 114959207
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.621 min
Delta R.T.: 0.000 min
Response: 202630798
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.420 min
Delta R.T.: 0.000 min
Response: 105930079
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.127 min
Delta R.T.: 0.000 min
Response: 192226732
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.664 min
Delta R.T.: 0.000 min
Response: 95530109
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 5.430 min
Delta R.T.: 0.000 min
Response: 180620356
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.372 min
Delta R.T.: 0.000 min
Response: 47904711
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.793 min
Delta R.T.: 0.000 min
Response: 87091626
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.572 min
Delta R.T.: 0.000 min
Response: 109067937
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 5.007 min
Delta R.T.: 0.000 min
Response: 179795612
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.103 min
Delta R.T.: 0.000 min
Response: 91745557
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.816 min
Delta R.T.: 0.000 min
Response: 163376467
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.438 min
Delta R.T.: 0.000 min
Response: 84681032
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#9 Endosulfan I

R.T.: 6.171 min
Delta R.T.: 0.000 min
Response: 152148936
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.328 min
Delta R.T.: 0.000 min
Response: 90317776
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.050 min
Delta R.T.: 0.000 min
Response: 166358480
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.385 min
Delta R.T.: 0.000 min
Response: 90549851
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#11 alpha-Chlordane

R.T.: 6.122 min
Delta R.T.: 0.000 min
Response: 165431389
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.550 min
Delta R.T.: 0.000 min
Response: 83273919
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.281 min
Delta R.T.: 0.000 min
Response: 154576283
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.678 min
Delta R.T.: 0.000 min
Response: 88706385
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#13 Dieldrin

R.T.: 6.428 min
Delta R.T.: 0.000 min
Response: 156906298
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 5.933 min
Delta R.T.: 0.000 min
Response: 77129300
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.645 min
Delta R.T.: 0.000 min
Response: 125348224
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.205 min
Delta R.T.: 0.000 min
Response: 83056560
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#15 Endosulfan II

R.T.: 6.854 min
Delta R.T.: 0.000 min
Response: 136478589
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.061 min
Delta R.T.: 0.000 min
Response: 73418139
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.769 min
Delta R.T.: 0.000 min
Response: 124898548
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.300 min
Delta R.T.: 0.000 min
Response: 67780197
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 7.068 min
Delta R.T.: 0.000 min
Response: 117549593
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.371 min
Delta R.T.: 0.000 min
Response: 72312706
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.979 min
Delta R.T.: 0.000 min
Response: 118214050
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.583 min
Delta R.T.: 0.000 min
Response: 82506996
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#19 Endosulfan Sulfate

R.T.: 7.201 min
Delta R.T.: 0.000 min
Response: 130738257
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.843 min
Delta R.T.: 0.000 min
Response: 42024461
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.527 min
Delta R.T.: 0.000 min
Response: 66997810
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.069 min
Delta R.T.: 0.000 min
Response: 99429412
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#21 Endrin ketone

R.T.: 7.670 min
Delta R.T.: 0.000 min
Response: 141711958
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.256 min
Delta R.T.: 0.000 min
Response: 73567603
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 8.123 min
Delta R.T.: 0.000 min
Response: 104313738
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.124 min
Delta R.T.: 0.000 min
Response: 90385964
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050



#28 Decachlorobiphenyl

R.T.: 8.993 min
Delta R.T.: 0.000 min
Response: 136193656
Conc: 50.00 ng/ml