

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL101420\
 Data File : PL062257.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Oct 2020 10:30
 Operator : DD\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 13 15:42:41 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101320.M
 Quant Title : GC Extractables
 QLast Update : Tue Oct 13 05:04:40 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.412	3.951	90592152	146.3E6	52.047	51.907
28)	SA Decachlor...	8.126	8.994	88234725	132.3E6	48.235	48.197
Target Compounds							
2)	A alpha-BHC	3.844	4.338	134.8E6	221.7E6	52.583	52.871
3)	MA gamma-BHC...	4.123	4.621	119.7E6	204.9E6	52.475	52.132
4)	MA Heptachlor	4.420	5.128	108.9E6	193.1E6	51.707	50.803
5)	MB Aldrin	4.664	5.431	99340247	182.5E6	52.401	51.776
6)	B beta-BHC	4.372	4.792	49719993	88127358	51.698	50.150
7)	B delta-BHC	4.573	5.007	113.1E6	186.5E6	53.010	53.766
8)	B Heptachlo...	5.103	5.816	94745746	164.9E6	51.846	50.721
9)	A Endosulfan I	5.438	6.172	87638802	150.7E6	51.906	50.046
10)	B gamma-Chl...	5.328	6.050	93291451	164.5E6	51.739	50.090
11)	B alpha-Chl...	5.386	6.123	93585691	163.9E6	51.702	50.162
12)	B 4,4'-DDE	5.550	6.281	85905201	152.3E6	52.096	50.065
13)	MA Dieldrin	5.679	6.429	91422772	153.8E6	52.009	49.819
14)	MA Endrin	5.933	6.646	77838463	121.5E6	50.665	48.871
15)	B Endosulfa...	6.205	6.855	84521049	132.7E6	51.190	48.886
16)	A 4,4'-DDD	6.062	6.771	76237870	123.4E6	52.564	50.557
17)	MA 4,4'-DDT	6.300	7.069	67654659	112.3E6	52.446	49.101
18)	B Endrin al...	6.372	6.979	72779306	115.2E6	50.156	48.771
19)	B Endosulfa...	6.584	7.202	83554641	125.5E6	50.549	48.379
20)	A Methoxychlor	6.844	7.528	41243604	63240675	50.683	47.974
21)	B Endrin ke...	7.070	7.670	100.6E6	137.1E6	51.042	49.141
22)	Mirex	7.257	8.124	73057781	100.4E6	49.231	47.693



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL101420\
Data File : PL062257.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Oct 2020 10:30
Operator : DD\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 13 15:42:41 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101320.M
Quant Title : GC Extractables
QLast Update : Tue Oct 13 05:04:40 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.412 min
Delta R.T.: 0.000 min
Response: 90592152
Conc: 52.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.951 min
Delta R.T.: 0.000 min
Response: 146293457
Conc: 51.91 ng/ml




#2 alpha-BHC

R.T.: 3.844 min
Delta R.T.: 0.000 min
Response: 134763996
Conc: 52.58 ng/ml



#2 alpha-BHC


R.T.: 4.338 min
Delta R.T.: 0.000 min
Response: 221712142
Conc: 52.87 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.123 min
Delta R.T.: 0.000 min
Response: 119657344
Conc: 52.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.621 min
Delta R.T.: 0.000 min
Response: 204858239
Conc: 52.13 ng/ml




#4 Heptachlor

R.T.: 4.420 min
Delta R.T.: 0.000 min
Response: 108870784
Conc: 51.71 ng/ml



#4 Heptachlor


R.T.: 5.128 min
Delta R.T.: 0.000 min
Response: 193098433
Conc: 50.80 ng/ml



#5 Aldrin


R.T.: 4.664 min
Delta R.T.: 0.000 min
Response: 99340247
Conc: 52.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.431 min
Delta R.T.: 0.000 min
Response: 182533740
Conc: 51.78 ng/ml




#6 beta-BHC

R.T.: 4.372 min
Delta R.T.: 0.000 min
Response: 49719993
Conc: 51.70 ng/ml



#6 beta-BHC


R.T.: 4.792 min
Delta R.T.: 0.000 min
Response: 88127358
Conc: 50.15 ng/ml



#7 delta-BHC


R.T.: 4.573 min
Delta R.T.: 0.000 min
Response: 113103705
Conc: 53.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.007 min
Delta R.T.: 0.000 min
Response: 186453546
Conc: 53.77 ng/ml




#8 Heptachlor epoxide

R.T.: 5.103 min
Delta R.T.: 0.000 min
Response: 94745746
Conc: 51.85 ng/ml



#8 Heptachlor epoxide


R.T.: 5.816 min
Delta R.T.: 0.000 min
Response: 164870968
Conc: 50.72 ng/ml



#9 Endosulfan I


R.T.: 5.438 min
Delta R.T.: 0.000 min
Response: 87638802
Conc: 51.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.172 min
Delta R.T.: 0.000 min
Response: 150749471
Conc: 50.05 ng/ml




#10 gamma-Chlordane

R.T.: 5.328 min
Delta R.T.: 0.000 min
Response: 93291451
Conc: 51.74 ng/ml



#10 gamma-Chlordane


R.T.: 6.050 min
Delta R.T.: 0.000 min
Response: 164501825
Conc: 50.09 ng/ml



#11 alpha-Chlordane


R.T.: 5.386 min
Delta R.T.: 0.000 min
Response: 93585691
Conc: 51.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.123 min
Delta R.T.: 0.000 min
Response: 163933960
Conc: 50.16 ng/ml




#12 4,4'-DDE

R.T.: 5.550 min
Delta R.T.: 0.000 min
Response: 85905201
Conc: 52.10 ng/ml



#12 4,4'-DDE


R.T.: 6.281 min
Delta R.T.: 0.000 min
Response: 152332666
Conc: 50.06 ng/ml



#13 Dieldrin


R.T.: 5.679 min
Delta R.T.: 0.000 min
Response: 91422772
Conc: 52.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.429 min
Delta R.T.: 0.000 min
Response: 153843267
Conc: 49.82 ng/ml




#14 Endrin

R.T.: 5.933 min
Delta R.T.: 0.000 min
Response: 77838463
Conc: 50.67 ng/ml



#14 Endrin


R.T.: 6.646 min
Delta R.T.: 0.000 min
Response: 121544626
Conc: 48.87 ng/ml



#15 Endosulfan II


R.T.: 6.205 min
Delta R.T.: 0.000 min
Response: 84521049
Conc: 51.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.855 min
Delta R.T.: 0.000 min
Response: 132658215
Conc: 48.89 ng/ml




#16 4,4'-DDD

R.T.: 6.062 min
Delta R.T.: 0.000 min
Response: 76237870
Conc: 52.56 ng/ml



#16 4,4'-DDD


R.T.: 6.771 min
Delta R.T.: 0.000 min
Response: 123385820
Conc: 50.56 ng/ml



#17 4,4'-DDT


R.T.: 6.300 min
Delta R.T.: 0.000 min
Response: 67654659
Conc: 52.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.069 min
Delta R.T.: 0.000 min
Response: 112313182
Conc: 49.10 ng/ml




#18 Endrin aldehyde

R.T.: 6.372 min
Delta R.T.: 0.000 min
Response: 72779306
Conc: 50.16 ng/ml



#18 Endrin aldehyde


R.T.: 6.979 min
Delta R.T.: 0.000 min
Response: 115206700
Conc: 48.77 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.584 min
Delta R.T.: 0.000 min
Response: 83554641
Conc: 50.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.202 min
Delta R.T.: 0.000 min
Response: 125536947
Conc: 48.38 ng/ml




#20 Methoxychlor

R.T.: 6.844 min
Delta R.T.: 0.000 min
Response: 41243604
Conc: 50.68 ng/ml



#20 Methoxychlor


R.T.: 7.528 min
Delta R.T.: 0.000 min
Response: 63240675
Conc: 47.97 ng/ml



#21 Endrin ketone


R.T.: 7.070 min
Delta R.T.: 0.000 min
Response: 100567115
Conc: 51.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.670 min
Delta R.T.: 0.000 min
Response: 137062500
Conc: 49.14 ng/ml




#22 Mirex

R.T.: 7.257 min
Delta R.T.: 0.000 min
Response: 73057781
Conc: 49.23 ng/ml



#22 Mirex


R.T.: 8.124 min
Delta R.T.: 0.000 min
Response: 100361585
Conc: 47.69 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.126 min
Delta R.T.: 0.000 min
Response: 88234725
Conc: 48.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.994 min
Delta R.T.: 0.002 min
Response: 132288559
Conc: 48.20 ng/ml