

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL101720\
 Data File : PL062376.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 16 Oct 2020 09:20
 Operator : DD\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 17 02:19:44 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101320.M
 Quant Title : GC Extractables
 QLast Update : Tue Oct 13 05:04:40 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.412	3.951	89516473	143.3E6	51.429	50.859
28)	SA Decachlor...	8.124	8.992	86295085	121.6E6	47.175	44.289
Target Compounds							
2)	A alpha-BHC	3.844	4.338	132.9E6	218.2E6	51.874	52.035
3)	MA gamma-BHC...	4.123	4.621	117.4E6	201.1E6	51.471	51.180
4)	MA Heptachlor	4.420	5.127	105.1E6	186.2E6	49.894	48.987
5)	MB Aldrin	4.664	5.430	97686969	180.1E6	51.529	51.080
6)	B beta-BHC	4.372	4.792	49279118	86608962	51.239	49.286
7)	B delta-BHC	4.573	5.007	110.3E6	186.6E6	51.694	53.821
8)	B Heptachlo...	5.103	5.816	93160651	170.2E6	50.979	52.353
9)	A Endosulfan I	5.437	6.171	86264104	150.4E6	51.092	49.922
10)	B gamma-Chl...	5.328	6.049	92285918	165.7E6	51.181	50.470
11)	B alpha-Chl...	5.385	6.122	92066813	164.0E6	50.863	50.171
12)	B 4,4'-DDE	5.550	6.280	84267004	153.8E6	51.102	50.541
13)	MA Dieldrin	5.678	6.428	89575920	154.8E6	50.958	50.135
14)	MA Endrin	5.933	6.644	72315791	113.5E6	47.070	45.643
15)	B Endosulfa...	6.204	6.854	83157089	132.1E6	50.364	48.695
16)	A 4,4'-DDD	6.061	6.769	79257985	129.6E6	54.646	53.093
17)	MA 4,4'-DDT	6.300	7.068	59671284	99819129	46.257	43.639
18)	B Endrin al...	6.372	6.978	61459807	97804290	42.355	41.404
19)	B Endosulfa...	6.584	7.201	81891835	123.1E6	49.543	47.446
20)	A Methoxychlor	6.844	7.527	36603528	54490059	44.981	41.336
21)	B Endrin ke...	7.070	7.669	102.2E6	138.1E6	51.852	49.513
22)	Mirex	7.256	8.123	72637487	95969360	48.948	45.606
23)	Chlordane-1	4.298f	0.000	1367565	0	26.277	N.D. #
24)	Chlordane-2	0.000	5.430f	0	180.1E6	N.D.	1708.737 #
25)	Chlordane-3	5.328	6.049	92285918	165.7E6	579.185	404.746 #
26)	Chlordane-4	5.385	6.122	92066813	164.0E6	691.939	331.812 #
27)	Chlordane-5	6.204	0.000	83157089	0	1587.800	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL101720\
Data File : PL062376.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Oct 2020 09:20
Operator : DD\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 17 02:19:44 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101320.M
Quant Title : GC Extractables
QLast Update : Tue Oct 13 05:04:40 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.412 min
Delta R.T.: 0.000 min
Response: 89516473
Conc: 51.43 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.951 min
Delta R.T.: 0.000 min
Response: 143338463
Conc: 50.86 ng/ml




#2 alpha-BHC

R.T.: 3.844 min
Delta R.T.: 0.000 min
Response: 132946313
Conc: 51.87 ng/ml



#2 alpha-BHC


R.T.: 4.338 min
Delta R.T.: 0.000 min
Response: 218203594
Conc: 52.03 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.123 min
Delta R.T.: 0.000 min
Response: 117368937
Conc: 51.47 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 4.621 min
Delta R.T.: 0.000 min
Response: 201115585
Conc: 51.18 ng/ml




#4 Heptachlor

R.T.: 4.420 min
Delta R.T.: 0.000 min
Response: 105054086
Conc: 49.89 ng/ml



#4 Heptachlor


R.T.: 5.127 min
Delta R.T.: -0.001 min
Response: 186195805
Conc: 48.99 ng/ml



#5 Aldrin


R.T.: 4.664 min
Delta R.T.: 0.000 min
Response: 97686969
Conc: 51.53 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 5.430 min
Delta R.T.: -0.001 min
Response: 180078386
Conc: 51.08 ng/ml




#6 beta-BHC

R.T.: 4.372 min
Delta R.T.: 0.000 min
Response: 49279118
Conc: 51.24 ng/ml



#6 beta-BHC


R.T.: 4.792 min
Delta R.T.: 0.000 min
Response: 86608962
Conc: 49.29 ng/ml



#7 delta-BHC


R.T.: 4.573 min
Delta R.T.: 0.000 min
Response: 110296919
Conc: 51.69 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 5.007 min
Delta R.T.: -0.001 min
Response: 186644636
Conc: 53.82 ng/ml




#8 Heptachlor epoxide

R.T.: 5.103 min
Delta R.T.: 0.000 min
Response: 93160651
Conc: 50.98 ng/ml



#8 Heptachlor epoxide


R.T.: 5.816 min
Delta R.T.: 0.000 min
Response: 170173899
Conc: 52.35 ng/ml



#9 Endosulfan I


R.T.: 5.437 min
Delta R.T.: 0.000 min
Response: 86264104
Conc: 51.09 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 6.171 min
Delta R.T.: -0.002 min
Response: 150375959
Conc: 49.92 ng/ml




#10 gamma-Chlordane

R.T.: 5.328 min
Delta R.T.: 0.000 min
Response: 92285918
Conc: 51.18 ng/ml



#10 gamma-Chlordane


R.T.: 6.049 min
Delta R.T.: -0.001 min
Response: 165749361
Conc: 50.47 ng/ml



#11 alpha-Chlordane


R.T.: 5.385 min
Delta R.T.: 0.000 min
Response: 92066813
Conc: 50.86 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 6.122 min
Delta R.T.: -0.001 min
Response: 163963476
Conc: 50.17 ng/ml




#12 4,4'-DDE

R.T.: 5.550 min
Delta R.T.: 0.000 min
Response: 84267004
Conc: 51.10 ng/ml



#12 4,4'-DDE


R.T.: 6.280 min
Delta R.T.: -0.001 min
Response: 153780799
Conc: 50.54 ng/ml



#13 Dieldrin


R.T.: 5.678 min
Delta R.T.: 0.000 min
Response: 89575920
Conc: 50.96 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 6.428 min
Delta R.T.: -0.001 min
Response: 154820665
Conc: 50.14 ng/ml




#14 Endrin

R.T.: 5.933 min
Delta R.T.: 0.000 min
Response: 72315791
Conc: 47.07 ng/ml



#14 Endrin


R.T.: 6.644 min
Delta R.T.: -0.001 min
Response: 113516692
Conc: 45.64 ng/ml



#15 Endosulfan II


R.T.: 6.204 min
Delta R.T.: 0.000 min
Response: 83157089
Conc: 50.36 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 6.854 min
Delta R.T.: -0.001 min
Response: 132138577
Conc: 48.69 ng/ml




#16 4,4'-DDD

R.T.: 6.061 min
Delta R.T.: 0.000 min
Response: 79257985
Conc: 54.65 ng/ml



#16 4,4'-DDD


R.T.: 6.769 min
Delta R.T.: -0.001 min
Response: 129576010
Conc: 53.09 ng/ml



#17 4,4'-DDT


R.T.: 6.300 min
Delta R.T.: 0.000 min
Response: 59671284
Conc: 46.26 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 7.068 min
Delta R.T.: -0.001 min
Response: 99819129
Conc: 43.64 ng/ml




#18 Endrin aldehyde

R.T.: 6.372 min
Delta R.T.: 0.000 min
Response: 61459807
Conc: 42.36 ng/ml



#18 Endrin aldehyde


R.T.: 6.978 min
Delta R.T.: -0.001 min
Response: 97804290
Conc: 41.40 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.584 min
Delta R.T.: 0.000 min
Response: 81891835
Conc: 49.54 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 7.201 min
Delta R.T.: -0.001 min
Response: 123115124
Conc: 47.45 ng/ml




#20 Methoxychlor

R.T.: 6.844 min
Delta R.T.: 0.000 min
Response: 36603528
Conc: 44.98 ng/ml



#20 Methoxychlor


R.T.: 7.527 min
Delta R.T.: 0.000 min
Response: 54490059
Conc: 41.34 ng/ml



#21 Endrin ketone


R.T.: 7.070 min
Delta R.T.: 0.000 min
Response: 102163047
Conc: 51.85 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 7.669 min
Delta R.T.: -0.001 min
Response: 138100772
Conc: 49.51 ng/ml




#22 Mirex

R.T.: 7.256 min
Delta R.T.: 0.000 min
Response: 72637487
Conc: 48.95 ng/ml



#22 Mirex


R.T.: 8.123 min
Delta R.T.: 0.000 min
Response: 95969360
Conc: 45.61 ng/ml



#23 Chlordane-1


R.T.: 4.298 min
Delta R.T.: 0.027 min
Response: 1367565
Conc: 26.28 ng/ml

Instrument :
ECD_L
ClientSampleId :




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T. : 4.940 min
Response: 0
Conc: N.D.




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.766 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 5.430 min
Delta R.T.: 0.024 min
Response: 180078386
Conc: 1708.74 ng/ml



#25 Chlordane-3


R.T.: 5.328 min
Delta R.T.: 0.000 min
Response: 92285918
Conc: 579.19 ng/ml

Instrument :
ECD_L
ClientSampleId :




#25 Chlordane-3

R.T.: 6.049 min
Delta R.T.: -0.001 min
Response: 165749361
Conc: 404.75 ng/ml




#26 Chlordane-4

R.T.: 5.385 min
Delta R.T.: 0.000 min
Response: 92066813
Conc: 691.94 ng/ml



#26 Chlordane-4


R.T.: 6.122 min
Delta R.T.: -0.003 min
Response: 163963476
Conc: 331.81 ng/ml



#27 Chlordane-5


R.T.: 6.204 min
Delta R.T.: -0.009 min
Response: 83157089
Conc: 1587.80 ng/ml

Instrument :
ECD_L
ClientSampleId :




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 6.926 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.124 min
Delta R.T.: 0.000 min
Response: 86295085
Conc: 47.17 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.992 min
Delta R.T.: 0.000 min
Response: 121564040
Conc: 44.29 ng/ml