

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL101722\
 Data File : PL078390.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Oct 2022 11:06
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 17 23:48:20 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101222.M
 Quant Title : GC Extractables
 QLast Update : Wed Oct 12 15:30:54 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.413	2.621	36581517	57600792	22.135	21.791
28)	SA Decachlor...	8.903	7.716	32679595	44319098	21.168	20.388
Target Compounds							
2)	A alpha-BHC	3.878	3.113	24985192	43977592	9.936	10.566
3)	MA gamma-BHC...	4.214	3.437	23869416	32193573	10.236	9.239
5)	MB Aldrin	5.110f	0.000	2779972	0	1.327	N.D. #
6)	B beta-BHC	4.427	3.737	10425128	14347749	10.482	9.732
8)	B Heptachlo...	5.579f	0.000	6666675	0	4.379	N.D. #
10)	B gamma-Chl...	0.000	4.785	0	2420620	N.D.	0.809 #
13)	MA Dieldrin	0.000	5.148f	0	508045	N.D.	0.173 #
14)	MA Endrin	6.459	5.441	66719055	110.0E6	44.712	47.768
15)	B Endosulfa...	6.702f	5.759f	204559	1130952	0.153	0.462 #
16)	A 4,4'-DDD	6.603	5.599	33494	224505	0.027	0.101 #
17)	MA 4,4'-DDT	6.911	5.847	151.8E6	247.5E6	103.696	109.025
18)	B Endrin al...	6.818	5.919	931852	3045382	0.814	1.646 #
20)	A Methoxychlor	7.393	6.424	184.4E6	316.5E6	243.312	250.589
21)	B Endrin ke...	7.539	6.638	2777191	5538183	1.780	2.090
24)	Chlordane-2	5.110	0.000	2779972	0	39.469	N.D. #
25)	Chlordane-3	0.000	4.785	0	2420620	N.D.	7.912 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL101722\
Data File : PL078390.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Oct 2022 11:06
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 17 23:48:20 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101222.M
Quant Title : GC Extractables
QLast Update : Wed Oct 12 15:30:54 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.413 min
Delta R.T.: 0.000 min
Response: 36581517
Conc: 22.14 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.621 min
Delta R.T.: 0.000 min
Response: 57600792
Conc: 21.79 ng/ml




#2 alpha-BHC

R.T.: 3.878 min
Delta R.T.: 0.000 min
Response: 24985192
Conc: 9.94 ng/ml



#2 alpha-BHC


R.T.: 3.113 min
Delta R.T.: 0.000 min
Response: 43977592
Conc: 10.57 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.214 min
Delta R.T.: 0.000 min
Response: 23869416
Conc: 10.24 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.437 min
Delta R.T.: 0.000 min
Response: 32193573
Conc: 9.24 ng/ml




#5 Aldrin

R.T.: 5.110 min
Delta R.T.: -0.019 min
Response: 2779972
Conc: 1.33 ng/ml



#5 Aldrin


R.T.: 0.000 min
Exp R.T. : 4.042 min
Response: 0
Conc: N.D.



#6 beta-BHC


R.T.: 4.427 min
Delta R.T.: 0.000 min
Response: 10425128
Conc: 10.48 ng/ml

Instrument :
ECD_L
ClientSampleId :




#6 beta-BHC

R.T.: 3.737 min
Delta R.T.: 0.000 min
Response: 14347749
Conc: 9.73 ng/ml




#8 Heptachlor epoxide

R.T.: 5.579 min
Delta R.T.: 0.017 min
Response: 6666675
Conc: 4.38 ng/ml



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T. : 4.540 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T.: 5.818 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#10 gamma-Chlordane

R.T.: 4.785 min
Delta R.T.: -0.004 min
Response: 2420620
Conc: 0.81 ng/ml




#13 Dieldrin

R.T.: 0.000 min
Exp R.T.: 6.226 min
Response: 0
Conc: N.D.



#13 Dieldrin


R.T.: 5.148 min
Delta R.T.: -0.020 min
Response: 508045
Conc: 0.17 ng/ml



#14 Endrin


R.T.: 6.459 min
Delta R.T.: 0.000 min
Response: 66719055
Conc: 44.71 ng/ml

Instrument :
ECD_L
ClientSampleId :




#14 Endrin

R.T.: 5.441 min
Delta R.T.: 0.000 min
Response: 110028026
Conc: 47.77 ng/ml




#15 Endosulfan II

R.T.: 6.702 min
Delta R.T.: 0.016 min
Response: 204559
Conc: 0.15 ng/ml



#15 Endosulfan II


R.T.: 5.759 min
Delta R.T.: 0.022 min
Response: 1130952
Conc: 0.46 ng/ml



#16 4,4'-DDD


R.T.: 6.603 min
Delta R.T.: 0.003 min
Response: 33494
Conc: 0.03 ng/ml

Instrument :
ECD_L
ClientSampleId :




#16 4,4'-DDD

R.T.: 5.599 min
Delta R.T.: 0.000 min
Response: 224505
Conc: 0.10 ng/ml




#17 4,4'-DDT

R.T.: 6.911 min
Delta R.T.: 0.002 min
Response: 151806611
Conc: 103.70 ng/ml



#17 4,4'-DDT


R.T.: 5.847 min
Delta R.T.: 0.000 min
Response: 247477095
Conc: 109.03 ng/ml



#18 Endrin aldehyde


R.T.: 6.818 min
Delta R.T.: 0.001 min
Response: 931852
Conc: 0.81 ng/ml

Instrument :
ECD_L
ClientSampleId :




#18 Endrin aldehyde

R.T.: 5.919 min
Delta R.T.: 0.002 min
Response: 3045382
Conc: 1.65 ng/ml




#20 Methoxychlor

R.T.: 7.393 min
Delta R.T.: 0.002 min
Response: 184360231
Conc: 243.31 ng/ml



#20 Methoxychlor


R.T.: 6.424 min
Delta R.T.: 0.000 min
Response: 316498271
Conc: 250.59 ng/ml



#21 Endrin ketone


R.T.: 7.539 min
Delta R.T.: 0.000 min
Response: 2777191
Conc: 1.78 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.638 min
Delta R.T.: 0.000 min
Response: 5538183
Conc: 2.09 ng/ml




#24 Chlordane-2

R.T.: 5.110 min
Delta R.T.: -0.001 min
Response: 2779972
Conc: 39.47 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T. : 4.165 min
Response: 0
Conc: N.D.



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T.: 5.823 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#25 Chlordane-3

R.T.: 4.785 min
Delta R.T.: -0.006 min
Response: 2420620
Conc: 7.91 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.903 min
Delta R.T.: 0.002 min
Response: 32679595
Conc: 21.17 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.716 min
Delta R.T.: 0.000 min
Response: 44319098
Conc: 20.39 ng/ml