

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL101724\
 Data File : PL092444.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Oct 2024 16:16
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 18 01:46:49 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 23 16:44:57 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.542	2.781	116.3E6	140.0E6	52.258	55.832
28)	SA Decachlor...	9.057	7.919	79162240	110.1E6	48.322	43.999
Target Compounds							
2)	A alpha-BHC	3.998	3.284	161.5E6	208.5E6	52.155	57.217
3)	MA gamma-BHC...	4.330	3.613	155.4E6	197.5E6	50.135	55.932
4)	MA Heptachlor	4.919	3.952	132.4E6	179.2E6	47.888	51.940
5)	MB Aldrin	5.260	4.232	135.3E6	189.8E6	48.704	55.811
6)	B beta-BHC	4.527	3.913	67531999	82971266	50.915	55.200
7)	B delta-BHC	4.775	4.142	149.9E6	199.3E6	51.975	57.418
8)	B Heptachlo...	5.687	4.735	124.3E6	166.7E6	48.827	55.159
9)	A Endosulfan I	6.072	5.105	110.9E6	153.4E6	47.945	55.905
10)	B gamma-Chl...	5.943	4.985	119.0E6	168.5E6	48.157	56.012
11)	B alpha-Chl...	6.022	5.048	118.1E6	165.6E6	47.925	55.326
12)	B 4,4'-DDE	6.194	5.238	106.5E6	157.9E6	49.195	56.823
13)	MA Dieldrin	6.347	5.369	116.8E6	158.0E6	47.874	53.907
14)	MA Endrin	6.577	5.644	95518424	136.6E6	46.352	52.087
15)	B Endosulfa...	6.796	5.939	100.1E6	131.6E6	45.515	52.579
16)	A 4,4'-DDD	6.712	5.792	84353238	123.8E6	46.975	57.952
17)	MA 4,4'-DDT	7.026	6.043	78660226	106.4E6	42.722	45.995
18)	B Endrin al...	6.926	6.118	81004033	104.3E6	46.480	51.132
19)	B Endosulfa...	7.160	6.340	93456818	122.2E6	47.146	50.633
20)	A Methoxychlor	7.501	6.617	44047547	55386745	44.868	44.297
21)	B Endrin ke...	7.645	6.846	101.4E6	132.3E6	46.134	47.794
22)	Mirex	8.119	7.027	79711527	112.5E6	44.260	46.240
24)	Chlordane-2	5.260f	4.369	135.3E6	1043411	1261.388	9.297 #
25)	Chlordane-3	5.943	4.985	119.0E6	168.5E6	317.704	508.759 #
26)	Chlordane-4	6.022	5.048	118.1E6	165.6E6	260.695	521.999 #
27)	Chlordane-5	0.000	5.939	0	131.6E6	N.D.	1213.229 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL101724\
Data File : PL092444.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Oct 2024 16:16
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 18 01:46:49 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
Quant Title : GC Extractables
QLast Update : Mon Sep 23 16:44:57 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.542 min
Delta R.T.: -0.002 min
Response: 116256941
Conc: 52.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.781 min
Delta R.T.: -0.001 min
Response: 140029717
Conc: 55.83 ng/ml




#2 alpha-BHC

R.T.: 3.998 min
Delta R.T.: -0.001 min
Response: 161499262
Conc: 52.16 ng/ml



#2 alpha-BHC


R.T.: 3.284 min
Delta R.T.: -0.002 min
Response: 208458731
Conc: 57.22 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.330 min
Delta R.T.: -0.002 min
Response: 155359547
Conc: 50.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.613 min
Delta R.T.: -0.002 min
Response: 197495388
Conc: 55.93 ng/ml




#4 Heptachlor

R.T.: 4.919 min
Delta R.T.: -0.002 min
Response: 132433168
Conc: 47.89 ng/ml



#4 Heptachlor


R.T.: 3.952 min
Delta R.T.: -0.003 min
Response: 179224357
Conc: 51.94 ng/ml



#5 Aldrin


R.T.: 5.260 min
Delta R.T.: -0.003 min
Response: 135279641
Conc: 48.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.232 min
Delta R.T.: -0.003 min
Response: 189817606
Conc: 55.81 ng/ml




#6 beta-BHC

R.T.: 4.527 min
Delta R.T.: -0.002 min
Response: 67531999
Conc: 50.91 ng/ml



#6 beta-BHC


R.T.: 3.913 min
Delta R.T.: -0.003 min
Response: 82971266
Conc: 55.20 ng/ml



#7 delta-BHC


R.T.: 4.775 min
Delta R.T.: -0.002 min
Response: 149907699
Conc: 51.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.142 min
Delta R.T.: -0.003 min
Response: 199338353
Conc: 57.42 ng/ml




#8 Heptachlor epoxide

R.T.: 5.687 min
Delta R.T.: -0.002 min
Response: 124265015
Conc: 48.83 ng/ml



#8 Heptachlor epoxide


R.T.: 4.735 min
Delta R.T.: -0.003 min
Response: 166740350
Conc: 55.16 ng/ml



#9 Endosulfan I


R.T.: 6.072 min
Delta R.T.: -0.003 min
Response: 110916454
Conc: 47.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.105 min
Delta R.T.: -0.003 min
Response: 153438626
Conc: 55.90 ng/ml




#10 gamma-Chlordane

R.T.: 5.943 min
Delta R.T.: -0.002 min
Response: 119004544
Conc: 48.16 ng/ml



#10 gamma-Chlordane


R.T.: 4.985 min
Delta R.T.: -0.003 min
Response: 168515441
Conc: 56.01 ng/ml



#11 alpha-Chlordane


R.T.: 6.022 min
Delta R.T.: -0.002 min
Response: 118054921
Conc: 47.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.048 min
Delta R.T.: -0.004 min
Response: 165620891
Conc: 55.33 ng/ml




#12 4,4'-DDE

R.T.: 6.194 min
Delta R.T.: -0.002 min
Response: 106478614
Conc: 49.19 ng/ml



#12 4,4'-DDE


R.T.: 5.238 min
Delta R.T.: -0.003 min
Response: 157903470
Conc: 56.82 ng/ml



#13 Dieldrin


R.T.: 6.347 min
Delta R.T.: -0.002 min
Response: 116757661
Conc: 47.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.369 min
Delta R.T.: -0.003 min
Response: 158046051
Conc: 53.91 ng/ml




#14 Endrin

R.T.: 6.577 min
Delta R.T.: -0.002 min
Response: 95518424
Conc: 46.35 ng/ml



#14 Endrin


R.T.: 5.644 min
Delta R.T.: -0.003 min
Response: 136581533
Conc: 52.09 ng/ml



#15 Endosulfan II


R.T.: 6.796 min
Delta R.T.: -0.002 min
Response: 100120020
Conc: 45.51 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.939 min
Delta R.T.: -0.003 min
Response: 131574016
Conc: 52.58 ng/ml




#16 4,4'-DDD

R.T.: 6.712 min
Delta R.T.: -0.002 min
Response: 84353238
Conc: 46.97 ng/ml



#16 4,4'-DDD


R.T.: 5.792 min
Delta R.T.: -0.004 min
Response: 123798375
Conc: 57.95 ng/ml



#17 4,4'-DDT


R.T.: 7.026 min
Delta R.T.: -0.002 min
Response: 78660226
Conc: 42.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.043 min
Delta R.T.: -0.003 min
Response: 106393127
Conc: 45.99 ng/ml




#18 Endrin aldehyde

R.T.: 6.926 min
Delta R.T.: -0.002 min
Response: 81004033
Conc: 46.48 ng/ml



#18 Endrin aldehyde


R.T.: 6.118 min
Delta R.T.: -0.003 min
Response: 104346579
Conc: 51.13 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.160 min
Delta R.T.: -0.002 min
Response: 93456818
Conc: 47.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.340 min
Delta R.T.: -0.004 min
Response: 122152873
Conc: 50.63 ng/ml




#20 Methoxychlor

R.T.: 7.501 min
Delta R.T.: -0.002 min
Response: 44047547
Conc: 44.87 ng/ml



#20 Methoxychlor


R.T.: 6.617 min
Delta R.T.: -0.004 min
Response: 55386745
Conc: 44.30 ng/ml



#21 Endrin ketone


R.T.: 7.645 min
Delta R.T.: -0.002 min
Response: 101382876
Conc: 46.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.846 min
Delta R.T.: -0.004 min
Response: 132339304
Conc: 47.79 ng/ml




#22 Mirex

R.T.: 8.119 min
Delta R.T.: -0.003 min
Response: 79711527
Conc: 44.26 ng/ml



#22 Mirex


R.T.: 7.027 min
Delta R.T.: -0.004 min
Response: 112486275
Conc: 46.24 ng/ml



#24 Chlordane-2


R.T.: 5.260 min
Delta R.T.: 0.025 min
Response: 135279641
Conc: 1261.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.369 min
Delta R.T.: 0.011 min
Response: 1043411
Conc: 9.30 ng/ml




#25 Chlordane-3

R.T.: 5.943 min
Delta R.T.: -0.002 min
Response: 119004544
Conc: 317.70 ng/ml



#25 Chlordane-3


R.T.: 4.985 min
Delta R.T.: -0.003 min
Response: 168515441
Conc: 508.76 ng/ml



#26 Chlordane-4


R.T.: 6.022 min
Delta R.T.: -0.005 min
Response: 118054921
Conc: 260.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.048 min
Delta R.T.: -0.003 min
Response: 165620891
Conc: 522.00 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.876 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.939 min
Delta R.T.: -0.008 min
Response: 131574016
Conc: 1213.23 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.057 min
Delta R.T.: -0.004 min
Response: 79162240
Conc: 48.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.919 min
Delta R.T.: -0.003 min
Response: 110083209
Conc: 44.00 ng/ml