

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL101919\
 Data File : PL053433.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Oct 2019 11:06
 Operator : SG\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 18 11:52:35 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101919.M
 Quant Title : GC Extractables
 QLast Update : Fri Oct 18 11:52:01 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.544	4.046	557.9E6	127.2E6	50.000	50.000
28)	SA Decachlor...	8.334	9.126	490.0E6	141.1E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.988	4.437	908.8E6	180.9E6	50.000	50.000
3)	MA gamma-BHC...	4.275	4.722	823.0E6	167.4E6	50.000	50.000
4)	MA Heptachlor	4.582	5.232	822.6E6	164.9E6	50.000	50.000
5)	MB Aldrin	4.834	5.538	755.4E6	153.3E6	50.000	50.000
6)	B beta-BHC	4.525	4.892	333.5E6	76538944	50.000	50.000
7)	B delta-BHC	4.734	5.109	805.5E6	155.6E6	50.000	50.000
8)	B Heptachlor...	5.280	5.925	697.0E6	146.7E6	50.000	50.000
9)	A Endosulfan I	5.623	6.281	639.0E6	138.4E6	50.000	50.000
10)	B gamma-Chl...	5.509	6.158	709.2E6	149.4E6	50.000	50.000
11)	B alpha-Chl...	5.568	6.231	687.6E6	149.1E6	50.000	50.000
12)	B 4,4'-DDE	5.731	6.387	618.3E6	144.3E6	50.000	50.000
13)	MA Dieldrin	5.868	6.538	687.3E6	147.1E6	50.000	50.000
14)	MA Endrin	6.126	6.756	612.1E6	124.6E6	50.000	50.000
15)	B Endosulfa...	6.399	6.965	574.3E6	129.9E6	50.000	50.000
16)	A 4,4'-DDD	6.248	6.877	471.0E6	108.4E6	50.000	50.000
17)	MA 4,4'-DDT	6.491	7.176	523.7E6	118.7E6	50.000	50.000
18)	B Endrin al...	6.567	7.089	467.4E6	111.3E6	50.000	50.000
19)	B Endosulfa...	6.781	7.312	516.3E6	123.5E6	50.000	50.000
20)	A Methoxychlor	7.037	7.633	252.6E6	65871521	50.000	50.000
21)	B Endrin ke...	7.275	7.783	557.1E6	130.8E6	50.000	50.000
22)	Mirex	7.469	8.239	419.2E6	101.4E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL101919\
Data File : PL053433.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Oct 2019 11:06
Operator : SG\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 18 11:52:35 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101919.M
Quant Title : GC Extractables
QLast Update : Fri Oct 18 11:52:01 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.544 min
Delta R.T.: 0.000 min
Response: 557856901
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#1 Tetrachloro-m-xylene

R.T.: 4.046 min
Delta R.T.: 0.000 min
Response: 127167121
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.988 min
Delta R.T.: 0.000 min
Response: 908812976
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.437 min
Delta R.T.: 0.000 min
Response: 180918909
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.275 min
Delta R.T.: 0.000 min
Response: 823049943
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#3 gamma-BHC (Lindane)

R.T.: 4.722 min
Delta R.T.: 0.000 min
Response: 167442738
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.582 min
Delta R.T.: 0.000 min
Response: 822559050
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.232 min
Delta R.T.: 0.000 min
Response: 164877807
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.834 min
Delta R.T.: 0.000 min
Response: 755440357
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 5.538 min
Delta R.T.: 0.000 min
Response: 153343263
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.525 min
Delta R.T.: 0.000 min
Response: 333520793
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.892 min
Delta R.T.: 0.000 min
Response: 76538944
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.734 min
Delta R.T.: 0.000 min
Response: 805464843
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 5.109 min
Delta R.T.: 0.000 min
Response: 155610009
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.280 min
Delta R.T.: 0.000 min
Response: 696983231
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.925 min
Delta R.T.: 0.000 min
Response: 146711741
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.623 min
Delta R.T.: 0.000 min
Response: 639012915
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#9 Endosulfan I

R.T.: 6.281 min
Delta R.T.: 0.000 min
Response: 138371303
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.509 min
Delta R.T.: 0.000 min
Response: 709243208
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.158 min
Delta R.T.: 0.000 min
Response: 149391779
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.568 min
Delta R.T.: 0.000 min
Response: 687646145
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#11 alpha-Chlordane

R.T.: 6.231 min
Delta R.T.: 0.000 min
Response: 149057467
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.731 min
Delta R.T.: 0.000 min
Response: 618324642
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.387 min
Delta R.T.: 0.000 min
Response: 144315937
Conc: 50.00 ng/ml



#13 Dielldrin


R.T.: 5.868 min
Delta R.T.: 0.000 min
Response: 687333642
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#13 Dielldrin

R.T.: 6.538 min
Delta R.T.: 0.000 min
Response: 147136303
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.126 min
Delta R.T.: 0.000 min
Response: 612079043
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.756 min
Delta R.T.: 0.000 min
Response: 124630473
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.399 min
Delta R.T.: 0.000 min
Response: 574309066
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 6.965 min
Delta R.T.: 0.000 min
Response: 129949301
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.248 min
Delta R.T.: 0.000 min
Response: 470987799
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.877 min
Delta R.T.: 0.000 min
Response: 108405127
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.491 min
Delta R.T.: 0.000 min
Response: 523704463
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 7.176 min
Delta R.T.: 0.000 min
Response: 118748905
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.567 min
Delta R.T.: 0.000 min
Response: 467372410
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 7.089 min
Delta R.T.: 0.000 min
Response: 111326114
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.781 min
Delta R.T.: 0.000 min
Response: 516286725
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 7.312 min
Delta R.T.: 0.000 min
Response: 123538146
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 7.037 min
Delta R.T.: 0.000 min
Response: 252562583
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.633 min
Delta R.T.: 0.000 min
Response: 65871521
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.275 min
Delta R.T.: 0.000 min
Response: 557116073
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#21 Endrin ketone

R.T.: 7.783 min
Delta R.T.: 0.000 min
Response: 130811839
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.469 min
Delta R.T.: 0.000 min
Response: 419203004
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 8.239 min
Delta R.T.: 0.000 min
Response: 101359190
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.334 min
Delta R.T.: 0.000 min
Response: 489959529
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050



#28 Decachlorobiphenyl

R.T.: 9.126 min
Delta R.T.: 0.000 min
Response: 141061020
Conc: 50.00 ng/ml