

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL101920\
 Data File : PL062428.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 19 Oct 2020 14:55
 Operator : DD\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 19 15:46:16 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101920.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 19 15:46:00 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.411	3.951	85824522	118.2E6	50.000	50.000
28)	SA Decachlor...	8.122	8.989	87360102	98350861	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.843	4.337	126.8E6	174.4E6	50.000	50.000
3)	MA gamma-BHC...	4.122	4.620	114.2E6	164.0E6	50.000	50.000
4)	MA Heptachlor	4.419	5.125	105.9E6	151.3E6	50.000	50.000
5)	MB Aldrin	4.663	5.428	94720972	140.9E6	50.000	50.000
6)	B beta-BHC	4.371	4.791	47065331	72283513	50.000	50.000
7)	B delta-BHC	4.571	5.006	108.2E6	135.3E6	50.000	50.000
8)	B Heptachlo...	5.101	5.814	90328539	124.1E6	50.000	50.000
9)	A Endosulfan I	5.436	6.170	83621793	122.0E6	50.000	50.000
10)	B gamma-Chl...	5.326	6.048	90019132	129.6E6	50.000	50.000
11)	B alpha-Chl...	5.384	6.120	90244280	131.4E6	50.000	50.000
12)	B 4,4'-DDE	5.548	6.279	83149064	124.1E6	50.000	50.000
13)	MA Dieldrin	5.676	6.426	88026776	124.7E6	50.000	50.000
14)	MA Endrin	5.931	6.643	82424012	108.4E6	50.000	50.000
15)	B Endosulfa...	6.202	6.853	82156309	110.1E6	50.000	50.000
16)	A 4,4'-DDD	6.059	6.768	71537220	98004681	50.000	50.000
17)	MA 4,4'-DDT	6.298	7.066	71086680	96803754	50.000	50.000
18)	B Endrin al...	6.369	6.976	71683267	93832336	50.000	50.000
19)	B Endosulfa...	6.581	7.199	81921109	103.2E6	50.000	50.000
20)	A Methoxychlor	6.842	7.525	44188720	56193340	50.000	50.000
21)	B Endrin ke...	7.067	7.668	94134467	108.9E6	50.000	50.000
22)	Mirex	7.253	8.121	73613718	80213763	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL101920\
Data File : PL062428.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 19 Oct 2020 14:55
Operator : DD\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 19 15:46:16 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101920.M
Quant Title : GC Extractables
QLast Update : Mon Oct 19 15:46:00 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.411 min
Delta R.T.: 0.000 min
Response: 85824522
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#1 Tetrachloro-m-xylene

R.T.: 3.951 min
Delta R.T.: 0.000 min
Response: 118194854
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.843 min
Delta R.T.: 0.000 min
Response: 126788956
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.337 min
Delta R.T.: 0.000 min
Response: 174352382
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.122 min
Delta R.T.: 0.000 min
Response: 114157531
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.620 min
Delta R.T.: 0.000 min
Response: 163955753
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.419 min
Delta R.T.: 0.000 min
Response: 105870093
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.125 min
Delta R.T.: 0.000 min
Response: 151285337
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.663 min
Delta R.T.: 0.000 min
Response: 94720972
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#5 Aldrin

R.T.: 5.428 min
Delta R.T.: 0.000 min
Response: 140874530
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.371 min
Delta R.T.: 0.000 min
Response: 47065331
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.791 min
Delta R.T.: 0.000 min
Response: 72283513
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.571 min
Delta R.T.: 0.000 min
Response: 108202630
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 5.006 min
Delta R.T.: 0.000 min
Response: 135349376
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.101 min
Delta R.T.: 0.000 min
Response: 90328539
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.814 min
Delta R.T.: 0.000 min
Response: 124080718
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.436 min
Delta R.T.: 0.000 min
Response: 83621793
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#9 Endosulfan I

R.T.: 6.170 min
Delta R.T.: 0.000 min
Response: 122041842
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.326 min
Delta R.T.: 0.000 min
Response: 90019132
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.048 min
Delta R.T.: 0.000 min
Response: 129564699
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.384 min
Delta R.T.: 0.000 min
Response: 90244280
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#11 alpha-Chlordane

R.T.: 6.120 min
Delta R.T.: 0.000 min
Response: 131356642
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.548 min
Delta R.T.: 0.000 min
Response: 83149064
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.279 min
Delta R.T.: 0.000 min
Response: 124090047
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.676 min
Delta R.T.: 0.000 min
Response: 88026776
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#13 Dieldrin

R.T.: 6.426 min
Delta R.T.: 0.000 min
Response: 124681692
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 5.931 min
Delta R.T.: 0.000 min
Response: 82424012
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.643 min
Delta R.T.: 0.000 min
Response: 108421120
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.202 min
Delta R.T.: 0.000 min
Response: 82156309
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 6.853 min
Delta R.T.: 0.000 min
Response: 110103118
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.059 min
Delta R.T.: 0.000 min
Response: 71537220
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.768 min
Delta R.T.: 0.000 min
Response: 98004681
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.298 min
Delta R.T.: 0.000 min
Response: 71086680
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 7.066 min
Delta R.T.: 0.000 min
Response: 96803754
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.369 min
Delta R.T.: 0.000 min
Response: 71683267
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.976 min
Delta R.T.: 0.000 min
Response: 93832336
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.581 min
Delta R.T.: 0.000 min
Response: 81921109
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 7.199 min
Delta R.T.: 0.000 min
Response: 103189375
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.842 min
Delta R.T.: 0.000 min
Response: 44188720
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.525 min
Delta R.T.: 0.000 min
Response: 56193340
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.067 min
Delta R.T.: 0.000 min
Response: 94134467
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#21 Endrin ketone

R.T.: 7.668 min
Delta R.T.: 0.000 min
Response: 108893124
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.253 min
Delta R.T.: 0.000 min
Response: 73613718
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 8.121 min
Delta R.T.: 0.000 min
Response: 80213763
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.122 min
Delta R.T.: 0.000 min
Response: 87360102
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050



#28 Decachlorobiphenyl

R.T.: 8.989 min
Delta R.T.: 0.000 min
Response: 98350861
Conc: 50.00 ng/ml