

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL101924\
 Data File : PL092487.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Oct 2024 16:52
 Operator : AR\AJ
 Sample : PB164240BS
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 18 23:54:14 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 23 16:44:57 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.538	2.777	41407345	44085674	18.613	17.577
28)	SA Decachlor...	9.053	7.915	26967266	36566068	16.461	14.615
Target Compounds							
2)	A alpha-BHC	3.994	3.280	137.9E6	167.0E6	44.546	45.827
3)	MA gamma-BHC...	4.327	3.610	129.6E6	156.3E6	41.835	44.252
4)	MA Heptachlor	4.916	3.949	119.4E6	154.9E6	43.189	44.904
5)	MB Aldrin	5.257	4.229	111.4E6	151.0E6	40.119	44.396
6)	B beta-BHC	4.524	3.909	58471614	69448515	44.084	46.204
7)	B delta-BHC	4.771	4.138	117.4E6	152.5E6	40.696	43.928
8)	B Heptachlo...	5.683	4.731	105.7E6	133.4E6	41.515	44.145
9)	A Endosulfan I	6.068	5.101	97496844	123.7E6	42.144	45.076
10)	B gamma-Chl...	5.939	4.981	112.4E6	136.5E6	45.493	45.361
11)	B alpha-Chl...	6.018	5.045	105.9E6	134.0E6	42.998	44.770
12)	B 4,4'-DDE	6.191	5.234	93178083	129.9E6	43.050	46.755
13)	MA Dieldrin	6.343	5.365	101.0E6	134.5E6	41.428	45.874
14)	MA Endrin	6.573	5.641	86202636	121.4E6	41.832	46.315
15)	B Endosulfa...	6.793	5.936	88575179	109.6E6	40.266	43.788
16)	A 4,4'-DDD	6.709	5.789	72030023	100.6E6	40.112	47.096
17)	MA 4,4'-DDT	7.022	6.039	75266322	95284892	40.879	41.192
18)	B Endrin al...	6.923	6.115	67963636	83502364	38.998	40.918
19)	B Endosulfa...	7.156	6.338	80274911	105.2E6	40.496	43.589
20)	A Methoxychlor	7.498	6.614	40507693	51870035	41.262	41.484
21)	B Endrin ke...	7.642	6.843	87469541	110.6E6	39.803	39.955
22)	Mirex	8.116	7.024	65734734	93342539	36.499	38.371
23)	Chlordane-1	0.000	3.788	0	24285	N.D.	0.243 #
24)	Chlordane-2	5.257f	4.367	111.4E6	775976	1039.037	6.914 #
25)	Chlordane-3	5.939	4.981	112.4E6	136.5E6	300.134	412.018 #
26)	Chlordane-4	6.018	5.045	105.9E6	134.0E6	233.893	422.399 #
27)	Chlordane-5	0.000	5.936	0	109.6E6	N.D.	1010.388 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL101924\
Data File : PL092487.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Oct 2024 16:52
Operator : AR\AJ
Sample : PB164240BS
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 18 23:54:14 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092324.M
Quant Title : GC Extractables
QLast Update : Mon Sep 23 16:44:57 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.538 min
Delta R.T.: -0.006 min
Response: 41407345
Conc: 18.61 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.777 min
Delta R.T.: -0.005 min
Response: 44085674
Conc: 17.58 ng/ml




#2 alpha-BHC

R.T.: 3.994 min
Delta R.T.: -0.005 min
Response: 137937912
Conc: 44.55 ng/ml



#2 alpha-BHC


R.T.: 3.280 min
Delta R.T.: -0.006 min
Response: 166962479
Conc: 45.83 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.327 min
Delta R.T.: -0.005 min
Response: 129638435
Conc: 41.83 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.610 min
Delta R.T.: -0.006 min
Response: 156251101
Conc: 44.25 ng/ml




#4 Heptachlor

R.T.: 4.916 min
Delta R.T.: -0.005 min
Response: 119437665
Conc: 43.19 ng/ml



#4 Heptachlor


R.T.: 3.949 min
Delta R.T.: -0.006 min
Response: 154947725
Conc: 44.90 ng/ml



#5 Aldrin


R.T.: 5.257 min
Delta R.T.: -0.006 min
Response: 111433191
Conc: 40.12 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.229 min
Delta R.T.: -0.007 min
Response: 150996703
Conc: 44.40 ng/ml




#6 beta-BHC

R.T.: 4.524 min
Delta R.T.: -0.005 min
Response: 58471614
Conc: 44.08 ng/ml



#6 beta-BHC


R.T.: 3.909 min
Delta R.T.: -0.006 min
Response: 69448515
Conc: 46.20 ng/ml



#7 delta-BHC


R.T.: 4.771 min
Delta R.T.: -0.005 min
Response: 117374622
Conc: 40.70 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.138 min
Delta R.T.: -0.006 min
Response: 152505441
Conc: 43.93 ng/ml




#8 Heptachlor epoxide

R.T.: 5.683 min
Delta R.T.: -0.006 min
Response: 105656232
Conc: 41.52 ng/ml



#8 Heptachlor epoxide


R.T.: 4.731 min
Delta R.T.: -0.007 min
Response: 133446208
Conc: 44.15 ng/ml



#9 Endosulfan I


R.T.: 6.068 min
Delta R.T.: -0.006 min
Response: 97496844
Conc: 42.14 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.101 min
Delta R.T.: -0.007 min
Response: 123716809
Conc: 45.08 ng/ml




#10 gamma-Chlordane

R.T.: 5.939 min
Delta R.T.: -0.005 min
Response: 112423399
Conc: 45.49 ng/ml



#10 gamma-Chlordane


R.T.: 4.981 min
Delta R.T.: -0.007 min
Response: 136471893
Conc: 45.36 ng/ml



#11 alpha-Chlordane


R.T.: 6.018 min
Delta R.T.: -0.006 min
Response: 105917704
Conc: 43.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.045 min
Delta R.T.: -0.007 min
Response: 134019532
Conc: 44.77 ng/ml




#12 4,4'-DDE

R.T.: 6.191 min
Delta R.T.: -0.005 min
Response: 93178083
Conc: 43.05 ng/ml



#12 4,4'-DDE


R.T.: 5.234 min
Delta R.T.: -0.007 min
Response: 129925660
Conc: 46.76 ng/ml



#13 Dieldrin


R.T.: 6.343 min
Delta R.T.: -0.006 min
Response: 101036214
Conc: 41.43 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.365 min
Delta R.T.: -0.007 min
Response: 134496085
Conc: 45.87 ng/ml




#14 Endrin

R.T.: 6.573 min
Delta R.T.: -0.006 min
Response: 86202636
Conc: 41.83 ng/ml



#14 Endrin


R.T.: 5.641 min
Delta R.T.: -0.007 min
Response: 121446015
Conc: 46.31 ng/ml



#15 Endosulfan II


R.T.: 6.793 min
Delta R.T.: -0.005 min
Response: 88575179
Conc: 40.27 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.936 min
Delta R.T.: -0.006 min
Response: 109576049
Conc: 43.79 ng/ml




#16 4,4'-DDD

R.T.: 6.709 min
Delta R.T.: -0.006 min
Response: 72030023
Conc: 40.11 ng/ml



#16 4,4'-DDD


R.T.: 5.789 min
Delta R.T.: -0.007 min
Response: 100608351
Conc: 47.10 ng/ml



#17 4,4'-DDT


R.T.: 7.022 min
Delta R.T.: -0.005 min
Response: 75266322
Conc: 40.88 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.039 min
Delta R.T.: -0.006 min
Response: 95284892
Conc: 41.19 ng/ml




#18 Endrin aldehyde

R.T.: 6.923 min
Delta R.T.: -0.005 min
Response: 67963636
Conc: 39.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.115 min
Delta R.T.: -0.007 min
Response: 83502364
Conc: 40.92 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.156 min
Delta R.T.: -0.006 min
Response: 80274911
Conc: 40.50 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.338 min
Delta R.T.: -0.006 min
Response: 105158060
Conc: 43.59 ng/ml




#20 Methoxychlor

R.T.: 7.498 min
Delta R.T.: -0.005 min
Response: 40507693
Conc: 41.26 ng/ml



#20 Methoxychlor


R.T.: 6.614 min
Delta R.T.: -0.007 min
Response: 51870035
Conc: 41.48 ng/ml



#21 Endrin ketone


R.T.: 7.642 min
Delta R.T.: -0.005 min
Response: 87469541
Conc: 39.80 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.843 min
Delta R.T.: -0.007 min
Response: 110633316
Conc: 39.96 ng/ml




#22 Mirex

R.T.: 8.116 min
Delta R.T.: -0.006 min
Response: 65734734
Conc: 36.50 ng/ml



#22 Mirex


R.T.: 7.024 min
Delta R.T.: -0.007 min
Response: 93342539
Conc: 38.37 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.706 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#23 Chlordane-1

R.T.: 3.788 min
Delta R.T.: 0.007 min
Response: 24285
Conc: 0.24 ng/ml




#24 Chlordane-2

R.T.: 5.257 min
Delta R.T.: 0.022 min
Response: 111433191
Conc: 1039.04 ng/ml



#24 Chlordane-2


R.T.: 4.367 min
Delta R.T.: 0.008 min
Response: 775976
Conc: 6.91 ng/ml



#25 Chlordane-3


R.T.: 5.939 min
Delta R.T.: -0.006 min
Response: 112423399
Conc: 300.13 ng/ml

Instrument :
ECD_L
ClientSampleId :




#25 Chlordane-3

R.T.: 4.981 min
Delta R.T.: -0.008 min
Response: 136471893
Conc: 412.02 ng/ml




#26 Chlordane-4

R.T.: 6.018 min
Delta R.T.: -0.009 min
Response: 105917704
Conc: 233.89 ng/ml



#26 Chlordane-4


R.T.: 5.045 min
Delta R.T.: -0.006 min
Response: 134019532
Conc: 422.40 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.876 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#27 Chlordane-5

R.T.: 5.936 min
Delta R.T.: -0.011 min
Response: 109576049
Conc: 1010.39 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.053 min
Delta R.T.: -0.008 min
Response: 26967266
Conc: 16.46 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.915 min
Delta R.T.: -0.007 min
Response: 36566068
Conc: 14.62 ng/ml