

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102020\
 Data File : PL062436.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Oct 2020 10:35
 Operator : DD\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PEM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 21 04:46:44 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101920.M
 Quant Title : GC Extractables
 QLast Update : Tue Oct 20 07:00:50 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.410	3.949	36078972	46422945	20.940	20.155
28)	SA Decachlor...	8.122	8.988	36534225	41094945	20.813	20.725
Target Compounds							
2)	A alpha-BHC	3.842	4.335	23584112	29562793	9.429	8.782
3)	MA gamma-BHC...	4.121	4.618	20384592	27979173	9.077	8.851
6)	B beta-BHC	4.370	4.789	9918260	14918679	10.633	10.332
14)	MA Endrin	5.930	6.642	80158286	103.0E6	49.377	49.236
16)	A 4,4'-DDD	6.060	0.000	818420	0	0.589	N.D. #
17)	MA 4,4'-DDT	6.298	7.066	142.8E6	188.8E6	106.294	99.620
20)	A Methoxychlor	6.841	7.525	206.5E6	256.3E6	243.417	231.026
21)	B Endrin ke...	7.066	0.000	2930232	0	1.582	N.D. #
23)	Chlordane-1	4.298f	0.000	1044938	0	20.321	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102020\
Data File : PL062436.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 Oct 2020 10:35
Operator : DD\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PEM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 21 04:46:44 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101920.M
Quant Title : GC Extractables
QLast Update : Tue Oct 20 07:00:50 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.410 min
Delta R.T.: 0.000 min
Response: 36078972
Conc: 20.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#1 Tetrachloro-m-xylene

R.T.: 3.949 min
Delta R.T.: -0.002 min
Response: 46422945
Conc: 20.15 ng/ml




#2 alpha-BHC

R.T.: 3.842 min
Delta R.T.: -0.002 min
Response: 23584112
Conc: 9.43 ng/ml



#2 alpha-BHC


R.T.: 4.335 min
Delta R.T.: -0.002 min
Response: 29562793
Conc: 8.78 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.121 min
Delta R.T.: -0.001 min
Response: 20384592
Conc: 9.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#3 gamma-BHC (Lindane)

R.T.: 4.618 min
Delta R.T.: -0.002 min
Response: 27979173
Conc: 8.85 ng/ml




#6 beta-BHC

R.T.: 4.370 min
Delta R.T.: 0.000 min
Response: 9918260
Conc: 10.63 ng/ml



#6 beta-BHC


R.T.: 4.789 min
Delta R.T.: -0.002 min
Response: 14918679
Conc: 10.33 ng/ml



#14 Endrin


R.T.: 5.930 min
Delta R.T.: 0.000 min
Response: 80158286
Conc: 49.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#14 Endrin

R.T.: 6.642 min
Delta R.T.: -0.002 min
Response: 103023181
Conc: 49.24 ng/ml




#16 4,4'-DDD

R.T.: 6.060 min
Delta R.T.: 0.000 min
Response: 818420
Conc: 0.59 ng/ml



#16 4,4'-DDD


R.T.: 0.000 min
Exp R.T.: 6.768 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 6.298 min
Delta R.T.: 0.000 min
Response: 142798802
Conc: 106.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#17 4,4'-DDT

R.T.: 7.066 min
Delta R.T.: 0.000 min
Response: 188804969
Conc: 99.62 ng/ml




#20 Methoxychlor

R.T.: 6.841 min
Delta R.T.: 0.000 min
Response: 206549312
Conc: 243.42 ng/ml



#20 Methoxychlor


R.T.: 7.525 min
Delta R.T.: 0.000 min
Response: 256276314
Conc: 231.03 ng/ml



#21 Endrin ketone


R.T.: 7.066 min
Delta R.T.: -0.002 min
Response: 2930232
Conc: 1.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#21 Endrin ketone

R.T.: 0.000 min
Exp R.T. : 7.668 min
Response: 0
Conc: N.D.




#23 Chlordane-1

R.T.: 4.298 min
Delta R.T.: 0.030 min
Response: 1044938
Conc: 20.32 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T. : 4.937 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.122 min
Delta R.T.: 0.000 min
Response: 36534225
Conc: 20.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM



#28 Decachlorobiphenyl

R.T.: 8.988 min
Delta R.T.: 0.000 min
Response: 41094945
Conc: 20.72 ng/ml