

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
 Data File : PL092517.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Oct 2024 19:08
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 22 01:08:03 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 21 17:09:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.539	2.777	126.6E6	132.3E6	47.003	47.632
28)	SA Decachlor...	9.056	7.918	94582103	130.2E6	46.566	49.422
Target Compounds							
2)	A alpha-BHC	3.995	3.280	196.1E6	204.9E6	47.587	47.494
3)	MA gamma-BHC...	4.328	3.611	183.4E6	202.2E6	47.680	49.092
4)	MA Heptachlor	4.917	3.950	167.2E6	194.2E6	47.156	48.368
5)	MB Aldrin	5.259	4.230	178.1E6	195.8E6	48.424	49.244
6)	B beta-BHC	4.526	3.910	74673092	82240259	48.104	47.103
7)	B delta-BHC	4.773	4.139	190.1E6	204.7E6	50.542	48.677
8)	B Heptachlo...	5.685	4.733	168.6E6	173.4E6	50.765	49.226
9)	A Endosulfan I	6.071	5.103	138.4E6	156.8E6	45.828	49.277
10)	B gamma-Chl...	5.941	4.983	150.6E6	177.0E6	45.691	48.103
11)	B alpha-Chl...	6.020	5.047	149.3E6	172.2E6	45.860	48.444
12)	B 4,4'-DDE	6.193	5.236	139.3E6	171.6E6	46.975	49.349
13)	MA Dieldrin	6.346	5.367	150.8E6	176.0E6	46.373	48.159
14)	MA Endrin	6.575	5.643	123.6E6	153.4E6	43.782	46.832
15)	B Endosulfa...	6.795	5.938	128.1E6	152.5E6	45.286	48.777
16)	A 4,4'-DDD	6.711	5.791	116.0E6	136.2E6	48.020	49.030
17)	MA 4,4'-DDT	7.024	6.041	113.0E6	137.7E6	45.823	46.891
18)	B Endrin al...	6.925	6.117	101.8E6	117.1E6	47.659	47.657
19)	B Endosulfa...	7.159	6.340	117.6E6	148.0E6	46.526	50.049
20)	A Methoxychlor	7.500	6.616	57110587	66945805	48.493	47.216
21)	B Endrin ke...	7.644	6.845	132.3E6	158.6E6	48.109	49.385
22)	Mirex	8.117	7.026	97275382	138.6E6	46.619	53.048
23)	Chlordane-1	0.000	3.761	0	586418	N.D.	4.935 #
24)	Chlordane-2	5.259f	4.367	178.1E6	7700570	1344.502	55.124 #
25)	Chlordane-3	5.941	4.983	150.6E6	177.0E6	312.144	441.512 #
26)	Chlordane-4	6.020	5.047	149.3E6	172.2E6	255.393	443.890 #
27)	Chlordane-5	0.000	5.938	0	152.5E6	N.D.	1089.780 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102124\
Data File : PL092517.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Oct 2024 19:08
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 22 01:08:03 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102124.M
Quant Title : GC Extractables
QLast Update : Mon Oct 21 17:09:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.539 min
Delta R.T.: 0.001 min
Response: 126619534
Conc: 47.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.777 min
Delta R.T.: 0.000 min
Response: 132296275
Conc: 47.63 ng/ml




#2 alpha-BHC

R.T.: 3.995 min
Delta R.T.: 0.001 min
Response: 196115800
Conc: 47.59 ng/ml



#2 alpha-BHC


R.T.: 3.280 min
Delta R.T.: 0.000 min
Response: 204941150
Conc: 47.49 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.328 min
Delta R.T.: 0.002 min
Response: 183414771
Conc: 47.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.611 min
Delta R.T.: 0.000 min
Response: 202161603
Conc: 49.09 ng/ml




#4 Heptachlor

R.T.: 4.917 min
Delta R.T.: 0.002 min
Response: 167201089
Conc: 47.16 ng/ml



#4 Heptachlor


R.T.: 3.950 min
Delta R.T.: 0.001 min
Response: 194232859
Conc: 48.37 ng/ml



#5 Aldrin


R.T.: 5.259 min
Delta R.T.: 0.002 min
Response: 178136420
Conc: 48.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.230 min
Delta R.T.: 0.001 min
Response: 195768576
Conc: 49.24 ng/ml




#6 beta-BHC

R.T.: 4.526 min
Delta R.T.: 0.001 min
Response: 74673092
Conc: 48.10 ng/ml



#6 beta-BHC


R.T.: 3.910 min
Delta R.T.: 0.000 min
Response: 82240259
Conc: 47.10 ng/ml



#7 delta-BHC


R.T.: 4.773 min
Delta R.T.: 0.002 min
Response: 190140618
Conc: 50.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.139 min
Delta R.T.: 0.000 min
Response: 204746711
Conc: 48.68 ng/ml




#8 Heptachlor epoxide

R.T.: 5.685 min
Delta R.T.: 0.002 min
Response: 168577487
Conc: 50.77 ng/ml



#8 Heptachlor epoxide


R.T.: 4.733 min
Delta R.T.: 0.001 min
Response: 173448721
Conc: 49.23 ng/ml



#9 Endosulfan I


R.T.: 6.071 min
Delta R.T.: 0.002 min
Response: 138371296
Conc: 45.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.103 min
Delta R.T.: 0.002 min
Response: 156849585
Conc: 49.28 ng/ml




#10 gamma-Chlordane

R.T.: 5.941 min
Delta R.T.: 0.002 min
Response: 150641970
Conc: 45.69 ng/ml



#10 gamma-Chlordane


R.T.: 4.983 min
Delta R.T.: 0.002 min
Response: 176981949
Conc: 48.10 ng/ml



#11 alpha-Chlordane


R.T.: 6.020 min
Delta R.T.: 0.002 min
Response: 149338433
Conc: 45.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.047 min
Delta R.T.: 0.002 min
Response: 172172374
Conc: 48.44 ng/ml




#12 4,4'-DDE

R.T.: 6.193 min
Delta R.T.: 0.000 min
Response: 139325201
Conc: 46.98 ng/ml



#12 4,4'-DDE


R.T.: 5.236 min
Delta R.T.: 0.001 min
Response: 171601790
Conc: 49.35 ng/ml



#13 Dieldrin


R.T.: 6.346 min
Delta R.T.: 0.002 min
Response: 150800574
Conc: 46.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.367 min
Delta R.T.: 0.001 min
Response: 175990468
Conc: 48.16 ng/ml




#14 Endrin

R.T.: 6.575 min
Delta R.T.: 0.001 min
Response: 123629196
Conc: 43.78 ng/ml



#14 Endrin


R.T.: 5.643 min
Delta R.T.: 0.002 min
Response: 153371939
Conc: 46.83 ng/ml



#15 Endosulfan II


R.T.: 6.795 min
Delta R.T.: 0.000 min
Response: 128149534
Conc: 45.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.938 min
Delta R.T.: 0.002 min
Response: 152486983
Conc: 48.78 ng/ml




#16 4,4'-DDD

R.T.: 6.711 min
Delta R.T.: 0.001 min
Response: 116013496
Conc: 48.02 ng/ml



#16 4,4'-DDD


R.T.: 5.791 min
Delta R.T.: 0.002 min
Response: 136217735
Conc: 49.03 ng/ml



#17 4,4'-DDT


R.T.: 7.024 min
Delta R.T.: 0.000 min
Response: 113003074
Conc: 45.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.041 min
Delta R.T.: 0.001 min
Response: 137716278
Conc: 46.89 ng/ml




#18 Endrin aldehyde

R.T.: 6.925 min
Delta R.T.: 0.001 min
Response: 101802390
Conc: 47.66 ng/ml



#18 Endrin aldehyde


R.T.: 6.117 min
Delta R.T.: 0.001 min
Response: 117070900
Conc: 47.66 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.159 min
Delta R.T.: 0.000 min
Response: 117554025
Conc: 46.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.340 min
Delta R.T.: 0.002 min
Response: 147958348
Conc: 50.05 ng/ml




#20 Methoxychlor

R.T.: 7.500 min
Delta R.T.: 0.000 min
Response: 57110587
Conc: 48.49 ng/ml



#20 Methoxychlor


R.T.: 6.616 min
Delta R.T.: 0.001 min
Response: 66945805
Conc: 47.22 ng/ml



#21 Endrin ketone


R.T.: 7.644 min
Delta R.T.: 0.000 min
Response: 132291313
Conc: 48.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.845 min
Delta R.T.: 0.001 min
Response: 158632346
Conc: 49.39 ng/ml




#22 Mirex

R.T.: 8.117 min
Delta R.T.: 0.000 min
Response: 97275382
Conc: 46.62 ng/ml



#22 Mirex


R.T.: 7.026 min
Delta R.T.: 0.001 min
Response: 138641585
Conc: 53.05 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.700 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.761 min
Delta R.T.: -0.014 min
Response: 586418
Conc: 4.93 ng/ml




#24 Chlordane-2

R.T.: 5.259 min
Delta R.T.: 0.028 min
Response: 178136420
Conc: 1344.50 ng/ml



#24 Chlordane-2


R.T.: 4.367 min
Delta R.T.: 0.014 min
Response: 7700570
Conc: 55.12 ng/ml



#25 Chlordane-3


R.T.: 5.941 min
Delta R.T.: 0.000 min
Response: 150641970
Conc: 312.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 4.983 min
Delta R.T.: 0.000 min
Response: 176981949
Conc: 441.51 ng/ml




#26 Chlordane-4

R.T.: 6.020 min
Delta R.T.: -0.002 min
Response: 149338433
Conc: 255.39 ng/ml



#26 Chlordane-4


R.T.: 5.047 min
Delta R.T.: 0.002 min
Response: 172172374
Conc: 443.89 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.872 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 5.938 min
Delta R.T.: -0.003 min
Response: 152486983
Conc: 1089.78 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.056 min
Delta R.T.: 0.000 min
Response: 94582103
Conc: 46.57 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.918 min
Delta R.T.: 0.000 min
Response: 130225118
Conc: 49.42 ng/ml